

sm



We come back to play.

A large, stylized letter 'M' in a white serif font, positioned at the top left of the page.

Now is the time for play. If ever we've needed to rely on the physical, emotional and social benefits of play, it's now. If ever we've needed a chance to feel fresh air, stretch our limbs and have some fun, it's now. If ever we've needed to feel included, capable, understood, it's now. No matter how much the world changes around us, play will always be an important part of shaping kids' lives. That's why we will always come back to play.



New Products	4
Featured Designs	18
5-12 Years	42
2-5 Years	80
6-23 Months	94
Play Components	99

NEW

We-Go-Swing™ The first totally inclusive swing!



We play, we laugh,
we swing! The We-Go-Swing
is a revolutionary step forward
in inclusive play experiences.

Designed to be integrated into
the playground setting, this
swing lets kids of all abilities play
together and experience the thrill
of swinging. With no need to
transfer, the We-Go-Swing opens
up a whole new world
of playground fun.



We-Go-Swing™
Ages 2-5, 5-12
Patent pending



Hedra® Swing Frame
Ages 2-5, 5-12
Patent pending

We put a twist on traditional swing frames! The Hedra Swing Frame complements the geometric forms of our Hedra playstructures, and adds a visual surprise to any play environment.





Let all the kids get in on the spin with our WhirlyQ Spinner. The swooping sculptural form not only provides beauty and visual stimulation to your play environment, the spinning motion also supports healthy growth and development in kids. With a base platform at transfer height, kids of all abilities can hop on for swirl-y fun.



WhirlyQ™ Spinner
Ages 5-12
U.S. Patent number 9,220,988

Play Healthy™ Products

Keep play safer with Play Healthy products. The Hand Sanitizer Station is a sturdy, large-capacity hand sanitizer container that allows playground goers to sanitize before and after play, while our Play Healthy Labels offer quick reminders about how to play safely. With the opportunity to customize the colors to match your existing playstructure or add your own logo or artwork, these products integrate seamlessly into your play environment.





Great Designs Collection
Ages 5-12

Our curated Great Designs Collection features beautiful, dynamic playgrounds with budget-friendly price points. The Great Designs Collection makes the decision-making process easy.



Tree Tops



BeachComber



Billows

PlayBooster® Alpine™ Slide
Ages 5-12



Inspired by luge tracks, the wide, winding design of this exciting new slide experience lets kids feel the thrill of banking along a curve as they whoosh to the bottom.

Kids get to choose their own adventure by climbing in, out, up or around this 3D playground net. The ropes flex to provide a fun and challenging climbing experience.

PlayBooster® Zenith™ Climber
Ages 5-12



PlayBooster® Climbers

Ages 5–12

Climbs of all kinds! Each climber in this collection requires a different climbing method, letting kids challenge and develop their minds and bodies. The variety of materials also adds visual interest to your playstructure.



72" Arcade Climber



72" Square Loop Incline Climber



72" Wood Plank Ladder



72" Shockwave Climber

ProShield® Colors

Created to complement the vibrant, saturated colors in our existing palette, these nature-inspired matte metallics have a subtle sparkle that gives them eye-catching dimension. The unique finish creates a soft, smooth feel to the touch.



Slate



Pebble



Seafoam



Sprout



Honey




Copper

PLAYSTRUCTURES

Featured Designs





Lowcountry Celebration Park
Hilton Head, South Carolina




May Nissen Park
Livermore, California





Playground Fantastico
Napa, California





Kiwanis International is a global organization of volunteers dedicated to changing the world one child and one community at a time. As a proud Vision Partner, Landscape Structures helps Kiwanis International fulfill their mission by bringing play and playgrounds to communities across the globe.

Kentland Community Center Playground
Landover, Maryland






Howard Park
South Bend, Indiana





Bloomingdale Playground
New York, New York





Wilbur Young Park
Blue Springs, Missouri








LEO's Haven at Chanticleer County Park
Santa Cruz, California



Inclusion Matters® by Shane's Inspiration is an international nonprofit dedicated to creating social inclusion for children with disabilities through the creation of inclusive play environments and educational programming. Landscape Structures is proud to partner in this vision, which fosters a bias-free world among children of all abilities.

Waterline Square
New York, New York





Midway Peace Park
St. Paul, Minnesota



Verdell Burdine Rutherford Park
Portland, Oregon



**Ames Miracle Field and Inclusive
Playground at Inis Grove Park**
Ames, Iowa



The Miracle League builds accessible baseball fields to give all children a chance to play ball. Through our partnership, Landscape Structures installs inclusive playgrounds as part of Miracle League baseball complexes, creating an engaging experience for kids of all ages and abilities.



Stapleton Playground
New York, New York





PLAYSTRUCTURES

5-12 Years



**Parkview Hills Park**

Delano, Minnesota

Hedra®

- Minimum area 48' x 43' (14,63 m x 13,11 m) ASTM
- \$81,195

Louis S. Wolk JCC of Greater Rochester

Rochester, New York

Alpha® Tower and Crab Trap™

- Minimum area 72' x 43' (21,95 m x 13,11 m) ASTM
- \$121,300





AGES 5-12

Garrison Park

Crossville, Tennessee
PlayBooster® Netplex®

- Minimum area 58' x 46' (17.68 m x 14.02 m) ASTM
- \$72,900





Glamorgan Park

Scarborough, Ontario, Canada

PlayBooster®

- Minimum area 50' x 35' (15,24 m x 10,67 m) CSA
- \$33,100



Landscape Structures is proud to be KABOOM!'s Partner in Play! KABOOM! is the national nonprofit that works to achieve playspace equity. They amplify the power of communities to build inspiring playspaces that spark unlimited opportunities for every kid, everywhere. KABOOM! has teamed up with partners to build or improve 17,000+ playspaces, engage more than 1.5 million community members and bring joy to more than 11 million kids. To learn about their mission to end playspace inequity for good, visit kaboom.org and join the conversation at twitter.com/kaboom, facebook.com/kaboom and instagram.com/kaboom.



Thorpe Park

Flagstaff, Arizona
Evos® Eclipse™ Net Plus
• Minimum area 52' x 46' (15,85 m x 14,02 m) ASTM
• \$45,500





Oak Elm Park

Windsor, Ontario, Canada

PlayBooster®

- Minimum area 40' x 36' (12,19 m x 10,97 m) CSA
- \$37,000

Calf Pasture Park
Cedar Hill, Texas
PlayBooster®
• Minimum area 47' x 42' (14,33 m x 12,80 m) ASTM
• \$72,100



**Rabanus Park**

Fargo, North Dakota

PlayBooster®

- Minimum area 42' x 34' (12,80 m x 10,36 m) ASTM
- \$37,400

L'Hospitalet – Parc de Les Planes

AMB - Barcelona, Spain

Smart Play® Venti®

- Minimum area 45' x 40' (13,72 m x 12,19 m) EN
- \$38,480





Legacy Park
Fargo, North Dakota
PlayBooster®
• Minimum area 38' x 34' (11,58 m x 10,36 m) ASTM
• \$38,900



Purden Provincial Park

Prince George, British Columbia, Canada

PlayBooster®

- Minimum area 49' x 49' (14.94 m x 14.94 m) CSA
- \$100,300



Cannery Park
St. Cloud, Florida
PlayBooster®
• Minimum area 96' x 65' (29,26 m x 19,81 m) ASTM
• \$227,500





Monticello Miracle League

Monticello, Arkansas

PlayBooster®

- Minimum area 53' x 37' (16,15 m x 11,28 m) ASTM
- \$70,500
- PlayBooster and Freestanding Play Events
- \$160,700



The Miracle League builds accessible baseball fields to give all children a chance to play ball. Through our partnership, Landscape Structures installs inclusive playgrounds as part of Miracle League baseball complexes, creating an engaging experience for kids of all ages and abilities.







Canadian Tire Jumpstart Charities helps kids overcome financial and accessibility barriers to sport and recreation in an effort to provide inclusive play for kids of all abilities. Landscape Structures is proud to partner in this vision and goal: Canada, where all kids have a chance to fulfill their dreams.

Jumpstart Playground—Shouldice Park

Calgary, Alberta, Canada

PlayBooster®

- Minimum area 115' x 96' (35,05 m x 29,26 m) CSA
- \$384,100



Irving Park

Hammond, Indiana

Super Netplex®

- Minimum area 66' x 57' (20,12 m x 17,37 m) ASTM
- \$141,400



**Glenview Elementary**

Prince George, British Columbia, Canada
PlayBooster®

- Minimum area 61' x 44' (18,59 m x 13,41 m) CSA
- \$43,600

AGES 5-12

Saratoga Park
Schererville, Indiana
PlayBooster®
• Minimum area 52' x 45' (15,85 m x 13,72 m) ASTM
• \$56,200



Zayed Higher Organization

Mafraq, Abu Dhabi, UAE

PlayBooster®

- Minimum area 44' x 41' (13,41 m x 12,50 m) ASTM
- \$34,500



Sycamore Park

Brentwood, California

Alpha Link® Towers

- Minimum area 62' x 50' (18,90 m x 15,24 m) ASTM

- \$99,300





AGES 5-12

Basswood Park

Maple Grove, Minnesota

PlayBooster®

- Minimum area 61' x 39' (18.59 m x 11.89 m) ASTM
- \$53,200



Townley Park

Peoria, Arizona

PlayBooster®

• Minimum area 33' x 30' (10,06 m x 9,14 m) ASTM

• \$27,900



Liberty Arts Academy

Mesa, Arizona

PlayBooster®


- Minimum area 48' x 40' (14,63 m x 12,19 m) ASTM
- \$39,400



Landscape Structures is proud to be KABOOM!'s Partner in Play! KABOOM! is the national nonprofit that works to achieve playspace equity. They amplify the power of communities to build inspiring playspaces that spark unlimited opportunities for every kid, everywhere. KABOOM! has teamed up with partners to build or improve 17,000+ playspaces, engage more than 1.5 million community members and bring joy to more than 11 million kids. To learn about their mission to end playspace inequity for good, visit kaboom.org and join the conversation at twitter.com/kaboom, facebook.com/kaboom and instagram.com/kaboom.





**Willow Park Elementary School**

Fargo, North Dakota

PlayBooster®

- Minimum area 69' x 53' (21,03 m x 16,15 m) ASTM
- \$92,000

Ralph V. Chisholm Regional Park

St. Cloud, Florida

PlayBooster®

- Minimum area 62' x 41' (18,90 m x 12,50 m) ASTM
- \$108,800



**Woodland Hills Recreation Center**

Woodland Hills, California

PlayBooster®

- Minimum area 46' x 45' (14,02 m x 13,72 m) ASTM
- \$138,700

Discovery Park
Meridian, Idaho
PlayBooster®
• Minimum area 77' x 50' (23,47 m x 15,24 m) ASTM
• \$213,500






PLAYSTRUCTURES

2-5
Years





Ralph V. Chisholm Regional Park

St. Cloud, Florida

PlayShaper®

- Minimum area 36' x 33' (10,97 m x 10,06 m) ASTM
- \$32,900

Parkview Hills Park
Delano, Minnesota
Hedra® Scout
• Minimum area 37' x 34' (11,28 m x 10,36 m) ASTM
• \$60,895





Rabanus Park
Fargo, North Dakota
PlayShaper®
• Minimum area 35' x 29' (10.67 m x 8.84 m) ASTM
• \$28,300





Woodland Hills Recreation Center

Woodland Hills, California

Weevos®

- Minimum area 38' x 33' (11,58 m x 10,06 m) ASTM
- \$24,400



**Oak Elm Park**

Windsor, Ontario, Canada

Smart Play® Motion

- Minimum area 24' x 23' (7,32 m x 7,01 m) CSA
- \$16,155



Life Church

Cookeville, Tennessee

Smart Play® Centre

• Minimum area 35' x 33' (10,67 m x 10,06 m) ASTM

• \$45,265



Glamorgan Park

Scarborough, Ontario, Canada

PlayShaper®

- Minimum area 35' x 32' (10.67 m x 9.75 m) CSA
- \$20,200



Landscape Structures is proud to be KABOOM!'s Partner in Play! KABOOM! is the national nonprofit that works to achieve playspace equity. They amplify the power of communities to build inspiring playspaces that spark unlimited opportunities for every kid, everywhere. KABOOM! has teamed up with partners to build or improve 17,000+ playspaces, engage more than 1.5 million community members and bring joy to more than 11 million kids. To learn about their mission to end playspace inequity for good, visit kaboom.org and join the conversation at twitter.com/kaboom, facebook.com/kaboom and instagram.com/kaboom.

Cottonwood Park
Colorado City, Arizona
Weevos®
• Minimum area 33' x 30' (10,06 m x 9,14 m) ASTM
• \$23,600



AGES 2-5

Sycamore Creek Park

Pickerington, Ohio

PlayShaper®

- Minimum area 36' x 36' (10.97 m x 10.97 m) ASTM
- \$35,500





PLAYSTRUCTURES

6-23 Months





Life Church
Cookeville, Tennessee
Smart Play® Nook
• Minimum area 21' x 20' (6,40 m x 6,10 m) ASTM
• \$7,165



Kidango Foxdale Center

San Jose, California

PlayShaper®

- Minimum area 19' x 17' (5,79 m x 5,18 m) ASTM
- \$15,000





**Menominee Early Childhood Services
Dkb Head Start/Early Head Start Center**

Keshena, Wisconsin

PlayShaper®

- Minimum area 25' x 23' (7,62 m x 7,01 m) ASTM
- \$14,200



Play Components

You'll find everything you need to build your play environment. Don't see exactly what you're looking for? Talk to your local playground consultant. We have extensive design and manufacturing capabilities to ensure your playground is everything you imagine and more.

5-12 Years	100
2-5 Years	172
6-23 Months	194
Smart Play®	198
Hedra®	208
Freestanding Play	212
Fitness	258
Site Furnishings	270
Colors	280
Find More	288
Warranty/Standards	290
Index	291

PLAY COMPONENTS

5-12 Years

PlayBooster® components, pages 101-164



» vertical post and net / deck structure
» includes Tree House, PlayOdyssey® Tower, GeoPlex,*
Netplex* and Vibe*
Netplex: U.S. Patent numbers 9,375,609 and 10,260,538
GeoPlex: Patent pending

Evos® components, pages 165-171



» ground-to-ground arched structure
Evos: U.S. Patent numbers 8,021,240, 8,366,562, 8,485,911 and 9,089,731

GeoPlex®

Strategic climbing challenges await young explorers in this collection of towers, cables, climbers and nets.

- GeoPlex towers can stand on their own or be expanded with a variety of components attached to outer posts
- Climbers and nets integrate into PlayBooster® playstructures
- Patent pending

A. 5-Post Tower

- Kids can climb both inside and outside, perch on top and crawl under panels
- Maximum fall height 103" (2,62 m)
- #220546


B. 5-Post Tower with Cables

- Complex cabling encourages strategic thinking to navigate this tower
- Maximum fall height 112" (2,84 m)
- #222232





A



A. 3-Spoke Tower with Cables

- Cables add an extra climbing challenge
- Maximum fall height 112" (2.84 m)
- #222231

B. 3-Spoke Tower

- Seven panels provide ample room for lots of kids to climb
- Maximum fall height 103" (2.62 m)
- #220545



A. GeoPlex® Ground-to-Deck Double Climber

- 64" or 72" decks
- Maximum fall height 106" (2,69 m)
- #220541

B. GeoPlex Ground-to-Deck Triple Climber

- 64" or 72" decks
- Maximum fall height 106" (2,69 m)
- #220544

C. GeoPlex 123" Deck-to-Deck Climber

- Connects 48" deck to 72" deck
- Maximum fall height 106" (2,69 m)
- #220543



A



B



C

Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



C

A. GeoPlex® Climber

- 40" to 72" decks
- Maximum fall height equals deck height
- #219509

B. GeoPlex 84" Deck-to-Deck Climber

- Connects 48" deck to 72" deck
- Maximum fall height 106" (2.69 m)
- #220542

C. GeoPlex Double Panel or Triple Panel

- Maximum fall height 103" (2.62 m)
- #220538
Double Panel, Ground Level
- #220539
Double Panel, Elevated (shown)
- #220540
Triple Panel



A. GeoPlex Navigator Climber

- Maximum fall height 112" (2,84 m)
- #223163
5-Post Tower / Net / 5-Post Tower
- #223163
5-Post Tower / Net / 3-Spoke Tower
(shown)
- #223163
3-Spoke Tower / Net / 3-Spoke Tower

B. GeoPlex Trailblazer Climber


- 72" deck
- Maximum fall height 119" (3,02 m)
- #223166
5-Post Tower / Net / 5-Post Tower
(shown)
- #223166
5-Post Tower / Net / (Deck)
- #223167
Net Only (Deck-to-Deck)

C. GeoPlex Labyrinth Climber

- 64" to 72" decks
- Maximum fall height 112" (2,84 m)
- #223169
5-Post Tower / Net / 5-Post Tower
- #223169
5-Post Tower / Net / (Deck)
(shown)
- #223170
Net Only (Deck-to-Deck)



A



B



C

Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Netplex®

This configurable complex of climbing cables creates a challenging, yet safe, climbing experience.

- Start with a Netplex 7-Post, 13-Post or 14-Post mainstructure with or without roofs, then attach your choice of fun, unique PlayBooster® components that spin, slide or swing
- Netplex can stand on its own or attach to another PlayBooster playstructure to extend the fun
- U.S. Patent numbers 9,375,609 and 10,260,538

Netplex 14-Post

- Optional 3-, 5- or 7-roof configurations available (3-roof shown)
- Mainstructure only; additional components not included
- Maximum fall height 96" (2.44 m)
- #193169

A. Netplex 13-Post

- For use with 72" Alpine™ Slide or Double Swoosh Slide®
- Optional 3- or 5-roof configurations available
- Mainstructure only; additional components not included
- Maximum fall height 96" (2.44 m)
- #224091

B. Netplex 7-Post

- Optional 3-roof configuration available
- Mainstructure only; additional components not included
- Maximum fall height 96" (2.44 m)
- #193168





A. Disc Net™ Climber

- Interior climbing net for 7-Post or 14-Post Netplex®
- Includes four latex-free rubber belting landings
- Maximum fall height 96" (2,44 m)
- #194659

B. Disc Net Climber with Double Swoosh Slide®

- For use with 7-Post or 13-Post Netplex
- Includes climber and slide
- Maximum fall height 96" (2,44 m)
- #224086

C. NEW Disc Net Climber with Alpine™ Slide

- For use with 7-Post or 13-Post Netplex
- Includes climber and slide
- Maximum fall height 96" (2,44 m)
- #271911



A. Skypoint™ Climber


- Interior climbing net for 7-Post or 14-Post Netplex
- Includes five latex-free rubber belting landings
- Maximum fall height 96" (2.44 m)
- #193175


B. NEW Skypoint Climber with Alpine Slide

- For use with 7-Post and 13-Post Netplex
- Includes climber and slide
- Maximum fall height 96" (2.44 m)
- #271912

C. Skypoint Climber with Double Swoosh Slide

- For use with 7-Post or 13-Post Netplex
- Includes climber and slide
- Maximum fall height 96" (2.44 m)
- #224088





A. NEW Zenith™ Climber

- For 7-Post Netplex® only
- Maximum fall height 96" (2.44 m)
- #272371

B. Watermill™ Climber

- For 14-post Netplex only
- Maximum fall height 93" (2.36 m)
- #193172

Find Even More

Talk to your Landscape Structures playground consultant to see more PlayBooster® components compatible with Netplex.



PlayOdyssey® Towers

The PlayOdyssey Tower creates a double-decker adventure kids love.

- Two octagonal decks open up 118 square feet
- Start with either the 12' or 10' Tower, then add slides, panels, climbers and more
- Maximum fall height equals deck height

A. 12' PlayOdyssey Tower

- Two 59 sq. ft. decks at 72" and 144"
- Center-access climber
- PlayOdyssey Roof included
- Add 12' Tower Slides and/or 12' Tower Panels to upper deck; any compatible PlayBooster components to lower deck
- #165596

B. 10' PlayOdyssey Tower

- Two 59 sq. ft. decks at 48" and 120"
- Center-access climber
- Add 10' Tower Slides and/or any compatible PlayBooster panels to upper deck; any compatible PlayBooster components to lower deck
- #185296
with Roof
- #188689
without Roof

C. 12' Tower Bubble Panel

- ¼" polycarbonate
- #165824

D. 12' Tower Pipe Barrier

- #165960



A



B



C



D



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574



A. Tower WhooshWinder® Slide

- #222709
10' height (shown)
- #222710
12' height

B. Tower Gemini SlideWinder2®

- #185354
10' height (shown)
- #166533
12' height

C. Tower SlideWinder2

- #185346
10' height
- #165780
12' height (shown)

D. Tower EI Slide

- 30"-diameter tunnel
- Optional view tubes available (shown on page 123) on straight sections
- #185355
10' height
- #165781
12' height (shown)

E. Tower TurboTwister™ Tunnel Slide

- 30"-diameter tunnel
- Optional view tubes available (shown on page 123) on straight sections
- #185338
10' height
- #165827
12' height (shown)

Find Even More

Talk to your Landscape Structures playground consultant to see more PlayBooster® components compatible with PlayOdyssey Towers®.



Nature-Inspired Play

The Canyon Collection®

- 72" deck
- Cables in black only
- Direct bury only
- Maximum fall height 76" (1,93 m)

A. Formations

The Canyon Collection Formation 1

- All four rocks structured around a Canyon Deck
- #207577

The Canyon Collection Formation 2 (shown)

- All four rocks structured around a Canyon Deck
- Deck accommodates wheelchair turnaround
- Add any compatible PlayBooster components
- #207578

The Canyon Collection Formation 3

- Three rocks — Ascent, Bend, Chimney — structured around a Canyon Deck
- Deck accommodates wheelchair turnaround
- Add any two compatible PlayBooster components
- #207579

The Canyon Collection Formation 4

- Three rocks — Ascent, Chimney, Den — structured around a Canyon Deck
- Deck accommodates wheelchair turnaround
- Add any two compatible PlayBooster components
- #207580

B. The Ascent® Rock Climber

- Connects to a Triangular, Square or Hexagon Deck when installed individually
- Maximum fall height 72" (1,83 m)
- #207581

C. The Bend® Rock Climber

- Connects to a Square Deck when installed individually
- Maximum fall height 72" (1,83 m)
- #207582



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Samples of fossil imprints

**A. The Chimney® Rock Climber**

- Connects to a Triangular, Square or Hexagon Deck when installed individually
- Maximum fall height 76" (1,93 m)
- #207583

B. The Den® Rock Climber

- Connects to a Hexagon Deck when installed individually
- Maximum fall height 72" (1,83 m)
- #207584

**The Chimney/The Den Rock Climber
(not shown)**

- Two rocks structured around a Hexagon Deck
- Maximum fall height 76" (1,93 m)
- #207585

C. Canyon Corkscrew Net with Rock

- Cables in black only
- Maximum fall height 72" to 76" (1,83 m to 1,93 m)
- #207851

D. Canyon High Wire Net with Rock

- Cables in black only
- Maximum fall height 72" to 76" (1,83 m to 1,93 m)
- #207852



A. Facet® Stepper

- 16", 24" and 32" decks
- Maximum fall height equals deck height
- #237937 Permalene® Handholds
- #237938 Recycled Wood-Grain Handholds (shown)



A

B. The Stepper™ Rock Climber

- 24" deck
- Maximum fall height equals deck height
- #160422



B



Samples of fossil imprints

C. The Peak™ Rock Climber

- 32" and 40" decks
- Maximum fall height 40" (1,02 m) with 12" (0,30 m) surfacing
- #160420 Climber – ground to 40" deck (shown)
- #160421 Bridge – between 32" and 40" decks



C

D. The Pinnacle™ Rock Climber

- 40", 56" and 72" decks
- Maximum fall height 74" (1,88 m) with 12" (0,30 m) surfacing
- #156066



D

E. The Pointe™ Rock Climber



- 40" and 56" decks
- Maximum fall height 56" (1,42 m) with 12" (0,30 m) surfacing
- #156068



E



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574



AdventureScapes® Climbers

- 40" deck
- Direct bury only

Designs 1-2

- Maximum fall height 56" (1.42 m) with 12" (0.30 m) surfacing

Designs 3-9

- Maximum fall height 74" (1.88 m) with 12" (0.30 m) surfacing



A. SlideWinder2® with Tree Branch Support

- 72" deck
- Maximum fall height 72" (1.83 m)
- #169316

B. Firepole with Recycled Wood-Grain Handholds

- 32" to 72" decks
- Maximum fall height equals deck height
- #169317

C. Log Stack Climber

- 48" or 72" decks
- Maximum fall height equals deck height
- #183193

D. Log Steppers

- Up to 48" decks
- Maximum fall height equals deck height
- #169320

E. Mushroom Steppers

- Up to 40" decks
- Maximum fall height equals deck height
- #175179-175181



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



A. NEW Wood Plank Ladder with Recycled Wood-Grain Handholds

- 72" decks
- Maximum fall height equals deck height
- #271906

B. Wood Plank Wiggle Ladder

- 32" to 72" decks
- Maximum fall height equals deck height
- #169318

C. Discovery Tree Climb™

- Includes a raccoon, squirrel, age-ring tracing panel and talk tube
- 48" and 72" decks
- Maximum fall height 72" (1,83 m)
- #169322

Loop Pole with Recycled Wood-Grain Handholds

- 32" to 72" decks
- Maximum fall height equals deck height
- Shown on page 136
- #172665



B



C



**A. Corkscrew Climber
with Recycled Wood-Grain
Handholds**

- 32" to 72" decks
- Maximum fall height equals deck height
- #172666

B. Tree Stump Transfer Module

- Helps kids transfer from a wheelchair to play area
- 48" deck
- Maximum fall height 48" (1,22 m)
- #169321

C. Pine Tree Accent Topper

- 29" x 41"
- Attaches to PlayBooster® post tops
- #178470

D. Recycled Wood-Grain Panel

- #169319

E. Log Balance Beam

- Maximum fall height 12" (0,30 m)
- #173596

F. Recycled Tree House Roof

- Optional "Kids Only" sign and black stovepipe chimney (shown)
- 59" x 59-½"
- #211190

G. Flower Accent Topper

- Attaches to PlayBooster post tops
- #212256



A



B



C



D



E



F



G



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



B

Slides

- All poly slides have sliding footers that help ensure slides don't pull away from decks, warp or crack due to normal expansion and contraction
- Hoods help kids transition into a safe sitting position
- Maximum fall height equals deck height unless otherwise noted

A. NEW Alpine™ Slide

- Banks right
- 72" and 96" decks
- #271761

B. Double Swoosh Slide®

- 49-degree slope
- 64" to 96" decks
- #130390



A. Double Wave Slide

- 48" to 56" decks
- #123336

B. Double Slide

- 32" to 48" decks
- #123331

C. Double Swirl Slide

- 60-degree curve
- 48" to 56" decks
- #130798

D. Cloudburst® Slide

- Utilizes standard 90° Tri-Deck
- 64" to 72" decks
- #144414

E. Ribbon Slide

- 40" to 48" decks
- #120424



A



B



C



D



E



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



C



D



E

A. WhooshWinder® Slide

- 72" deck for 315° rotation
- 96" deck for 360° rotation
- #222708

B. Rush™ Slide

- Maximum fall height 70" (1.78 m)
- #183176

C. Rushwinder

- Maximum fall height 72" (1.83 m)
- #189313

D. SlideWinder2®

- 32" to 96" decks
- #124863

SlideWinder2 with Tree Branch Support

- See page 117

E. Gemini SlideWinder2

- 32" to 96" decks
- #130800



A. Single Slide

- 32" to 48" decks
- #123337

B. TurboTwister™ Tunnel Slide

- 360-degree rotation
- 30"-diameter tunnel
- 96" deck
- #123763

C. Firepole

- 32" to 72" decks
- #180100 Vibe® Handholds
- #148426 Permalene® Handholds (shown)
- #148435 SteelX® Handholds
- #169317 Recycled Wood-Grain Handholds (see page 117)

D. Tunnel Slide

- 30"-diameter tunnel
- 32" to 96" decks
- Optional view tubes available (shown at right) on straight sections for 40" to 96" decks
- #126367

E. El Slide

- 30"-diameter tunnel
- 40" to 96" decks
- Optional view tubes available (shown at right) on straight sections for 56" to 96" decks
- #126368



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



C

A. Surf Slide

- Maximum fall height 70" (1,78 m)
- #185526

Single Wave Slide

(not shown)

- 64" to 72" decks
- #131437

B. Rollerslide

- TenderTuff™-coated steel rollers angled for a controlled ride
- Tactile, vestibular and proprioceptive stimulation
- 40" and 56" decks
- #123333

C. SpyroSlide™

- 56" deck for 270-degree rotation
- 72" deck for 360-degree rotation
- #122033



A. Stainless Steel Slide

- 32" to 72" decks
- #190855
SteelX® Hood (shown)
- #123340
Poly Hood



A



B

B. Stainless Steel Double Slide

- 32" to 72" decks
- #190857

C. Stainless Steel Spiral Slide

- 72" deck
- Maximum fall height 80" (2,03 m)
- #194699

D. Stainless Steel Wave Slide

- 64" to 72" decks
- #190858

Stainless Steel Surf Slide

(not shown)

- Maximum fall height 70" (1,78 m)
- #185527

PlayOdyssey® Tower Slides

- See page 112



C



D



Handhold Options




GeoPlex® Handholds

- $\frac{3}{4}$ "-thick Permalene® material
- Lower grip location for climbing assistance
- #219075 GeoPlex Handhold Panel
- #219076 GeoPlex $\frac{3}{4}$ Barrier



Vibe® Handholds

- 7-gauge ($\frac{3}{16}$ ") perforated steel with ProShield® finish
- Rotationally molded, UV-stabilized, linear, low-density polyethylene
- #180094 Vibe Handhold Panel
- #201512 Vibe $\frac{3}{4}$ Barrier



Permalene Handholds

- $\frac{3}{4}$ "-thick Permalene material
- Post-consumer recycled content
- #127953 Handhold Panel
- #160694 $\frac{3}{4}$ Barrier



SteelX® Handholds

- 7-gauge ($\frac{3}{16}$ ") steel with ProShield finish
- Provides protection against weather, corrosion and fire
- Vandal resistant



90° Tri-Deck Handholds

- TenderTuff™-coated handholds

Recycled Wood-Grain Handholds

- Made from 100% post-consumer recycled plastic
- See pages 113-119

Climbers

Test strength and balance with our fun climbers.

- Choose from a variety of handhold materials and design options
- Maximum fall height equals deck height unless otherwise noted

Nature-Inspired Play Climbers

- See pages 113-119



A. Arcade Climber

- 72" and 96" deck
- #229836 Vibe
- #229830 Permalene (shown)
- #271905 90° Tri-Deck



A

B. Shockwave Climber

- 72" and 96" deck
- #229837 Vibe
- #229831 Permalene (shown)



B

C. Dot-to-Dot Climber

- 96" deck
- Maximum fall height 96" (2.44 m)
- #229838 Vibe
- #229832 Permalene (shown)



C



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B

**A. Chimney Climb Across™
24" Deck Difference**

- Connects 48" to 72" decks or 72" to 96" decks
- Maximum fall height equals highest deck height
- #229828 Permalene®

**Chimney Climb Across Straight
(not shown)**

- Connects two 72" decks
- #230140 Permalene

B. Chimney Climber

- 56" to 96" decks
- #229834 Vibe®
- #229829 Permalene (shown)

A. Seeker Climber

- Connects decks of equal height or with a 32" difference
- Maximum fall height equals highest deck height
- #200607 Vibe
- #203845 Permalene (shown)

B. Portal Climber

- Connects 64" to 72" decks
- Maximum fall height 101" (2,56 m)
- #200611 Vibe
- #202594 Permalene (shown)

C. Traveler Climber

- Connects two 72" decks
- #200609

D. SpaceWalk Climber™

- Connects decks of equal height from 32" to 48"
- #178962 Vibe
- #145107 Permalene (shown)





A



B

A. NEW Zenith™ Climber

- 72" and 96" deck
- #272369 Vibe®
- #272368 Permalene® (shown)

B. Crest Climber

- 72" deck
- Maximum fall height 93" (2.36 m)
- #200610 Vibe
- #202625 Permalene (shown)



A. Funnel Climber™

- 72" deck
- Optional vertical ladders available
- #179021
Vibe
- #145109
Permalene (shown)

**C. Flex Climber**

- Connects 64" to 72" decks
- Maximum fall height 99" (2.51 m)
- #200608
Vibe
- #204176
Permalene (shown)

**D. Star Seeker Climber**

- 72" deck
- #179009
Vibe
- #148039
Permalene (shown)





A. Sling Shot Climber™

- Connects 48" to 72" decks or 56" to 64" decks
- #179028 Vibe®
- #174449 Permalene® (shown)

B. Cliff Climber

- 48" to 72" decks
- Cable in black only
- #179024 Vibe
- #122570 Permalene (shown)
- #139501 SteelX®

C. SpaceLink Climber™

- Links Lunar Blast® and Lunar Burst® net climbers to 72" deck
- #179017 Vibe
- #174448 Permalene (shown)

D. O-Zone® 3-Ring Climber

- 16" to 48" decks or ground level
- Maximum fall height equals highest deck height plus 28" (0.71 m); or 40" (1.02 m) for ground level to 16" deck height
- #184606 Vibe
- #184605 Permalene (shown)



A. JigJag Climber

- Connects decks with a 48" height difference
- Maximum fall height 66" (1,68 m) to 82" (2,08 m)
- #201886 Vibe
- #201887 Permalene (shown)
- #201888 Single
- #202056 Double

B. Spiral Climber

- 32" to 72" decks
- #179004 Vibe
- #122533 Permalene (shown)

C. Starburst™ Climber

- 64" and 72" decks
- Maximum fall height equals deck height plus 11" (0,28 m)
- #179014 Vibe
- #158425 Permalene (shown)

D. Ring Tangle® Climber

- 24" to 48" decks or ground level
- Maximum fall height equals highest deck height plus 6" (0,15 m); or 20" (0,51 m) for ground level
- #179016 Vibe
- #164078 Permalene
- #185583 Ground Level (shown)
- #165445 Handloop





A. Canyon Climber

- Connects decks of equal height from 16" to 72"
- Maximum fall height equals deck height plus 4" (0.10 m)
- #176081

B. Croquet Climber

- 48" to 72" decks
- #179020 Vibe®
- #176077 Permalene® (shown)

C. Logo Climber

- 56" to 64" decks
- #179018 Vibe (shown)
- #176080 Permalene

D. Lollipop Climber

- 48" to 72" decks
- #179019 Vibe
- #176078 Permalene (shown)

E. Sunbeam Climber

- 64" to 72" decks
- #179022 Vibe (shown)
- #176079 Permalene



A. Loop Ladder

- 40" to 48" decks
- #178960 Vibe
- #128252 Permalene (shown)
- #139495 SteelX®

B. Loop Arch Climber

- 40" to 72" decks
- #178958 Vibe
- #122914 Permalene (shown)
- #139493 SteelX
- #126388 90° Tri-Deck

C. Snake Climber

- 48" to 72" decks
- #178957 Vibe
- #122913 Permalene (shown)
- #139490 SteelX
- #126375 90° Tri-Deck

D. Single Wave Climber

- Connects decks with a 48" or 64" height difference
- #179005 Vibe
- #122915 Permalene (shown)
- #139487 SteelX

E. Double Wave Climber

- Connects decks of equal height or with a 16" difference (total deck height 48" to 72")
- #178959 Vibe
- #122916 Permalene (shown)
- #139488 SteelX



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A. NEW Square Loop Incline Climber

- 72" decks
- #271909 Vibe®
- #271908 Permalene® (shown)
- #271910 90° Tri-Deck

B. Loop Pole

- 32" to 72" decks
- #180102 Vibe
- #148434 Permalene (shown)
- #148438 SteelX®
- #172665 Recycled Wood-Grain Handholds

C. Corkscrew Climber

- 32" to 72" decks
- Maximum fall height 72" (1.83 m) for 56" to 72" decks and 48" (1.22 m) for 32" to 48" decks
- #180101 Vibe
- #148432 Permalene (shown)
- #148437 SteelX
- #172666 Recycled Wood-Grain Handholds (see page 119)

D. Sky Rail Climber

- 64" to 72" decks
- #146812

E. Vertical Ladder

- 24" to 72" decks
- #179023 Vibe
- #116249 Permalene (shown)
- #139494 SteelX
- #126372 90° Tri-Deck



A. Conical Climber™

- 40" and 72" decks
- #178961 Vibe
- #143199 Permalene (shown)

B. Corner Climber™

- 64" to 72" decks
- #143198

C. ABC Climber

- 32" to 48" decks
- Letters in red, yellow and blue only
- #179026 Vibe
- #152431 Permalene (shown)

D. Vertical Ascent® Climber

- 48" to 72" decks
- Maximum fall height equals deck height plus 5-½" (0.14 m)
- #145624

E. Cascade Climbers**4-Panel**

- 48" to 56" decks
- #179010 Vibe
- #150975 Permalene

6-Panel

- 64" to 72" decks
- #179010 Vibe
- #150975 Permalene (shown)

F. Panel Vertical Ladder

- Can be mounted ground-to-deck or deck-to-deck (24" minimum difference)
- 24" to 72" decks
- #180087 Vibe
- #116247 Permalene (shown)





Thunderhead
Climber
underside



A. Pod Climber®

- 10", 20" and 30" pods

Vibe®

- #179012
16" deck
- #179013
24" deck
- #180098
32" to 40" decks

Permalene®

- #156915
16" deck
- #156916
24" deck (shown)
- #157427
32" to 40" decks

B. Mini Summit Climber™

- 40" to 48" decks
- #179011
Vibe
- #153076
Permalene (shown)

C. Thunderhead Climber™

- Accessible by transfer to a 48" deck
- #139778

D. Block Climber

- 32" to 40" decks
- #179025
Vibe
- #135344
Permalene (shown)
- #139491
SteelX®

E. Summit Climber

- 64" to 72" decks
- #179007
Vibe
- #128608
Permalene (shown)



A. Spider Web Climber

- Fits 84" module
- 16" to 32" decks
- Direct bury only
- Maximum fall height 65" (1,65 m)
- #234095

B. Wiggle Ladder

- 32" to 72" decks
- #180090 Vibe
- #123284 Permalene (shown)
- #139502 SteelX
- #126371 90° Tri-Deck

C. Climbing Wall

- TenderTuff™ coated chains for comfort
- Maximum fall height 84" (2,13 m)
- #158678

D. Fish Net Climber

- Fits 84" module
- 8" to 40" decks
- Should be used with Permalene handholds on the decks
- Maximum fall height 56" (1,42 m)
- #235756

E. Chain Ladder

- 32" to 72" decks
- #179027 Vibe
- #153350 Permalene (shown)
- #153351 SteelX
- #153352 90° Tri-Deck





A. NEW Wood Plank Ladder

- 72" decks
- #272084
Permalene® (shown)
- #271907
90° Tri-Deck

B. Catwalk Climber

- Connects decks with a 24" height difference
- #128986

C. Cozy Climber™

- 32" to 48" decks
- #180092
Vibe®
- #123293
Permalene (shown)
- #139500
SteelX®
- #126374
90° Tri-Deck

D. Step Ladder

- 32" to 72" decks
- #180084
Vibe
- #116246
Permalene (shown)
- #139492
SteelX

E. Deck Link

- #152908
Permalene Infill Panels for 48" decks and lower (shown)
- #152910
SteelX Infill Panels for 48" decks and lower
- #152907
Steel Barriers for 96" decks and lower

F. Step Deck

- 8" to 32" decks
- #111465



Overhead Events

A. LolliLadder™

- Maximum fall height 72" (1,83 m)
- #193170

B. Overhead Trekker™ Ladder

- Ground to 16" decks
- Maximum fall height 81" (2,06 m)
- #184489

C. Overhead Parallel Bars

- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #119430

D. Trapeze Horizontal Ladder

- Ground to 32" decks
- Maximum fall height 72" to 83" (1,83 m to 2,11 m)
- #111468

E. Horizontal Ladder

- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #142887



**A. Circular Horizontal Ladder**

- 96" diameter
- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #142891

B. S-Horizontal Ladder

- 145" ladder
- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #142884

C. Wave Horizontal Ladder

- Deck-to-deck or deck-to-ground
- Attaches to decks with a 16" height difference
- 8" to 32" decks
- Maximum fall height 83" to 86" (2,11 m to 2,18 m)
- #119613

D. Single Beam Loop Horizontal Ladder

- Fits 84" or 123" modules
- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #119805
84"
- #119806
123" (shown)

E. 90° Horizontal Ladder

- Fits 42" module
- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #142890

F. C-Horizontal Ladder

- Fits 42" module
- Ground to 32" decks
- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- #142883



A. Triple Ring Fling™ Overhead Event

- Sufficient upper-body strength and coordination required
- 24" to 32" decks
- Maximum fall height 93" (2.36 m)
- #123824

B. Track Rides

- Sufficient upper-body strength and coordination required
- Adjustable to heights from 65" to 78"
- Maximum fall height 78" to 93" (1.98 m to 2.36 m)
- #111353
10' Straight
- #112465
18' Straight
- #118093
18' Curved (shown)

C. Air Dancer™ Overhead Event

- Ground to 32" decks
- Maximum fall height 72" to 82" (1.83 m to 2.08 m)
- #121952





A



B



C



D

A. Ring-a-Ling™ Overhead Event

- Ground to 32" decks
- Maximum fall height 82" to 90" (2,08 m x 2,29 m)
- #126203

B. Ring Pull

- Adjustable beam height from 54-½" to 66-½"
- TenderTuff™-coated D-rings in brown only
- Maximum fall height 55" to 67" (1,40 m to 1,70 m)
- #130873

C. D-Ring with Stainless Steel Bolt Link

- TenderTuff-coated D-ring in brown only
- 2-¼" galvanized and TenderTuff-coated chain included
- #130923

D. Ring Bridge

- Ground to 32" decks
- TenderTuff-coated D-rings in brown only
- Maximum fall height 75" to 88" (1,91 m to 2,24 m)
- #111467 Straight
- #111467 S-Shape (shown)



Bridges & Ramps

- Guardrails for 48" decks and lower
- Barriers for 72" decks and lower
- Maximum fall height equals deck height unless otherwise noted

A. Clatterbridge

- Wheelchair accessible
- Connects decks of equal height from 24" to 72"
- #143194
Guardrails 84"
- #143195
Guardrails 123"
- #147424
Barriers 84"
- #147425
Barriers 123" (shown)

B. Arch Bridge—123" Module

- Wheelchair accessible
- Connects decks of equal height up to 72"
- Maximum fall height equals deck height plus 8" (0,20 m)
- #143677
Guardrails
- #143677
Barriers (shown)

C. Arch Bridge—42" Module

- Connects decks of equal height up to 72"
- Maximum fall height equals deck height plus 3" (0,08 m)
- #114665
Permalene® Barriers
- #139383
SteelX® Barriers (shown)





A. Belt Bridge

- Connects decks of equal height from 24" to 48"
- #114373 Permalene® Barriers 42" (shown)
- #120310 Guardrails 84" (shown)
- #120624 Guardrails 123"

B. Bridge

- Wheelchair accessible
- Connects decks of equal height from 8" to 72"
- #156230 Guardrails
- #156231 Barriers (shown)

C. Grid Walk

- Connects decks with a 16" height difference
- 8" to 56" decks for the lowest; 24" to 72" decks for the highest
- #152444 Guardrails (shown)
- #152443 Barriers



A. Disc Challenge

- Connects decks of equal or unequal height from 8" to 40"
- Maximum fall height equals highest deck or disc height
- #180088
Vibe® Handholds 84"
- #180089
Vibe Handholds 123"
- #120873
Permalene Handholds 84"
- #121416
Permalene Handholds 123" (shown)
- #165573
Handloops 84"
- #165575
Handloops 123"



A



B



C



D

B. S-Disc Challenge

- Fits 123" module
- Connects decks of equal or unequal height from 8" to 40"
- #180095
Vibe Handholds
- #136157
Permalene Handholds
- #165576
Handloops (shown)

C. SwiggleKnots™ Bridge

- Ground, 8" or 16" decks
- Deck-to-deck or deck-to-ground
- Direct bury only
- Maximum fall height 51" (1,30 m)
- #193171

D. Swiggle Stix® Bridge

- Ground or 16" decks
- Direct bury only
- Maximum fall height 36" (0,91 m)
- #184490

E. TightRope™ Bridge

- Ground or 16" decks
- Cable in black only
- Maximum fall height 83" (2,11 m)
- #193173



E



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B

A. Double-Wide Ramp

- Wheelchair accessible
- 60" wide
- 10' ramp connects decks with an 8" height difference up to 72"
- 12' ramp connects decks with a 12" height difference up to 72"
- #171870 Guardrails 10'
- #168110 Guardrails 12'
- #171869 Barriers 10'
- #168111 Barriers 12' (shown)

B. Ramp

- Wheelchair accessible
- 42" wide
- 10' ramp connects decks with an 8" height difference up to 72"
- 12' ramp connects decks with a 12" height difference up to 72"
- #156232 Guardrails 10' (shown)
- #174815 Guardrails 12'
- #156233 Barriers 10'
- #174817 Barriers 12'



Tunnels

- 30" diameter unless otherwise noted

A. Straight Crawl Tunnel with Optional View Tubes

- 8" to 72" decks
- 32" or 64" lengths
- Maximum fall height equals deck height plus 1" (0,03 m)
- #126204

B. S-Crawl Tunnel

- Connects 8" to 48" decks of equal height or with a 16" difference
- Maximum fall height equals deck height plus 2" (0,05 m)
- #117088 Inclined (shown)
- #117089 Level

C. Offset Crawl Tunnel

- Connects decks with an 8", 16" or 24" height difference
- Footholds available only on 24" offset
- Maximum fall height equals deck height plus 1" (0,03 m)
- #119930
8" Offset
- #122589
16" Offset
- #129042
24" Offset (shown)

D. Wire Crawl Tunnel

- 28" diameter
- Fits 42" module
- Maximum fall height equals deck height plus 4" (0,10 m)
- #119641

E. 90° Crawl Tunnel

- Ground to 72"
- Maximum fall height equals deck height plus 1" (0,03 m)
- #142892

F. C-Crawl Tunnel

- Connects 8" to 48" decks of equal height or with a 16" difference
- Maximum fall height equals deck height plus 2" (0,05 m)
- #117088 Inclined
- #117089 Level (shown)



Enclosure Options

**Vibe®**

- 7-gauge ($\frac{3}{16}$ ") perforated steel with ProShield® finish
- Rotationally molded, UV-stabilized, linear, low-density polyethylene

**Permalene®**

- $\frac{3}{4}$ "-thick Permalene material
- Distinctive black core made from recycled content

**SteelX®**

- 7-gauge ($\frac{3}{16}$ ") steel galvanized with ProShield finish
- Provides protection against weather, corrosion and fire
- Vandal resistant

**A****B****C**

Enclosures

Add to the play experience with our engaging enclosures.

- Choose from a variety of frame material/design options
- Flush-fit engineered
- Measure at least 38" from the top of the deck to the top of the panel, meeting CPSC and ASTM barrier requirements
- Attach outside of decks to eliminate foot entrapments and to maximize the playspace

PlayOdyssey® Tower Enclosures

- See page 111

Recycled Wood-Grain Panel

- See page 119

A. Window Vibe Panel™

- $\frac{1}{4}$ " polycarbonate
- #180465

B. Bubble Panel

- $\frac{1}{4}$ " polycarbonate
- #179043
Vibe (shown)
- #115223
Permalene

C. Slant Window Panel

- $\frac{1}{4}$ " polycarbonate
- Maximum fall height equals deck height plus 8" (0.20 m)
- #115222



A. Marble Panel®

- Spinning marbles offer a sensory-rich visual, auditory and tactile experience
- #179050 Vibe (shown)
- #173567 Permalene

**C. Chimes Panel**

- Promotes auditory stimulation
- #115243

D. Xylofun Panel®

- Musical scale promotes auditory stimulation
- #179053 Vibe
- #173565 Permalene (shown)


**F. Ring-a-Bell™ Panel**

- Pivoting clappers ring six bells
- #159459

Rock-n-Ring® Panel

- Bongos on one side (image E); bells on the other (image F)
- Ground level only
- #164145



**A. Mirror Panel**

- A fun-shaped, stainless steel mirror on each side
- #115234

B. Braille and Clock Panel

- Tell time on one side; learn Braille on the other
- #123844

C. Table Panel

- Creates opportunities for creative play
- Curved tabletop
- #130565

D. Periscope Panel

- Moves side to side and forward 30 degrees
- #117957
Permalene®
- #139379
SteelX® (shown)

E. Fun Mirror Panel®

- Rotatable, two-sided concave / convex mirror engages peripheral vision and visual tracking
- #179045
Vibe®
- #173563
Permalene (shown)

F. Sign Language Panel

- Teaches the American Manual Alphabet to children and adults of all abilities
- #188835

A. Alphamaze/Labyrinth Vibe Panel™

- Two-sided panel promotes eye-hand coordination along with tactile fun
- #179041

B. Tracing Panel

- Letters on one side; numbers and shapes on the other
- #115230

C. Finger Maze Panel

- Mazes on each side develop hand-eye coordination and decision-making skills
- #115229

D. Color Splash Panel™


- Brilliant color-changing wheel on one side; black-and-gray optical illusion on the other
- #179044
Vibe
- #177712
Permalene (shown)

E. Kaleidospin Panel®

- Rotating prisms provide visual stimulation
- #179049
Vibe
- #173566
Permalene (shown)


F. Optigear Panel®

- Five rotating gears
- #179051
Vibe (shown)
- #173564
Permalene






A



B



C



D



E



F

A. Gear Panel

- Gears teach cause-and-effect movement
- Play from either side
- #117146

B. Hourglass Panel

- Three-chamber hourglass with different flow rates
- #123319

C. Image Panel

- Turn cylinders to make letters, numbers, designs
- Play from either side
- #127681

D. Match 4 Panel

- Kids take turns to match four in a row to win
- #127678

E. Tic-Tac-Toe Panel

- Play from either side
- #115231 Permalene® (shown)
- #139377 SteelX®

F. Ball Maze Panel

- Rotates smoothly to move ball within the cutout maze
- #115236



DigiFuse® Panels provide vivid, full-color, photorealistic graphics to add personality to your playground. Available in a variety of themes.

A. DigiFuse Hole Panel

- #217912

B. DigiFuse Barrier Panel with Medallions

- Includes six "seek and find" medallions to attach to posts and panels for extra fun and challenge
- #218172

C. DigiFuse Barrier Panel


- #217909

D. DigiFuse Bubble Panel


- #217908

E. DigiFuse Periscope Panel

- #217911
- See complete Periscope Panel on page 152




A



B



C



D



E



F



**A.****B.****C.****A. Wire Barrier**

- Optional steering wheel available
- #120314
- #120315
90° Tri-Deck

B. Balcony Deck

- Optional steering wheel available
- #111240

C. Pipe Guardrail / Barrier

- Optional steering wheel available

Pipe Guardrail

- #116245
ProShield®
- #117681
90° Tri-Deck

Pipe Barrier

- #116244
TenderTuff™ (shown)
- #140244
ProShield
- #117680
90° Tri-Deck

D. Zoo Panel

- Lets adults supervise without intrusion
- #115227

E. House Panel




- Use two or more panels to create a playhouse
- #115235
Permalene®
- #139380
SteelX® (shown)

F. Space Travel Panel

- Rocket moves along a path through space
- #123483

G. Pilot Panel

- Twin wheels for the pilot and copilot encourage cooperative play
- #119514

**D.****E.****F.****G.**Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

A. Match 3 Reach Panel

- Wheelchair accessible
- Kids take turns to match three in a row
- #135730

B. Image Reach Panel

- Wheelchair accessible
- Turn cylinders to make letters, numbers, designs
- Play from either side
- #129043

C. Navigator Reach Panel

- Wheelchair accessible
- Rotating steering wheel with moveable gearshift knob
- Optional steering wheel infill available on page 187
- #127439

D. Trail Tracker® Reach Panel

- Wheelchair accessible
- Mazes on each side develop hand-eye coordination and decision-making skills
- Use at ground level or as a guardrail
- #127440

E. Periscope Reach Panel

- Wheelchair accessible
- Moves side to side and forward 30 degrees
- #135729

F. Chimes Reach Panel

- Wheelchair accessible
- Promotes auditory stimulation
- #135731

Bongo Reach Panel

- Wheelchair accessible
- See page 151 for details
- #164094

Ring-a-Bell™ Reach Panel

- Wheelchair accessible
- See page 151 for details
- #164148

Curbs (shown in A and F)

- Install on elevated decks to create a safe environment for children using wheelchairs
- #191031 Standard size decks
- #191032 90° Tri-Deck



**A. Hole Panel**

- 23" diameter
- For ground-level or same-height, deck-to-deck play
- #179046 Vibe®
- #115253 Permalene® (shown)
- #139381 SteelX®

B. Slant Entrance Panel

- 24" diameter
- Ground level only
- Maximum fall height 7" (0.18 m)
- #115242

C. Sand and Water Panel

- Wheelchair accessible
- Five-gallon container (in tan only) with locking drain
- Ground level only
- #115257

D. Storefront Panel

- Ground level only
- #115254 Permalene (shown)
- #139378 SteelX

E. Driver Panel

- Rotating steering wheel with moveable gearshift knob
- Optional steering wheel infill available (shown on page 187)
- #115228 Permalene (shown)
- #139382 SteelX



Motion & More Fun

A. Sway Fun® Glider

- Ample room for two wheelchairs, plus two large benches for plenty of other passengers
- Maximum fall height 16" (0,41 m)
- #170894
12" platform
- #138871
16" platform (shown)

B. Log Roll

- Log in tan only
- Maximum fall height 18" (0,46 m)
- #111356

C. Accessible Stationary Cycler

- Wheelchair accessible
- Develops upper-body strength and coordination
- #153165

D. Stationary Cycler

- Handles and pedals or accessible handles only
- Maximum fall height 24" (0,61 m)
- #160054



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574



A. Gyro Twister® Spinner

- Maximum fall height 50" (1,27 m)
- #201546

B. Blender™ Spinner

- Maximum fall height 75" (1,91 m)
- #201545

C. Sol Spinner™

- Maximum fall height 17" (0,43 m)
- #193174

D. Talk Tubes

- Post and 50' tubing kit sold separately
- Over deck option
- #111363

E. Boogie Board™

- Maximum fall height 24" (0,61 m)
- #193176

F. Parallel Bars

- Maximum fall height 42" (1,07 m)
- Posts sold separately
- #111361



A. Turning Bar

- Maximum fall height 46" (1,17 m)
- #111357



B. Chinning Bar

- Maximum fall height 62" to 76" (1,57 m to 1,93 m)
- #111357



C. E-Pod® Step

- Enhances access to play events
- #166809



D. Loop Seat

- 45-degree-angle loop
- Ground level only
- #118089

E. Playstructure Seat

- Seat space measures 36-1/2" x 8" x 2-5/8"
- #120818

F. Grab Bar

- TenderTuff™ coating
- #120901

G. Handhold/Leg Lift

- TenderTuff coating
- #120902





Roofs

A. CoolToppers® Single Post Pyramid Roof

- 12' x 12' span
- Up to 96" decks
- Not IPEMA™ certified
- #154884

B. CoolToppers Full Sail

- 18' x 18' span
- 24" to 72" decks
- Not IPEMA certified
- #136488

C. CoolToppers Wave

- 7' x 7' span
- Up to 72" decks
- #166081

D. Vibe® Roof

- 59" x 49"
- #179594

E. Arch Roof

- #111256



A. Super-Square Shingle Roof

- Huge 94"-square roof
- Cover multiple decks or install at ground level as a shelter
- Choose either Permalene® roof cap or poly "cupola"-style cap
- #130102

B. Hex Shingle Roof

- #130567

C. Square Poly Roof

- 55-3/4" x 53-1/2"
- Customized Permalene logo panels available
- #118110

D. Square Peak Tile Roof

- 55-3/4" x 53-1/2"
- Customized Permalene logo panels available
- #129816

E. PlayOdyssey® Roof

- 26"-diameter domed skylight
- For use only with the PlayOdyssey Octagonal Deck (shown on pages 111 and 164)
- #128980

F. SteelX® Hex Roof

- Optional flag available (shown)
- #139376

G. SteelX Square Roof

- Optional flag available (shown)
- #139375

H. Recycled Peak Roof


- #111408

I. Recycled Tree House Roof





- See page 119

Pine Tree Accent Topper

- See page 119



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Decks

- TenderTuff™-coated, flush-mounted, perforated steel in brown or gray

A. Curved Transfer Module

- Helps kids transfer from a wheelchair to play area
- 32" to 48" decks
- #152911 Permalene® (shown)
- #152912 SteelX®

B. PlayOdyssey® Octagonal Deck

- 58-62 sq. ft. area
- 48" or 72" decks
- #128980

C. Transfer Station

- Helps kids transfer from a wheelchair to the ground
- Optional handholds available (shown)
- #126205

D. Triangular Deck (Tri-Deck)

- 37-3/4" (3) x 2-5/8"
- #111231

E. 90° Triangular Deck (Tri-Deck)

- 39-1/4" (2) x 55-1/2" x 2-5/8"
- #122197

F. Triangular Extension

- 37-7/8" (2) x 43-3/4" x 2-5/8"
- #119646

G. Square Deck

- 47" x 47" x 2-5/8"
- #111228

H. Square Corner

- 42" x 42" x 2-5/8"
- #111230

I. Square Extension

- 42" x 47" x 2-5/8"
- #111229

J. Hexagon Deck

- 78" (3) x 2-5/8"
- #178710

K. Hexagon Deck with Extension

- 78" x 127" x 2-5/8"
- #154752

L. 3-Sided Extension Deck

- 36-1/8" x 86" x 2-5/8"
- #188857

Tree Stump Transfer Module

- See page 119



Eclipse® Net Plus

- Maximum fall height 96" (2.44 m)
- Patent pending

**A. Eclipse Net Plus
with 2-4 Attachment Points**

- #258228

**Eclipse Net Plus
with 3-5 Attachment Points
(not shown)**

- #258230

**B. Eclipse Net Plus
with 4-6 Attachment Points**

- #258231





Recommended for Ages 8-12



Slides & Gliders

A. Surf Slide

- Maximum fall height 72" (1,83 m)
- Not certified to CAN/CSA Z614
- #182180
Evos® (shown)
- #201038
Eclipse® Net Plus

B. Rushwinder

- Maximum fall height 72" (1,83 m)
- #189312
Evos (shown)
- #201041
Eclipse Net Plus

Stainless Steel Surf Slide

(not shown)

- Maximum fall height 72" (1,83 m)
- #182181
Evos
- #201040
Eclipse Net Plus

C. Hang Glider®

- Sufficient upper-body strength and coordination required
- Maximum fall height 81" (2,06 m)
- #156465

D. Rush™ Slide

- Maximum fall height 72" (1,83 m)
- #182865
Evos (shown)
- #201035
Eclipse Net Plus



Climbers

A. O-Zone® Climber

- Maximum fall height 88" (2.24 m)
- #156448

B. Belt-Zone™ Climber

- Maximum fall height 45" (1.14 m)
- #179222



A



B





A



B

A. Helix Net® Climber

- Maximum fall height 48" (1,22 m)
- #156449

B. Ring Tangle® Climber

- Maximum fall height 66" (1,68 m)
- #156462



Overhead Events

A. ArcOver® Ladder

- Maximum fall height 80" (2,03 m)
- #156457

B. Bow Ladder®

- Maximum fall height 82" (2,08 m)
- #156463

C. Overhead Trekker™ Ladder

- Maximum fall height 81" (2,06 m)
- #160254



Bridges

D. Swiggle Stix® Bridge

- Maximum fall height 36" (0,91 m)
- #156450





Trail Tracker and Chimes Reach Panels



Navigator and Periscope Reach Panels



B



C



D



E

Motion & More Fun

A. Accessible Reach Panels

- Wheelchair accessible

Trail Tracker® Reach Panel

- #161778

Chimes Reach Panel

- #161777

Navigator Reach Panel

- #161779

Periscope Reach Panel

- #161775

Image Reach Panel

- Shown on page 157
- #161780

Match 3 Reach Panel

- Shown on page 157
- #161776

Bongo Reach Panel

- (not shown)
- #164095

Ring-a-Bell™ Reach Panel

- (not shown)
- #164150

B. Chatter Noodle® Talk Tubes

- Wheelchair accessible
- Maximum of 40' between posts
- #156453

C. Blender™ Spinner

- Maximum fall height 75" (1,91 m)
- #202822

D. Gyro Twister® Spinner

- Maximum fall height 50" (1,27 m)
- #202823

E. Sol Spinner™

- Maximum fall height 17" (0,43 m)
- #202824



A. Wobble Pod® Bouncer

- Maximum fall height 16" (0,41 m)
- #156452

B. Noodle Pod® Steps

- Maximum fall height equals pod height
- #156959
One Step (shown)
- #164156
Two Steps

C. Cycler

- Wheelchair accessible
- #156467

D. TwirlWind™ Turning Bar

- Maximum fall height 49" (1,24 m)
- #160210

E. Power Lifter™ Chinning Bar

- Maximum fall height 74" (1,88 m)
- #160208

**F. Accessible Power Lifter
Chinning Bar**

- Wheelchair accessible
- Maximum fall height 49" (1,24 m)
- #160209

G. E-Pod® Step

- Maximum fall height equals pod height
- #156454



PLAY COMPONENTS

2-5 Years

PlayShaper® components, pages 173-189



» vertical post and deck structure

Weevos® components, pages 190-193



» ground-to-ground arched structure
Weevos: U.S. Patent numbers 8,021,240, 8,366,562, 8,485,911 and 9,089,731

Nature-Inspired Play

- Maximum fall height equals deck height

A. Facet® Stepper

- 16" to 32" decks
- #237939

B. The Peak™ Rock Climber

- 32" deck
- #160423

C. The Stepper™ Rock Climber

- 24" deck
- #160424

D. Wood Plank Wiggle Ladder

- 32" to 48" decks
- #185862

E. Mushroom Steppers

- Up to 40" decks
- #185863

F. Log Steppers

- Up to 40" decks
- #185861



A



B



Samples of fossil imprints



C



D



E



F



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



C



D

A. Log Stack Climber

- 48" deck
- #183195

B. Tree Stump Transfer Module

- Helps kids transfer from a wheelchair to play area
- 32" to 48" decks
- #173585

C. Recycled Wood-Grain Panel

- #173586

D. Recycled Tree House Roof

- Optional "Kids Only" sign and black stovepipe chimney (shown)
- 59" x 59-1/2"
- #211191



Slides

- All poly slides have sliding footers that help ensure slides don't pull away from decks, warp or crack due to normal expansion and contraction
- Hoods help kids transition into a safe sitting position
- Maximum fall height equals deck height unless otherwise noted

A. Curved Slide

- 90-degree curve
- 40" deck
- #123339

B. SlideWinder®²

- 32" to 48" decks
- #132117

C. Stainless Steel Slide

- 32" to 48" decks
- 6" sidewalls
- Poly hood
- #190854

D. Single Slide

- 36" to 48" decks
- #133668

E. SpyroSlide™

- 270-degree rotation
- 48" deck
- Maximum fall height 56" (1.42 m)
- #143480

F. Tunnel Slide with Optional View Tubes

- 24"-diameter tunnel
- 40" deck
- Maximum fall height 45" (1.14 m)
- #128952

G. El Slide

- 24"-diameter tunnel
- 32" deck
- #111323



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574



A



B



D



E



C



F

A. Gemini SlideWinder2®

- 32" to 48" decks
- #133426

B. Double Wave Slide

- 48" deck
- #178720

C. Stainless Steel Double Slide

- 32" to 48" decks
- 6" sidewalls
- Poly hood
- #190856

D. Double Slide

- 32" to 48" decks
- #132155

E. Double Swirl Slide

- 60-degree curve
- 48" deck
- #178768

F. Lava Run Slide

- 30" to 32" decks
- Can be flipped to create Critter Canyon climber (shown on page 177)
- #137967



Climbers

- Maximum fall height equals deck height

A. Critter Canyon

- 30" to 32" decks
- Can be flipped to create Lava Run Slide (shown on page 176)
- #137966

B. Thunderhead Climber™

- Can be used as a transfer point to meet ADA compliance criteria
- Accessible by transfer to a 48" deck
- #139911

C. Conical Climber™

- 40" deck
- #143200



B



Thunderhead Climber
underside



C





A. Mini Summit Climber™

- 40" deck (direct bury) or 48" deck (direct bury or surface mount)
- #153077

B. ABC Climber

- 32" to 48" decks
- Letters in red, yellow and blue only
- #152432

C. Cozy Climber™

- 32" to 48" decks
- #132023

D. Block Climber

- 32" and 40" decks
- #135547

E. Pod Climber®

- 16" to 40" decks
- #135346



A. Loop Ladder

- 40" to 48" decks
- #111364



B. Loop Arch Climber

- 32" to 48" decks
- #139262

C. Wiggle Ladder

- 32" to 48" decks
- #181114

D. Deck Link

- Connects decks with a 16" or 24" height difference
- Maximum upper deck height 48"
- #153021

E. Step Ladder

- 32" to 48" decks
- #111327

F. Step Deck

- 16" deck
- #119981

Nature-Inspired Play Climbers

- See pages 173-174





Recommended for Ages 4-5



Overhead Events

A. Horizontal Ladder

- 16" deck
- Maximum fall height 60" (1.52 m)
- #129967

Bridges & Ramps

- Maximum fall height equals deck height unless otherwise noted

B. Arch Bridge

- Fits 42" module
- Maximum fall height equals deck height plus 5" (0,13 m)
- #111348

C. Belt Bridge

- Fits 42" module
- 16" to 48" decks
- #131956

D. Ramp

- Wheelchair accessible
- Connects decks with an 8" height difference
- 8" to 48" decks
- #132828
Deck-to-Deck (shown)
- #132844
Deck-to-Ground



Tunnels

- 24" diameter
- Maximum fall height equals deck height plus 6" (0.15 m)

A. Straight Crawl Tunnel with Optional View Tubes

- 28" or 56" lengths
- #128953



B. Wire Crawl Tunnel

- Fits 42" module
- #118099

C. Offset Crawl Tunnel

- Connects decks with an 8" height difference
- #139268

D. 90° Crawl Tunnel

- 8" to 48" decks
- #115409






E. C-Crawl Tunnel

- 8" to 48" decks
- Available with a 16" incline
- #118097 Level
- #118098 Inclined (shown)

F. S-Crawl Tunnel

- 8" to 48" decks
- Available with a 16" incline
- #118097 Level (shown)
- #118098 Inclined





Enclosures

- Measure at least 31" from the top of the deck to the top of the panel, meeting CPSC and ASTM barrier requirements
- Attach snugly to posts to eliminate potential entanglements and to maximize the playspace

DigiFuse® Panels

- DigiFuse provides vivid, full-color, photorealistic graphics to add learning opportunities in literacy, STEM and healthy development to your playground
- More than 30 themes available
- Many available in English, Spanish or French
- Interactive features on some panels



We're proud to partner with **Too Small to Fail**'s Talking is Teaching: **Talk, Read, Sing** campaign to reach parents and caregivers to help boost their young children's early language development. Together, we'll promote children's early brain and vocabulary development through play and playgrounds.


A. Balcony Deck

- 17"-radius integrated deck
- Optional steering wheel available (see page 187)
- #139260



B. Marble Panel®

- Spinning marbles offer a sensory-rich visual, auditory and tactile experience
- #173572



C. Chimes Panel

- Promotes auditory stimulation
- #113211

D. Rain Sound Wheel Panel™

- Steel drum rotates to create soothing rain sound
- Different geometric designs on each side
- #177719



E. Xylofun Panel®

- Musical scale promotes auditory stimulation
- #173570

F. Bongo Panel®

- Bongos provide deep auditory stimulation
- #164093



G. Ring-a-Bell™ Panel

- Pivoting clappers ring four bells
- #159460

Rock-n-Ring® Panel

- Bongos on one side (image F); bells on the other (image G)
- Ground level only
- #164146



**A. Color Splash Panel™**

- Brilliant color-changing wheel on one side; black-and-gray optical illusion on the other
- #177713

B. Kaleidospin Panel®

- Rotating prisms provide visual stimulation
- #173571

C. Optigear Panel®

- Five rotating gears
- #173569

D. Gear Panel

- Gears teach cause-and-effect movement
- Play from either side
- #117147

E. Ball Maze Panel

- Rotates smoothly to move ball within the cutout maze
- #111300

F. Hourglass Panel

- Three-chamber hourglass with different flow rates
- #124333

G. Periscope Panel

- Moves side to side and forward 30 degrees
- #118429

H. Mirror Panel

- A fun-shaped, stainless steel mirror on each side
- #111298

I. Fun Mirror Panel®

- Rotatable, two-sided concave/convex mirror engages peripheral vision and visual tracking
- #173568

A. Sign Language Panel

- Teaches the American Manual Alphabet to children and adults of all abilities
- #188836

B. Braille and Clock Panel

- Tell time on one side; learn Braille on the other
- #123845

C. Space Travel Panel

- Rocket moves along a path through space
- #123484

D. Tracing Panel

- Letters on one side; numbers and shapes on the other
- #111290

E. Finger Maze Panel

- Mazes on each side develop hand-eye coordination and decision-making skills
- #111289

F. Bubble Panel

- ¼" polycarbonate
- #111282

G. Slant Window Panel





- ¼" polycarbonate
- Maximum fall height equals deck height plus 5" (0,13 m)
- #111281

H. Slant Entrance Panel

- 24" diameter
- Ground level only
- Maximum fall height 7" (0,18 m)
- #111387

I. Hole Panel

- 23" diameter
- For ground-level or same-height, deck-to-deck play
- #111284



**A. Image Panel**

- Turn cylinders to make letters, numbers, designs
- Play from either side
- #127685

B. Match 4 Panel

- Kids take turns to match four in a row to win
- #127684

C. Tic-Tac-Toe Panel

- Play from either side
- #111293

D. Sand and Water Panel

- Five-gallon container (in tan only) with locking drain
- Ground level only
- #111297

E. Storefront Panel

- Ground level only
- #144984

F. Wire Barrier

- Optional steering wheel (shown)
- #117946
- #117945
90° Tri-Deck

G. House Panel

- Use two or more panels to create a playhouse
- #111299

H. Zoo Panel

- Lets adults supervise without intrusion
- #111287

I. Table Panel

- Creates opportunities for creative play
- #111292

♻ Recycled Wood-Grain Panel

- See page 174

A. Driver Panel

- Rotating steering wheel with moveable gearshift knob
- Optional steering wheel infill available (shown at right)
- #111288

B. Pilot Panel

- Twin wheels for the pilot and copilot encourage cooperative play
- Optional steering wheel infill available (shown at right)
- #119515

C. Navigator Reach Panel

- Wheelchair accessible
- Rotating steering wheel with moveable gearshift knob
- Optional steering wheel infill available (shown at right)
- #139266

D. Trail Tracker® Reach Panel

- Wheelchair accessible
- Mazes on each side develop hand-eye coordination and decision-making skills
- Use at ground level or as a guardrail
- #139264

Motion & More Fun**E. Talk Tubes**




- Post and 50' tubing kit sold separately
- Over deck option
- #115198

F. Chinning Bar



- Maximum fall height 45-½" (1.16 m)
- #139272

G. Handloop

- #119977



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Roofs

Recycled Tree House Roof

- See page 174

A. Square Peak Tile Roof

- 55-3/4" x 53-1/2"
- Personalized Permalene® logo panel available
- #179229

B. Square Poly Roof

- 55-3/4" x 53-1/2"
- Personalized Permalene logo panel available
- #179225

C. Super-Square Shingle Roof

- Huge 94"-square roof
- Cover multiple decks or install at ground level as a shelter
- Choose either Permalene roof cap or poly "cupola"-style cap
- #179239

D. Arch Roof

- #111407

Decks

- TenderTuff™-coated, flush-mounted, perforated steel in brown or gray

Tree Stump Transfer Module

- See page 174

A. Curved Transfer Module

- Helps kids transfer from a wheelchair to play area
- 32" to 48" decks
- #153020

B. Transfer Station

- Helps kids transfer from a wheelchair to the ground
- #126205

C. Square Deck

- 44- $\frac{3}{8}$ " x 44- $\frac{3}{8}$ " x 2- $\frac{5}{8}$ "
- #111237

D. Square Corner


- 42" x 42" x 2- $\frac{5}{8}$ "
- #111238

E. Square Extension

- 42" x 44- $\frac{3}{8}$ " x 2- $\frac{5}{8}$ "
- #111239

F. 90° Triangular Deck

- 42" (2) x 55- $\frac{1}{2}$ " x 2- $\frac{5}{8}$ "
- #117495





A



B



C



D

Slides

A. Cozy Coaster® Slide

- Maximum fall height 40" (1,02 m)
- #164174

Climbers

B. Giggle Jiggler® Climber

- Maximum fall height 12" (0,30 m)
- #164171

C. Wee Planet™ Climber

- Maximum fall height 53" (1,35 m)
- #173573

D. Wee Pod® Climber

- Maximum fall height 20" (0,51 m)
- #164172



Bridges

A. Boppity Bridge®

- Maximum fall height 22" (0.56 m)
- #164178

B. Swiggle Stix™ Bridge

- Maximum fall height 14" (0.36 m)
- #173575





Reverse view



B



C



D



E



F

Motion & More Fun

A. Color Splash Panel™

- Brilliant color-changing wheel on one side; black-and-gray optical illusion on the other
- #177714

B. Optigear Panel®

- Five rotating gears
- #173578

C. Kaleidospin Panel®

- Rotating prisms provide visual stimulation
- #173580

D. Fun Mirror Panel®

- Rotatable, two-sided concave / convex mirror engages peripheral vision and visual tracking
- #173577

E. Imagination Table™

- Helps kids develop socially and creatively
- #173582

F. Marble Panel®

- Spinning marbles offer a sensory-rich visual, auditory and tactile experience
- #173581



A. Rain Sound Wheel Panel™

- Steel drum rotates to create soothing rain sound
- Different geometric designs on each side
- #177720

**C. Xylofun Panel®**

- Musical scale promotes auditory stimulation
- #173579

D. Alphamaze and Labyrinth Panel™

- Two-sided panel promotes eye-hand coordination along with tactile fun
- #173576

Bongo and Alphamaze Panel™

- Bongos on one side (image B); letters, numbers and shapes on the other (top image D)
- #173715

Bongo and Xylofun Panel™

- Bongos on one side (image B), xylophone on the other (image C)
- #173583

Xylofun and Alphamaze Panel™

- Xylophone on one side (image C); letters, numbers and shapes on the other (top image D)
- #173716

E. Chitter Chatter Noodle® Talk Tubes

- #164177

F. Twirly Bar

- Maximum fall height 46" (1.17 m)
- #164173



PLAY COMPONENTS

6-23 Months

PlayShaper® components, pages 195-197



Learning Wall components, page 197



Slides

A. Infant Single Slide

- Maximum fall height 30" (0.76 m)
- Complies with ASTM F2373 for ages 6-23 months
- #166076



A



B



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Tunnels

A. Straight Crawl Tunnel with Optional View Tubes

- 28" or 56" lengths
- #128953

B. Wire Crawl Tunnel

- Fits 42" module
- #118099

C. Crawl Tunnel to 6" Deck

- Connects ground to 6" deck
- #136443

See more tunnels on page 181.



Enclosures

D. Bead and Block Panel

- Beads, blocks and mirror help stimulate sensory learning
- Optional handholds available (shown)
- #111370

E. Geometric Panel

- Personalize with your own accessories (items shown not included)
- Optional handholds available (shown)
- #112997



Learning Wall

A. Learning Wall

- Select from a variety of panels to complete your Learning Wall

See more panels on pages 182-187.

Motion & More Fun

B. Infant Balance Bar

- Provides balance to infants learning to stand and walk
- Complies with ASTM F2373 for ages 6-23 months
- #175950

Find Even More

Ask your Landscape Structures playground consultant about other products for ages 6-23 months.



A



B



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Smart Play[®]

These preconfigured, compact playstructures
are designed to save on space and budget while
offering a bundle of age-appropriate activities.
Simply choose your colors and let the fun begin.

Venti®

Venti packs 20 exciting activities into its compact size. Nets, slides, belts and climbers provide challenges that promote physical development and strategic thinking, while also creating hangouts where kids can take a break and connect with others.

- Compact structure requires less surfacing
- Multiple entry points and activities accommodate a large number of kids
- ADA compliant
- Aluminum or steel posts
- Choice of color for Permalene®, ProShield® and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 87" (2,20 m)
- Minimum area required: 39' 2" x 45' 2" (11,93 m x 13,76 m)
- U.S. Patent number D807,978
- #210739

Activities include:

- | | |
|---------------------------------|------------------------|
| 1. Belt Bridge | 10. Fire Pole |
| 2. Square Loop Vertical Climber | 11. TightRope™ |
| 3. Windowpane Overhead Ladder | 12. Wood Plank Ladder |
| 4. Single Slide | 13. Cabin Climber |
| 5. Cargo Net | 14. Swiggle Stix® |
| 6. Inclined Cable Walk | 15. Cabin Seating Area |
| 7. Double Swoosh Slide® | 16. Panel Maze |
| 8. Square Loop Incline Climber | 17. Square Steppers |
| 9. Vertical Panel Climber | 18. Turning Bar |
| | 19. Chinning Bar |
| | 20. Belt Hammock |

Also available in HDG

The cool aesthetics of Hot Dip Galvanized (HDG) steel offer a fresh look for your playground and a durable finish to provide protection in coastal environments.

- Choice of color for Permalene and polyethylene
- Direct Bury
- Steel Posts
- #228068

Also available with integrated SkyWays® Hypar Single Post Shades
 • See page 277



Ages 2-5



Motion

This accessible playstructure packs 16 activities into its compact structure. Kids can clamber up the climbers, through the inclined tunnel and among the patterned decks, or settle into the cozy corner complete with a tabletop for imaginative play. Along the way there are cut-out shapes to peek through, bongos and ring-a-bells to play, and geometric shape-and-fit games.

- Compact structure
- Built-in shade
- Available with Sand Table or Flat Play Table
- ADA compliant
- Choose one ProShield® color, one polyethylene color and three Permalene® colors
- Direct Bury or Surface Mount
- Maximum fall height 32" (0.81 m)
- Minimum area 22' 7" x 24' (6.88 m x 7.32 m)
- #197057

Activities include:

1. Inclined Tunnel
2. Leaf Shape-and-Fit
3. Wiggle Ladder
4. Slide
5. Shape-and-Fit Table
6. Sand Play Station with Sifters and Seats (or optional Flat Play Table)
7. Leaf Trail
8. Race Car/Roller Track
9. Numbers Climber
10. Ring-a-Bell™
11. Marbles
12. Bongo Panel®
13. Bead Panel
14. Steering Wheel
15. Steppers
16. Alphabet Panel

Cube

A curated collection of interactive play events helps build cognitive and motor skills for toddlers and preschoolers. While this playstructure welcomes 2- to 5-year-olds for play, we recognize that there are huge developmental differences between 2-year-olds and 5-year-olds. That's why we designed Cube to specifically meet the needs of kids ages 2 to 3.

- Compact structure
- Five GripX textured decks
- ADA compliant
- Choice of color for Permalene, ProShield and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 33" (0.84 m)
- Minimum area 22' x 22' 2" (6.71 m x 6.76 m)
- #205160

Activities include:

1. Steel Drum
2. Nesting Puzzle
3. Manipulative Arrow Panel
4. Puzzle Panel
5. Activity Table with Bench
6. Table Panel
7. Ladder Rail Disks
8. Crawl-through Panel
9. Arch Climber
10. Mirror Panel
11. Magnet Stack
12. Slide
13. Steering Wheel
14. Slotted Puzzle



Ages 2-5

**Centre**

Connecting a Loft, Fire Station and Market Cafe with elevated crawl tunnels creates a whole village for kids to explore. Offering physical activities, imaginative play opportunities and learning prompts, the Centre focuses on whole-child development in a fun and playful setting.

- Compact structure
- Built-in shade
- ADA compliant
- Choice of color for Permalene® and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 44" (1,12 m)
- Minimum area 32' 4" x 34' 7" (9,86 m x 10,54 m) ASTM
- U.S. Patent numbers D832,965, D859,563 and D873,365
- #233083 ASTM/CSA
- #237305 EN



Fire Station

Kids can take control at the wheel, pat Sparky the friendly fire dog or slide on down to their next adventure. They'll enjoy lots of activities that teach young ones about fire safety and helping others, including an object find game, plenty of bells and gears, and a fun mirror that shows them how they'd look in uniform.

- Compact structure
- Built-in shade
- ADA compliant
- Choice of color for Permalene and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 44" (1.12 m)
- Minimum area 24'5" x 25'9" (7.44 m x 7.85 m) ASTM
- U.S. Patent number D859,563
- #233073 ASTM/CSA
- #238233 EN

Activities include:

1. Slide
2. Dog House
3. Mirror Panel
4. Panel Climbers (2)
5. Fire Hydrant
6. Find-It Sign
7. Ring-a-Bell™
8. Fire Fighter Question Panel
9. Dashboard Panel
10. Dog Bone
11. Bench



Ages 2-5

**Market Cafe**

This farmer's market and cafe lets little ones take turns placing meal orders, dining with friends and learning about yummy food choices while describing their meal. Among lots of activities, kids can make pictures in the image panel, bing-bong the apple bell and develop language skills by naming fruits and vegetables in the stand.

- Compact structure
- Built-in shade
- ADA compliant
- Choice of color for Permalene® and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 44" (1.12 m)
- Minimum area 23'10" x 24'9" (7.26 m x 7.54 m) ASTM
- U.S. Patent number D873,365
- #233075 ASTM/CSA
- #238356 EN

Activities include:

1. Order Talk-through Panel
2. Meal Table
3. Vegetable Stand
4. Flower Spinners
5. Slide
6. Image Panel
7. Find-It Sign (not shown)
8. Bench (not shown)
9. Open/Closed Sign
10. Lower Level Crawl Space

Loft

Handrails lead children up the steps of the Loft and into a world of imaginary play. With a built-in find-it game, language prompts and learning activities connected to early childhood curriculum goals, lower level clubhouse and so much more, you'll find plenty of interactive elements to engage developing minds and bodies.

- Compact structure
- Built-in shade
- ADA compliant
- Choice of color for Permalene and polyethylene
- Direct Bury or Surface Mount
- Maximum fall height 44" (1.12 m)
- Minimum area 22'5" x 27'1" (7.90 m x 8.26 m) ASTM
- U.S. Patent number D832,965
- #223857

Activities include:

1. Belt Seat
2. Clock
3. Crawl Tunnel
4. Vegetable/Leaf Sliders
5. Colors Talk-through Mat
6. Seats
7. Slide
8. Flower Gear Panel
9. Belt Climber
10. Flower Talk Tube
11. Image Panel
12. Flower/Leaf Spinners
13. Find-It Sign
14. Mailbox Talk Tube
15. Shapes Panel
16. Steps
17. Alphabet Panel
18. Bubble Window
19. Counting Panel
20. Lower Level Clubhouse



Ages 2-5



A



B



C

Pairs

Connect two playstructures with an elevated crawl tunnel to enhance the imaginative fun and physical activity levels.

- Compact structure
- Built-in shade
- ADA compliant
- Choice of color for Permalene® and polyethylene on each structure
- Direct Bury or Surface Mount
- U.S. Patent numbers D832,965, D859,563 and D873,365

A. Loft + Fire Station

- Maximum fall height 44" (1,12 m)
- Minimum area required 25'11" x 34'7" (7,90 m x 10,54 m)
- #233077 ASTM/CSA
- #237302 EN

B. Fire Station + Market Cafe

- Maximum fall height 44" (1,12 m)
- Minimum area required 28'8" x 29'3" (8,74 m x 8,92 m)
- #233081 ASTM/CSA
- #237304 EN

C. Loft + Market Cafe

- Maximum fall height 44" (1,12 m)
- Minimum area required: 27'1" x 32'4" (8,26 m x 9,86 m)
- #233079 ASTM/CSA
- #237303 EN



Nook

Sized just right for little crawlers and early walkers, this whimsical playstructure offers plenty of colorful activities to capture young ones' attention. Whether they're playing inside the house or outside, the intentional sightlines let you keep your eye on them at all times. A balance rail along the white picket fence encourages early standing and walking.

- Compact structure
- Built-in shade
- Complies with ASTM F2373
- Choice of Permalene color
- Direct Bury or Surface Mount
- Maximum fall height 7" (0.18 m)
- Minimum area required:
19'2" x 20'1" (5.84 m x 6.12 m)
- U.S. Patent number D832,964
- #223856

Activities include:

1. Flower Marbles
2. Flower/Leaf Spinners
3. Balance Rail on Front Fence
4. Front Step
5. Doorbell
6. Fruit Basket Panel
7. Mirror
8. Alphabet Panel
9. Table with Seats
10. Climber
11. Flower/Bee Spinners
12. Bells
13. Rabbit Slider
14. Music Notes Panel
15. Window
16. Balance Rail on Back Fence
17. Flower Panel
18. Side Step
19. Numbers Panel
20. Shape Sliders



Hedra®

Our newest preconfigured playstructures change
the rules of play. There are countless combinations
of interconnected, age-appropriate experiences.
Available in three beautiful palettes.

Hedra®

Endless formations of fun are rooted in the new geometric playscapes of Hedra and Hedra Scout. These tessellated shapes create playful pods that link together, forming a fascinating interconnected matrix of three-dimensional play.

Wayfinding encourages improvisation, sparking cognitive and imaginative exploration. Along the way, kids ages 5 to 12 and 2 to 5 can experience the warmth and texture of natural bamboo, polycarbonate panels that offer colorful light play and pathways that morph into hangout spots where friends can relax.

Hedra

- Multiple entry points and interconnected experiences
- ADA compliant
- Choice of Alpine™ Slide or SlideWinder2®
- Optional Stainless Steel Slide
- Choice of bamboo panels or perforated aluminum panels
- Choice of polycarbonate panels or perforated aluminum panels
- Choose from three specially curated palettes
- Cables in black only
- Direct bury or surface mount
- Maximum fall height ASTM 88" (2,24 m); CSA 126" (3,20 m); EN 88" (2,24 m)
- Minimum area required 43' x 52' (13,11 m x 15,85 m) varies with slide choice
- Patent pending
- #265928



Patent pending



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-5



Patent pending

Hedra® Scout

- Multiple entry points and interconnected experiences
- ADA compliant
- Includes SlideWinder2® and Curved Slide
- Choice of bamboo panels or perforated aluminum panels
- Choice of polycarbonate panels or perforated aluminum panels
- Choose from three specially curated palettes
- Cables in black only
- Direct bury or surface mount
- Maximum fall height ASTM 70" (1,78 m); CSA 99" (2,52 m); EN 70" (1,78 m)
- Minimum area required 33' x 36' (10,06 m x 10,97 m)
- Patent pending
- #265929



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

NEW Hedra Swing Frame

- Choose ProShield® color for frame and swing hanger clamp assemblies
- Accommodates Flat Molded Seat, Belt Seat, Full Bucket Seat, Half Bucket Seat, Molded Bucket Seat with Harness (2-5), Molded Bucket Seat with Harness (5-12), Molded Bucket Seat without Harness (sold separately)
- Two swings per bay
- Swing bays sold individually
- Direct bury
- Maximum fall height 96" (2.43 m)
- Patent pending
- #278557
Hedra Swing Frame
- #278857
Friendship® Swing with
Hedra Swing Frame



Patent pending

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Freestanding Play

Ages 5-12

Structures

Crab Trap®

There's no shortage of climbing challenges here. This first-of-its-kind net structure features a variety of materials that invite kids to climb up, down and all around.

- ADA compliant
- Direct bury
- Choice of ProShield® colors for i-beams and components
- Choice of polyethylene color
- Cables in black only
- Maximum fall height 118" (3,00 m)
- Minimum area required 33' x 36' 6" (10,06 m x 11,13 m)
- Patent pending
- #248479

Also available in HDG

Hot Dip Galvanized (HDG) steel frame offers enhanced corrosion resistance for coastal environments and a cool, modern look.

- #251054



Patent pending



Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12

**Super Netplex®**

The industry's first inclusive net climbing structure offers height, accessibility and visibility with a range of stimulating play, from climbing to spinning to bouncing and more, plus spots to simply hang out. Choose from four preconfigured designs for a fantastic addition to your playground.

- ADA compliant
- Direct bury
- Choose ProShield® colors for posts, clamps and components
- Choose polyethylene color for slides
- Steel-reinforced cables are extremely durable and vandal resistant, available in black
- Latex-free rubber belting, available in black
- Compliant to ASTM, CSA and EN
- U.S. Patent numbers 9,375,609, 10,260,538 and other patent pending

A. Super Netplex – 8' Single Tower

- 8' Double Swoosh Slide®
- Spiral Belt Climber
- Lolliladder™
- Sol Spinner™
- Overall structure height 18' 4" (5,59 m)
- Maximum fall height ASTM 96" (2,44 m); CSA 134" (3,40 m); EN 96" (2,44 m)
- Minimum area required 29' 11" x 44' 10" (9,12 m x 13,67 m)
- #254625

B. Super Netplex – 12' Single Tower

- 8' Double Swoosh Slide
- 12' TurboTwister™ Tunnel Slide
- Spiral Belt Climber
- SwiggleKnots™ Bridge
- Portal Climber
- Chinning Bar
- Turning Bar
- Overall structure height 25' 8" (7,82 m)
- Maximum fall height ASTM 144" (3,66 m); CSA 144" (3,66 m); EN 118" (3,00 m)
- Minimum area required 36' 11" x 45' 7" (11,25 m x 13,89 m)
- #254626




Ages 5-12

A. Super Netplex — 8' to 12' Towers

- 8' Double Swoosh Slide
- 12' TurboTwister Tunnel Slide
- Spiral Belt Climber
- Disc Net™ Climber
- Elevated Crawl Tunnel
- LolliLadder
- Sol Spinner
- SwiggleKnots Bridge
- Portal Climber
- Chinning Bar
- Turning Bar
- Overall structure height 25'8" (7.82 m)
- Maximum fall height ASTM 144" (3.66 m); CSA 144" (3.66 m); EN 118" (3.00 m)
- Minimum area required 42'1" x 60'4" (12.83 m x 18.39 m)
- #254627

B. Super Netplex — 12' Double Towers

- Features 8' Double Swoosh Slide
- Two 12' TurboTwister Tunnel Slides
- Spiral Belt Climber
- Disc Net Climber
- Elevated Crawl Tunnel
- LolliLadder
- Sol Spinner
- SwiggleKnots Bridge
- Portal Climber
- Chinning Bar
- Turning Bar
- Overall structure height 25' 8" (7.82 m)
- Maximum fall height ASTM 144" (3.66 m); CSA 144" (3.66 m); EN 118" (3.00 m)
- Minimum area required 46'9" x 63' (14.25 m x 19.20 m)
- #254629




A

B

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12

Designed for US and Canada




A



B



C



D

Alpha® Tower and Alpha Link® Towers

Combine height and geometric designs for fun climbing challenges.

- ADA compliant
- Direct bury
- Hot Dip Galvanized (HDG) steel frame offers enhanced corrosion resistance for coastal environments
- Built-in shade
- Alpha Tower has decks at 4', 8' and 12'
- Alpha Link Towers have decks at 4', 8' and 12' on the larger tower and 4' and 8' on the smaller tower
- Choose two Permalene® colors for panels, one polyethylene color for slides and one ProShield® color for components
- Cables in black only
- U.S. Patent numbers D861,110 and D861,111

A. Alpha Link Towers

- 8' Double Swoosh Slide® and 12' WhooshWinder® Slide
- Maximum fall height ASTM 144" (3,66 m); CSA 182" (4,62 m)
- Minimum area required 40'5" x 47'3" (12,32 m x 14,40 m)
- #234516

B. Alpha Link Towers TT

- 8' Double Swoosh Slide and 12' TurboTwister™ Tunnel Slide
- Maximum fall height 144" (3,66 m) ASTM and CSA
- #241397

C. Alpha Tower

- 8' Double Swoosh Slide and 12' WhooshWinder Slide
- Maximum fall height ASTM 144" (3,66 m); CSA 182" (4,62 m)
- Minimum area required 34'2" x 43'1" (10,41 m x 13,13 m)
- #226231

D. Alpha Tower TT

- 8' Double Swoosh Slide and 12' TurboTwister Tunnel Slide
- Maximum fall height 144" (3,66 m) ASTM and CSA
- Minimum area required 39'9" x 43'1" (12,12 m x 13,13 m)
- #241405



Ages 5-12

Designed for Europe and Australia

A. Alpha Link Towers EN

- Complies with EN and AS standards
- 8' El Slide and 12' TurboTwister Tunnel Slide
- Maximum fall height 96" (2,44 m)
- Minimum area required 40'6" x 47'3" (12,34 m x 14,40 m)
- #241203

B. Alpha Link Towers AUS


- Complies with EN and AS standards
- 8' Double Swoosh Slide and 12' TurboTwister Tunnel Slide
- Maximum fall height 96" (2,44 m)
- Minimum area required 39'1" x 45'8" (11,92 m x 13,92 m)
- #242983

C. Alpha Tower EN


- Complies with EN and AS standards
- 8' El Slide and 12' TurboTwister Tunnel Slide
- Maximum fall height 96" (2,44 m)
- Minimum area required 38'5" x 43'2" (11,71 m x 13,16 m)
- #239103

D. Alpha Tower AUS


- Complies with EN and AS standards
- 8' Double Swoosh Slide and 12' TurboTwister Tunnel Slide
- Maximum fall height 96" (2,44 m)
- Minimum area required 38'5" x 41'9" (11,71 m x 12,73 m)
- #242982



A



B



C



D

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

All Ages



A



B



B



C

Rhapsody® Outdoor Musical Instruments

This superior collection of chimes, metallophones and drums welcomes polished musicians and newbies alike to explore the power of rhythm, experience subtle shifts in tone, and discover the many ways individual sounds can be creatively combined.

- Artful design looks appropriate near playgrounds, in parks, on trails or in sculpture gardens
- Authentically designed for playing music or just striking notes and beats
- Precision manufacturing for consistency in tone
- Durable materials for years of music-making
- Mallets optimized to produce the best sound for each range of notes
- U.S. Patent numbers 9,734,808, 9,818,384, 9,773,482 and 10,546,564
- Instruments on pages 218-219 are wheelchair accessible

A. Vibra® Chimes

- Large chimes play the lowest notes and vibrate for sensory stimulation
- Each chime comes with its own mallet
- #251573 Diatonic scale (8 notes)
- #251574 Pentatonic scale (5 notes)
- #251575 Major chord (4 notes)
- #252557 Chime 1 (lowest note)
- #252556 Chime 2
- #252555 Chime 3
- #252554 Chime 4
- #252553 Chime 5
- #252552 Chime 6
- #252551 Chime 7
- #252550 Chime 8 (highest note)

B. Cascata® Bells

- Vertical arrangement of ten bells provides auditory and visual pleasure
- #250340

C. Tongue Drum

- Six notes can be played on different “tongues” of the drum
- Optional mallet
- #253114

All Ages

A. Animato®

- Metallophone with 15 bars to play a melody
- #214438

B. Vivo®

- Metallophone with 15 tubes for lively music
- #214441

C. Grandioso®

- 15 chimes provide deep resonant tones
- #214442

D. Kundu Drum

- Hourglass-shaped drum played with the hands
- #214444

E. Kettle Drum

- Generates low sound for keeping the beat
- #214445

F. Goblet Drum

- Achieve different sounds by playing with fingers or palms
- #214443

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-5



A



B



C

A. Goblet Drum Junior

- Goblet-shaped drum on a shorter stem
- #228215

B. Ditty®

- Metallophone with 8 bars at a lower level for younger kids
- #228212

C. Warble®

- 8 chimes at the right height for smaller players
- #228214

Ages 2-5

A. Jingle®

- Metallophone with 8 tubes for young musicians
- #228213

B. Kundu Drum Junior

- Hourglass-shaped drum on a shorter stem
- #228218

C. Tongue Drum Junior

- Six notes can be played on different “tongues” of the drum
- #250341

D. Kettle Drum Junior

- Large drum on a shorter stem
- #228217



Ages 2-12

Motion & More Fun

We-Go-Round®

This is the next generation of merry-go-rounds. Bringing kids of all abilities together, the We-Go-Round is fully wheelchair accessible and promotes fun interaction by having all the users face each other. Add optional DigiFuse® to play on a theme.

- Fully wheelchair accessible
- Resistance mechanism ensures fun and safe rotation
- Available with two or three benches, leaving ample room for wheelchairs
- Available with perforated side panels, or a variety of DigiFuse themes
- Direct bury only
- Maximum fall height 40" (1,02 m)
- Minimum area required 20'10" (6,35 m) diameter
- U.S. Patent number 10,717,012
- #248819 with perforated side panels
- #249558 with DigiFuse side panels

Also available in HDG

- The cool aesthetics of Hot Dip Galvanized (HDG) steel offer a fresh look for your playground and extra protection in harsh coastal environments
- #251036 with perforated side panels
- #251037 with DigiFuse side panels



Ages 5-12

Global Motion®

Add a unique play experience to your playground with Global Motion. Kids can climb, rotate and explore two levels in this fun-filled structure. Patented progressive resistance makes it easy to turn Global Motion at slower speeds, and prevents it from being turned too quickly, providing a fun and challenging experience while still feeling safe and in control.

- Direct bury only
- Maximum fall height 105" (2,67 m)
- Minimum area required 26' 5" (8,05 m) diameter
- U.S. Patent number 9,868,069
- #218915
ProShield®
- #228071
Hot Dip Galvanized



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



A



B



C



D

A. NEW WhirlyQ™ Spinner

- This spinner is designed for inclusive fun with a large, black GripX-textured deck at transfer height that provides easy access
- Durable galvanized steel frame in your choice of ProShield® color
- Spinner base and top made from durable, UV-stable rotomolded polyethylene in your choice of color
- Surface mount only
- Maximum fall height ASTM 18" (0,46 m); CSA 18" (0,46 m); EN 40" (1,00 m)
- Minimum area required ASTM 24' 8" (7,52 m) diameter; CSA 24' 8" (7,52 m) diameter; EN 19' 9" (6,01 m) diameter
- U.S. Patent number 9,220,988
- #277369

B. Curva® Spinner

- Accommodates multiple kids
- Direct bury only
- Maximum fall height 9" (0,23 m)
- Minimum area required 13' 9" (4,19 m) diameter
- #247179
ProShield
- #249553
Stainless Steel

C. Chill® Spinner

- Comfortable seat for relaxing or spinning
- Direct bury or surface mount
- Maximum fall height 19" (0,48 m)
- Minimum area required 14' 8" (4,47 m) diameter
- #247189
ProShield
- #249557
Stainless Steel

D. Topsy Turny® Spinner

- Direct bury only
- Maximum fall height 18" (0,46 m)
- Minimum area required 22' 3" (6,78 m) diameter
- #205800



Ages 5-12

A. Blender™ Spinner

- Maximum fall height 75" (1,91 m) for Single; 78" (1,98 m) for Double
- Minimum area required 20'11" x 15'11" (6,38 m x 4,85 m) for Single; 29'5" x 15'11" (8,97 m x 4,85 m) for Double
- #201548
Single (shown)
- #201551
Add-On

B. Gyro Twister® Spinner

- Maximum fall height 50" (1,27 m) for Single; 53" (1,35 m) for Double
- Minimum area required 21'2" x 15'11" (6,45 m x 4,85 m) for Single; 29'11" x 15'11" (9,12 m x 4,85 m) for Double
- #201549
Single (shown)
- #201552
Add-On

C. Sol Spinner™

- Maximum fall height 17" (0,43 m) for Single; 20" (0,51 m) for Double
- Minimum area required 21'5" x 15'11" (6,53 m x 4,85 m) for Single; 30'4" x 15'11" (9,25 m x 4,85 m) for Double
- #201550
Single (shown)
- #201553
Add-On

D. Stand-Up Spinner

- 20" (0,51 m) diameter
- Direct bury only
- Maximum fall height 8" (0,20 m)
- Minimum area required 14' (4,27 m) diameter
- #155077



A



B



C



Sol Spinner with Blender Spinner Add-On



D

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12



A



Ages 5-12 B



C

A. OmniSpin® Spinner

- Easy to enter from a wheelchair or walker
- Encourages interactive, inclusive play
- Maximum fall height 18" (0.46 m)
- Minimum area required 19' (5.79 m) diameter
- U.S. Patent numbers 8,870,668 and 9,220,988
- #173591

B. Flywheel® Spinner

- Direct bury only
- Maximum fall height 74" (1.88 m)
- Minimum area recommended 22'3" (6.78 m) diameter
- #185927

C. Saddle Spinner

- 5-degree angle
- Maximum fall height 12" (0.30 m) for ages 2-5; 16" (0.41 m) for ages 5-12
- Minimum area required 13'8" (4.17 m) diameter
- #152179

Ages 2-12

A. Sway Fun® Glider

- Ample room for two wheelchairs, plus two large benches for plenty of other passengers
- Requires accessible ramp or berm (sold separately) for wheelchair access to the 12" or 16" platform
- Maximum fall height 16" (0.41 m)
- Minimum area required 12'11" x 24'9" (3.94 m x 7.54 m)
- #170894
12" platform
- #138871
16" platform (shown)
- #177140
with 12' ramp assembly
- #258372
with 12' ramp assembly and berm plate

B. SuperScoop

- 360-degree rotation
- TenderTuff™-coated seat in brown only
- Direct bury only
- Minimum area recommended 3' (0.91 m)
- #123831

C. Accessible SuperScoop

- Minimum area recommended 3' (0.91 m)
- #123832



A



B



C

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12**A**

ZipKrooz Assisted with two
ZipKrooz Additional Bays shown

B**A. ZipKrooz®**

- The original track style zip-line
- Sufficient upper-body strength and coordination required
- 2-way ride
- Easy glide trolley
- Track available in 34', 50' or 66' lengths (50' length shown)
- Maximum fall height 105" (2.67 m)
- Minimum area required 53' x 21' 6" (16.15 m x 6.55 m) for 34' length
- U.S. Patent number 9,932,046 and other patent pending
- #194663
- #195507
Additional Bay

B. ZipKrooz Assisted

- Molded bucket seat with harness provides stability for kids with limited upper-body mobility
- 2-way ride
- Easy glide trolley
- Track available in 34', 50' or 66' lengths
- Maximum fall height 105" (2.67 m)
- Minimum area required 53' x 21' 6" (16.15 m x 6.55 m) for 34' length
- #196212
- #196213
Assisted Additional Bay



Ages 5-12

A. Track Rides

- Sufficient upper-body strength and coordination required
- TenderTuff™-coated trolley handle in brown only
- Includes one Playstructure Seat/Step for Curved
- Direct bury only
- Maximum fall height 78" to 93" (1.98 m to 2.36 m)
- Minimum area required 22' 8" x 15' 11" (6.91 m x 4.85 m) for 10' length; 29' 11" x 15' 11" (9.12 m x 4.85 m) for 18' length; 34' 2" x 15' 11" (10.41 m x 4.85 m) for Curved
- #121648
10' Straight
- #121875
18' Straight
- #121874
18' Curved (shown)

B. Boogie Board™

- Direct bury only
- Maximum fall height 24" (0.61 m)
- Minimum area required 22'8" x 16' (6.91 m x 4.88 m)
- #194704

C. Spring Platform with Post or Accessible Handhold

- Supported by three coil springs
- Maximum fall height 15" (0.38 m)
- Minimum area required 17' 4" (5.28 m)
- #125059



A Recommended for Ages 8-12



B



C

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12

**A. Spring Pod™ Bouncer**

- 14" (0,36 m) diameter
- Maximum fall height 16" (0,41 m)
- Minimum area required 6' (1,83 m) around perimeter of pod cluster
- #120876

B. Wobble Pod® Bouncer

- Maximum fall height 16" (0,41 m)
- Minimum area recommended 14' x 15' 8" (4,27 m x 4,78 m)
- #158105

C. Cycler

- Wheelchair accessible
- Direct bury only
- Minimum area recommended 14' 5" (4,39 m) diameter
- #158107

D. Log Roll

- Log in tan only
- Maximum fall height 18" (0,46 m)
- Minimum area required 13' 3" x 17' 3" (4,04 m x 5,26 m)
- #100027

E. Stationary Cycler

- Handles and pedals or accessible handles only
- Maximum fall height 24" (0,61 m)
- Minimum area required 16' x 13' 3" (4,88 m x 4,04 m)
- #160055



Ages 2-12

A. We-saw™

- Maximum fall height 54" (1.37 m)
- Minimum area required 16'8" x 23'5" (5.08 m x 7.14 m)
- #186490

B. Seesaws

- Permalene® seat in tan only
- Maximum fall height 36" (0.91 m)
- Minimum area required 13'6" x 21'7" (4.11 m x 6.58 m)
- #148636
2-Seat
- #148637
4-Seat (shown)

C. Seesaw Back Support

- Available with or without the seat strap (seat strap not IPEMA™ certified)
- #148706

D. Stand-Up Seesaw

- Maximum fall height 27" (0.69 m)
- Minimum area required 15'1" x 20'1" (4.83 m x 6.12 m)
- #148638



Safety Note: The seat strap is intended for use in supervised areas only. In public playground environments, we recommend a checkout system to reduce vandalism/theft and for safety reasons.

WARNING

TO AVOID ENTANGLEMENT, REMOVE AND RETURN STRAP TO OWNER WHEN STRAP IS NOT IN USE.



Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

Bear



Chicken



Dinosaur



Fire Engine



Horse



Police Car



Rocket Ship



Tractor

DigiRiders®

- DigiFuse® provides vivid, full-color, photorealistic graphics
- Available only in colors shown
- Minimum area required between DigiRiders 6' (1,83 m)

Bear

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 15' 3" (3,89 m x 4,65 m)
- #233059

Chicken

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 16' 1" (3,89 m x 4,90 m)
- #233061

Dinosaur

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 15' 8" (3,89 m x 4,78 m)
- #233058

Fire Engine

- Maximum fall height 22" (0,56 m)
- Minimum area required 13' 6" x 15' 11" (4,11 m x 4,85 m)
- #233054

Horse

- Maximum fall height 20" (0,51 m)
- Minimum area required 12' 9" x 15' 4" (3,89 m x 4,67 m)
- #233060

Police Car

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 15' 4" (3,89 m x 4,67 m)
- #233053

Rocket Ship

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 16' 1" (3,89 m x 4,90 m)
- #233055

Tractor

- Maximum fall height 21" (0,53 m)
- Minimum area required 12' 9" x 15' 9" (3,89 m x 4,80 m)
- #233056

Butterfly

- Maximum fall height 15" (0,38 m)
- Minimum area required 13' 3" x 14' 5" (4,04 m x 4,39 m)
- #233057



Ages 6 months - 5 years

Butterfly

Ages 2-12

A. Whimsy Riders™

- Available only in colors shown
- Maximum fall height 24" (0,61 m)
- Minimum area required 13' x 15' (3,96 m x 4,57 m)
- Minimum area required between Whimsy Riders 6' (1,83 m)

Dolphin

- #135536

Sea Horse

- #135535

Zebra

- #135534

B. Bobble Riders™

- Maximum fall height 25" (0,64 m)

Single

- Minimum area required 13' 6" x 14' 2" (4,11 m x 4,32 m)
- #164074


Double

- Minimum area required 13' 8" x 15' 3" (4,17 m x 4,65 m)
- #164075


C. Custom Spring Riders

- Bring your idea to life and add a theme to your playground

Ask your Landscape Structures playground consultant for more ideas on how to get your own custom-themed spring rider.



Dolphin



Single



Double



Sea Horse



Zebra



C



C



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



A



B



C



Ages 2-5 D

Slides

A. Rushwinder

- Maximum fall height 72" (1,83 m)
- Minimum area required 6' (1,83 m) diameter
- #189314

B. SpyroSlide™

- 56" deck for 270-degree rotation
- 72" deck for 360-degree rotation (shown)
- Maximum fall height equals deck height
- Minimum area required 22' 8" x 17' 6" (6,91 m x 5,33 m) for 56" deck; 24' 4" x 17' 7" (7,41 m x 5,35 m) for 72" deck
- #203791

C. Wave Poly Slide

- Maximum fall height 72" (1,83 m)
- Minimum area required 14' x 29' (4,27 m x 8,84 m)
- #100046

D. 40" Poly Slide

- Maximum fall height 40" (1,02 m)
- Minimum area required 14' x 23' (4,27 m x 7,01 m)
- #100046

Ages 2-12

Swings

- Direct bury only

NEW We-Go-Swing™

We play, we laugh, we swing! The We-Go-Swing is a revolutionary step forward in inclusive play experiences.

Designed to be integrated into the playground setting, this swing lets kids of all abilities play together and experience the thrill of swinging. With no need to transfer, the We-Go-Swing opens up a whole new world of playground fun.

- Handle bars assist with movement of the swing and keeping users in place, rotating up for easy entrance and exit
- 60" x 72" entry access deck included, to be connected to ramp or other entrance, for easy roll-on access
- Available with one accessible bay and one bench seat, or two accessible bays
- Choose two ProShield® colors and one Permalene® color
- Maximum fall height 48" (1.22 m)
- Minimum area required 26'1" x 26'8" (7.95 m x 8.15 m)
- Patent pending
- #277778



Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

**A. NEW Hedra® Swing Frame**

- Choose ProShield® color for frame and swing hanger clamp assemblies
- Accommodates Flat Molded Seat, Belt Seat, Full Bucket Seat, Half Bucket Seat, Molded Bucket Seat with Harness (2-5), Molded Bucket Seat with Harness (5-12), Molded Bucket Seat without Harness (sold separately)
- Two swings per bay
- Swing bays sold individually
- Maximum fall height 96" (2,43 m)
- Minimum area required 14' 9" x 28' 6" (4,50 m x 8,69 m) for Single Bay
- Patent pending
- #278557
Standard swing seats

B. Oodle® Swings

- Accessible to enter from a wheelchair or walker
- Cables in black only
- Maximum fall height 90" (2,29 m)

Single

- Minimum area required 26' x 30' (7,92 m x 9,14 m)
- #173592
ProShield
- #228069
Hot Dip Galvanized

Double

- Minimum area required 39' 11" x 30' (12,15 m x 9,14 m)
- #210117
ProShield

**B** Single

Double

Ages 2-12

Friendship® Swing

- Spacious, two-seated face-to-face swing allows multiple people to enjoy the ride
- One Friendship Swing per swing bay
- U.S. Patent number 10,427,057
- #237293
Friendship Swing with 5" Arch Swing Frame (shown)
- #237294
Friendship Swing with 5" Arch Swing Frame Additional Bay
- #237295
Friendship Swing with Arch Tire Swing Additional Bay
- #237296
Friendship Swing with Single Post Frame 52" Bury
- #237297
Friendship Swing with Single Post Frame 52" Bury Additional Bay
- #278857
Friendship Swing with Hedra Swing Frame

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

**A****B****C****D****A. Arch Swing Frame**

- Seats and chains sold separately (see pages 239-240)
- Maximum fall height 96" (2,44 m)
- Minimum area required 24' 3" x 32' (7,39 m x 9,75 m) for Single Bay; add 11'10" x 32' (3,61 m x 9,75 m) for Additional Bay
- #221292 Single Bay (shown)
- #221293 Additional Bay (shown)

B. Arch Tire Swing

- Maximum fall height 78" (1,98 m)
- Minimum area required 22' x 27' 7" (6,71 m x 8,39 m) for Single Bay; add 22' x 22' (6,71 m x 6,71 m) for Additional Bay; add 11'10" x 30' (3,61 m x 9,14 m) for Additional To/Fro Bay
- #120891 Single Bay (shown)
- #139188 Additional Bay
- #221294 Additional To/Fro Bay

C. Single Post Swing Frame

- Seats and chains sold separately (see pages 239-240)
- Maximum fall height 96" (2,44 m)
- Minimum area required 24'1" x 32' (7,30 m x 9,75 m) for Single Bay; add 11'8" x 32' (3,56 m x 9,75 m) for Additional Bay
- #177332 Single Bay (shown)
- #177333 Additional Bay (shown)

D. 5000 Series Swing Frame

- Optional Anti-Wrap Swing Hangers available
- Seats and chains sold separately (see pages 239-240)

8'-High Beam

- Maximum fall height 96" (2,44 m)
- Minimum area required 31'10" x 32' (9,70 m x 9,75 m) for Single Bay; add 11'6" x 32' (3,50 m x 9,75 m) for Additional Bay
- #174011 Single Bay (shown)
- #177323 Additional Bay (shown)

10'-High Beam

- Maximum fall height 120" (3,05 m)
- Minimum area required 33' 2" x 40' (10,10 m x 12,19 m) for Single Bay; add 11'6" x 40' (3,50 m x 12,19 m) for Additional Bay
- #177324 Single Bay
- #177325 Additional Bay

Ages 2-3

A. Toddler Swings

- Angled chains prevent side-sway
- Seats and chains sold separately (see below and page 240)
- Maximum fall height 74" (1.88 m)
- Minimum area required 17' x 21'9" (5.18 m x 6.63 m)
- #177336

B. Toddler Swing Add-On

- Attaches to the outer post of a Single Post Swing
- Seats and chains sold separately (see below and page 240)
- Maximum fall height 74" (1.88 m)
- Minimum area required 10'8" x 17' (3.25 m x 5.18 m)
- #177337

C. Full-Bucket Seat

- #176038

D. Half-Bucket Seat

- Not IPPEMA™ certified
- #177349

E. Full-Bucket Infant Seat

- Intended for children who can sit up unaided
- For use on the Toddler Swing or the Toddler Swing Add-On
- Complies with ASTM F2373
- Not IPPEMA certified
- #177352

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

**A. Molded Bucket Seat (2-5) with Harness and Chains**

- High seat back and yoke harness specially designed for smaller children
- #218671

B. Molded Bucket Seat (5-12) with Harness and Chains

- High seat back and yoke harness provide greater stability for kids with limited upper-body mobility
- #177351

C. Molded Bucket Seat

- Choose TenderTuff™-coated chain for 8' beam; ProGuard™-finished chain for 8' and 10' beams
- Seat strap sold separately
- #177350
- #111416
Seat Strap Only

D. Flat Molded Seat

- #177348

E. Slash-Proof Belt Seat

- #174018

F. Swing Chain

- $\frac{3}{16}$ " straight-link-welded, ProGuard-finished chain by the foot
- #173877

G. TenderTuff-Coated Swing Chain

- Available in five colors



Safety Note: The seat strap is not IPEMA certified. It is intended for use in supervised areas only. In public playground environments, we recommend a checkout system to reduce vandalism/theft and for safety reasons.

WARNING TO AVOID ENTANGLEMENT, REMOVE AND RETURN STRAP TO OWNER WHEN STRAP IS NOT IN USE.

Facet® Forms

There's more to nature than trees, and the unique look of Facet Forms contributes to this new aesthetic. Reminiscent of minerals and geodes, the facets made from precast concrete provide tactile and visual interest.

A. Facet Crawl Tunnel

- 5'7" (1,70 m) long; 32" (0,81 m) inside width
- Maximum fall height 42" (1,07 m)
- #237935

B. Facet Crawl Tunnel with Stepper

- 5'7" (1,70 m) long; 32" (0,81 m) inside width
- Maximum fall height 42" (1,07 m)
- Available with one or two steppers
- #237936

C. Facet Balance Beam

- Maximum fall height 12" (0,30 m)
- Available in single, double or triple configurations
- #237934

D. Facet Steppers

- Maximum fall height equals stepper height
- #237103
18" (0,46 m) height
- #237104
24" (0,61 m) height
- #237105
30" (0,76 m) height



B Ages 5-12



Ages 2-12



A

Nature-Inspired Play

A. Log Balance Beam

- Maximum fall height 12" (0,30 m)
- #173596

B. Log Steppers

- Maximum fall height equals log height
- #173907
8" (0,20 m) height
- #173908
18" (0,46 m) height
- #173909
28" (0,71 m) height

C. Mushroom Steppers

- Available in several heights from 8" to 30" (0,20 m to 0,76 m)
- Maximum fall height equals mushroom height
- #171568-171573

D. Log Crawl Tunnel

- 5' (1,52 m) long; 30" (0,76 m) diameter
- Maximum fall height 41" (1,04 m)
- #173594



C



D

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

A. Fossil Dig

- 8" (0,20 m) height;
27" (0,69 m) diameter

Dino Eggs

- #170793

Sea Shells

- #170792

T-Rex Bones

- #170791

B. The Stepper™ Rock Climber

- Size 44" x 37" x 26"
(1,12 m x 0,94 m x 0,66 m)
- Maximum fall height 20" (0,51 m)
with 6" (0,15 m) surfacing
- Minimum area required 15'8" x 15'1"
(4,78 m x 4,60 m)
- #160419

C. The Peak™ Rock Climber

- Size 68" x 58" x 42"
(1,73 m x 1,47 m x 1,07 m)
- Maximum fall height 36" (0,91 m)
with 6" (0,15 m) surfacing
- Minimum area required 16'10" x 17'8"
(5,13 m x 5,38 m)
- #160418

Ages 2-5



Dino Eggs

A



Sea Shells

A



T-Rex Bones



B



C

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



A



B



Samples of fossil imprints

**A. The Pointe™ Rock Climber**

- Size 84" x 78" x 68"
(2,13 m x 1,98 m x 1,73 m)
- Maximum fall height 56" (1,42 m) with 12" (0,30 m) surfacing
- Minimum area required 22' 6" x 23'
(6,86 m x 7,01 m)
- #156067

B. The Pinnacle™ Rock Climber

- Size 102" x 87" x 86"
(2,59 m x 2,21 m x 2,18 m)
- Maximum fall height 74" (1,88 m) with 12" (0,30 m) surfacing
- Minimum area required 23' x 24' 6"
(7,01 m x 7,46 m)
- #156065



Ages 5-12

AdventureScapes® Climbers

- Direct bury only

DESIGNS 1-2

- Maximum fall height 56" (1,42 m) with 12" (0,30 m) surfacing

Design 1

- Minimum area required 24' x 30' (7,32 m x 9,14 m)
- #168364

Design 2

- Minimum area required 24' x 39' (7,32 m x 11,89 m)
- #168365

DESIGNS 3-9

- Maximum fall height 74" (1,88 m) with 12" (0,30 m) surfacing

Design 3

- Minimum area required 33' x 38' (10,06 m x 11,58 m)
- #168366

Design 4

- Minimum area required 41' x 33' (12,50 m x 10,06 m)
- #168367

Design 5

- Minimum area required 41' x 40' (12,50 m x 12,19 m)
- #168368

Design 6

- Minimum area required 38' x 51' (11,58 m x 15,54 m)
- #168369

Design 7


- Minimum area required 43' x 49' (13,11 m x 14,94 m)
- #168370

Design 8


- Minimum area required 41' x 43' (12,50 m x 13,11 m)
- #168371

Design 9

- Minimum area required 42' x 60' (12,80 m x 18,29 m)
- #169105



Design 1




Design 2




Design 3




Design 4




Design 5




Design 6



Design 7



Design 8



Design 9

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



Aeronet® Climbers

- Steel-reinforced cables are extremely durable and vandal resistant
- Engineered with above-ground tensioning systems for easy maintenance
- Direct bury only

Eclipse® Net Climber

- Maximum fall height 96" (2.44 m)
- Minimum area required 26'1" x 26'1" (7,95 m x 7,95 m)
- Patent pending
- #249010

A. Lunar Blast® Net Climber

- Maximum fall height 96" (2.44 m)
- Minimum area required 41' 8" x 41' 8" (12.70 m x 12.70 m)
- #249012

Note: Consult installation instructions before placing near curbs, sidewalks, etc.

B. Lunar Burst® Net Climber

- Maximum fall height 72" (1.83 m)
- Minimum area required 35' 1" x 35' 1" (10.69 m x 10.69 m)
- #248945

Note: Consult installation instructions before placing near curbs, sidewalks, etc.

C. Aeronet Seats

- Add up to 8 seats to any Aeronet climber
- #254562 for Eclipse
- #254560 for Lunar Blast
- #254559 for Lunar Burst



Ages 5-12



A



B



C



Ages 2-5

Mobius® Climbers

These artful, anodized aluminum panels bring a unique aesthetic to any play area.

- Easy to install and maintain
- Direct bury only

A. 12-Panel Mobius Climber

- Size 24' 2" x 18' 4" x 10' (7,37 m x 5,59 m x 3,05 m)
- Maximum fall height 120" (3,05 m)
- Minimum area required 36' 2" x 30' 4" (11,02 m x 9,25 m)
- #150638

B. 7-Panel Mobius Climber

- Size 14' x 13' 8" x 10' (4,27 m x 4,17 m x 3,05 m)
- Maximum fall height 120" (3,05 m)
- Minimum area required 26' x 25' 8" (7,92 m x 7,82 m)
- #150637

C. 6-Panel Mobius Climber

- Size 13' 8" x 11' x 10' (4,17 m x 3,35 m x 3,05 m)
- Maximum fall height 120" (3,05 m)
- Minimum area required 25' 8" x 23' (7,82 m x 7,01 m)
- #150636

D. 3-Panel Mobius Climber

- Size 9' 4" x 9' 4" x 4' (2,84 m x 2,84 m x 1,22 m)
- Maximum fall height 48" (1,22 m)
- Minimum area required 21' 4" x 21' 4" (6,50 m x 6,50 m)
- #150635



Ages 5-12

Climbers

A. Hemisphere Climber®

- Direct bury only
- Maximum fall height 105" (2,67 m)
- Minimum area required 31' 7" x 18' (9,63 m x 5,49 m)
- #156435

B. Spider Web Climber


- Direct bury only
- Maximum fall height 79" (2,01 m)
- Minimum area required 12' 3" x 18' 1" (3,73 m x 5,51 m)
- #235755

C. Star Seeker Climber

- Direct bury only
- Maximum fall height 116" (2,95 m)
- Minimum area required 28' (8,53 m) diameter
- #148041

D. Funnel Climber™

- Available with optional vertical ladders (shown)
- Maximum fall height 91" (2,32 m) with ladder; 72" (1,83 m) without ladder
- Minimum area required 19' 5" x 19' 5" (5,92 m x 5,92 m)
- #144477

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



Patent pending

A

**A. GeoPlex® Climbing Wall**

- Maximum fall height 86" (2,18 m)
- Minimum area required 21'10" x 12'9" (6,65 m x 3,89 m)
- Patent pending
- #219510

B. Humpty Climbers

- Direct bury only
- Maximum fall height 88" (2,24 m)

Single

- Minimum area required 14' x 16'10" (4,27 m x 5,13 m)
- #100037

Double (shown)

- Minimum area required 14' x 26' (4,27 m x 7,92 m)
- #100037

C. Cascade Climbers

- Direct bury only
- Maximum fall height 93" (2,36 m)

4-Panel

- Minimum area required 24' x 16' (7,32 m x 4,88 m)
- #150977

6-Panel (shown)

- Minimum area required 22' x 24' (6,70 m x 7,32 m)
- #150976

D. Starburst™ Climbers

- Direct bury only

Single

- Maximum fall height 103" (2,61 m)
- #158426

Double (shown)

- Maximum fall height 103" (2,61 m)
- #158426

Triple

- Maximum fall height 108" (2,74 m)
- #158426

Quad

- Maximum fall height 106" (2,69 m)
- Minimum area required 20' (6,09 m) diameter
- #158426



C



D



Ages 5-12

A. JigJag Climbers

- Maximum fall height 90" (2,29 m)

Single

- Minimum area required 22'9" x 15' (6,91 m x 4,34 m)
- #201889

Double (shown)

- Minimum area required 33' x 15' 6" (10,04 m x 4,71 m)
- #201993

B. Vertical Pipe Climbers

- Direct bury only
- Minimum area required for a single climber 13' x 14' (3,96 m x 4,27 m)

4'-High

- Maximum fall height 48" (1,22 m)
- #100040

6'-High

- Maximum fall height 72" (1,83 m)
- #100040

C. Sky Rail Climber

- Direct bury only
- Maximum fall height 108" (2,74 m)
- Minimum area required 21'5" x 22'10" (6,53 m x 6,96 m)
- #146813

D. Rainbow Climbers

- Direct bury only

4'-High

- Maximum fall height 45" (1,14 m)
- Minimum area required 19' 8" x 13' 8" (5,99 m x 4,17 m)
- #100038

6'-High

- Maximum fall height 75" (1,91 m)
- Minimum area required 24' 2" x 13' 8" (7,37 m x 4,17 m)
- #100038

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12



Ages 2-12



12-Block



A

A. Block Climbers**9-Block**

- Maximum fall height 24" (0,61 m)
- Minimum area required 16' x 16' (4,88 m x 4,88 m)
- #117966

12-Block

- Maximum fall height 32" (0,81 m)
- Minimum area required 17' x 17' (5,18 m x 5,18 m)
- #117966

16-Block

- Maximum fall height 40" (1,02 m)
- Minimum area required 18' x 18' (5,49 m x 5,49 m)
- #117966

9-Block



Ages 2-5



D

B. Noodle Pod® Steps**• Direct bury only**

- Maximum fall height equals pod height (8" 16" or 24") (0,20 m, 0,41 m or 0,61 m)
- Minimum area recommended 14' 5" (4,39 m) diameter
- #158108
One Step (shown)
- #164157
Two Steps

C. Wee Planet™ Climber

- Maximum fall height 53" (1,35 m)
- Minimum area required 16' (4,88 m) diameter
- #200677

D. Climbing Wall

- Maximum fall height 84" (2,13 m)
- Minimum area required 12' 5" x 20' (3,78 m x 6,10 m)
- #153354

E. Pod Climber

- Available in several heights from 8" to 30" (0,20 cm to 0,76 m)
- Maximum fall height equals pod height
- #120710 - #120713 and #158997 - #158998



Ages 2-12

Sensory Play

Pulse®

Three sensory-rich games bring interactivity to the playground in a whole new way. Pulse helps kids develop hand-eye coordination, action/reaction skills, and healthy sportsmanship through sounds, lights and touch.

- Multi-color LED lights
- Built-in speakers
- Touch-activated sensors
- Durable, impact-resistant
- Tested to extreme demands of all climates
- Waterproof
- Operates on safe, low-voltage DC power
- Easy installation
- No surfacing required

A. Pulse Tempo

- Kids respond to the musical cues, then move and groove to the entertaining sound and light show
- Multisensory
- Up to 6 players
- Minimum area recommended 23'10" x 7'10" (7,26 m x 2,39 m)
- #186569

B. Pulse Table Tennis

- Wheelchair accessible
- A healthy dose of competition will motivate kids to beat the lights
- Multisensory
- 2-4 players
- Minimum area recommended 15'10" x 14'3" (4,83 m x 4,34 m)
- #186568

C. Pulse Tennis

- Bouncing lights and court sounds energize kids in this head-to-head game of motion
- Multisensory
- 2-8 players
- Minimum area recommended 22'10" x 16'11" (6,96 m x 5,16 m)
- #186567



A



B




C Ages 5-12

Visit playsm.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12



A



B

C

Reverse view

A. Cozy Dome®

- A climber on the outside; a quiet, cozy space on the inside
- Maximum fall height 46" (1,17 m)
- Minimum area recommended 18' 6" (5,64 m) diameter
- #168099

B. Navigator Reach Panel

- Wheelchair accessible
- Rotating steering wheel with moveable gearshift knob
- #184886

C. Trail Tracker® Reach Panel

- Wheelchair accessible
- Mazes on each side develop hand-eye coordination and decision-making skills
- #184885

D. Chatter Noodle® Talk Tubes

- Wheelchair accessible
- Maximum of 40' between posts
- #158106

E. Roller Table™

- Great activity for kids with mobility impairments
- Helps develop "skin map" of tactile sensory receptors
- Maximum fall height 16-½" (0,42 m)
- Minimum area required 25' 2" x 14' 10" (7,67 m x 4,52 m)
- #176457



Ages 5-12 D



Ages 5-12 E

Ages 2-12

A. Sensory Play Center®

- Choose any number of interactive panels to create an exciting multisensory play experience
- Minimum area required 16' x 4' (4.88 m x 1.22 m) for a 4-panel configuration
- U.S. Patent number 8,936,502
- #168100 Poly Wall Panel
- #168101 Poly End Panel

B. Fun Mirror Panel®

- Rotatable, two-sided concave/convex mirror engages peripheral vision and visual tracking
- #168103

C. Color Splash Panel™

- Brilliant color-changing wheel on one side; black-and-gray optical illusion on the other
- #177715

D. Kaleidospin Panel®

- Rotating prisms provide visual stimulation
- #168108

E. Optigear Panel®

- Five rotating gears
- #168104



A



B



C



D



E

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 2-12

**A. Imagination Table™**

- Play station helps kids develop socially and creatively
- #168105

B. Marble Panel®

- Spinning marbles offer a sensory-rich visual, auditory and tactile experience
- #168662

C. Rain Sound Wheel Panel™

- Steel drum rotates to create soothing rain sound
- Different geometric designs on each side
- #177721

D. Bongo Panel®

- Large and small bongos provide deep auditory stimulation
- #168107

E. Xylofun Panel®

- Musical scale promotes auditory stimulation
- #168106

F. Alphamaze and Labyrinth Panel™

- Two-sided panel promotes eye-hand coordination along with tactile fun
- #168102

Bongo and Alphamaze Panel™

- Bongos on one side (image D); letters, numbers and shapes on the other (top image F)
- #168989

Bongo and Xylofun Panel™

- Bongos on one side (image D); xylophone on the other (image E)
- #168666

Xylofun and Alphamaze Panel™

- Xylophone on one side (image E); letters, numbers and shapes on the other (top image F)
- #168990



A. Clear Paint Panel

- Includes Permalene® paint trays (paint and cups not included)
- Size 10" x 2'10" (0,25 m x 0,86 m)
- #112621

B. Splash Circuit™ Sand and Water Station

- Wheelchair accessible
- Size 5' x 5'6" (1,52 m x 1,68 m)
- Minimum area recommended 7' (2,13 m) diameter
- #126202

C. Turtle Sand Table

- Size 1'7" x 2'8-1/2" (0,48 m x 0,83 m)
- Direct bury only
- Minimum area recommended 6' (1,83 m) diameter #116568

D. Sandbox

- Optional plastic screen helps keep sand clean
- #120458
4' Square Sandbox
- #120458
8' Square Sandbox
- #120458
8' Square Sandbox with Play Table (shown)
- #120894
Play Table Only

E. Elevated Sand Table

- Wheelchair accessible
- Sand bucket rail direct bury only
- Size 89" x 57" (2,26 m x 1,45 m)
- Minimum area recommended 14' (4,27 m) diameter #136233

F. Wiggle Worm Crawl Tunnel

- Optional Wiggle Worm head available (shown)
- Maximum fall height 18" (0,46 m)
- Minimum area required with head 14'6" x 22'3" (4,42 m x 6,78 m) #120418

G. Crawl Tunnels


- Maximum fall height 7" (0,18 m)

Straight

- Minimum area required 14'4" x 14'7" (4,37 m x 4,45 m) #100005

90° Curve

- Minimum area required 16'1" x 16'1" (4,91 m x 4,91 m) #100005



PLAY COMPONENTS

Fitness

FitCore™ Extreme

Exciting obstacles designed for teens and older, or right-sized for kids ages 5 to 12. Choose from our predesigned courses or create your own grouping of obstacles. Instructional signs included.

- Cables in black only

A. Welcome Sign

- 5 to 12 Years, #246587
- 13+ Years, #246315

B. Vertical Cargo Net

5 to 12 Years (shown)

- Maximum fall height 118" (3,00 m)
- Minimum area required
12'6" x 22'9" (3,81 m x 6,93 m)
- #244192

13+ Years

- Maximum fall height 118" (3,00 m)
- Minimum area required
ASTM 13'1" x 20'10" (3,99 m x 6,35 m);
EN 16'11" x 27'4" (5,16 m x 8,33 m)
- #243019

C. Angled Balance Beam

5 to 12 Years (shown)

- Maximum fall height 16" (0,41 m)
- Minimum area required for one beam
12'3" x 16'11" (3,73 m x 5,16 m)
- #244196

13+ Years

- Maximum fall height 24" (0,61 m)
- Minimum area required for one beam
ASTM 12'11" x 17'7" (3,94 m x 5,36 m);
EN 10'3" x 14'11" (3,12 m x 4,55 m)
- #243908



A



B



C



Ages 5-12 and 13+



A



A. Over Under Bars

5 to 12 Years (shown)

- Maximum fall height 31" (0,79 m)
- Minimum area required for one pair 15'8" x 18'4" (4,78 m x 5,59 m)
- #244198

13+ Years (shown)

- Maximum fall height 43" (1,09 m)
- Minimum area required for one pair ASTM 16'4" x 22'4" (4,98 m x 6,81 m); EN 13'8" x 16'4" (4,17 m x 4,98 m)
- #243909

B. Rope Climb

5 to 12 Years (shown)

- Maximum fall height ASTM 120" (3,05 m); EN 81" (2,05 m)
- Minimum area required 15'3" x 17'4" (4,65 m x 5,28 m)
- #244199

13+ Years

- Maximum fall height ASTM 132" (3,35 m); EN 93" (2,35 m)
- Minimum area required ASTM 12'0" diameter (3,66 m diameter)
- EN 15'0" diameter (4,57 m diameter)
- #243910

C. Spider Walk

5 to 12 Years

- Maximum fall height 96" (2,44 m)
- Minimum area required 20'3" x 23'6" (6,17 m x 7,16 m)
- #244200

13+ Years (shown)

- Maximum fall height ASTM 96" (2,44 m); EN 56" (1,44 m)
- Minimum area required ASTM 14'9" x 24'2" (4,50 m x 7,37 m); EN 14'10" x 21'6" (4,52 m x 6,55 m)
- #244061



B



C



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12 and 13+

A. Angled Overhead Ladder**5 to 12 Years (shown)**

- Maximum fall height 85" (2,16 m)
- Minimum area required
16'1" x 34'0" (4,90 m x 10,36 m)
- #244194

13+ Years (shown)

- Maximum fall height
ASTM 90" (2,29 m); EN 51" (1,29 m)
- Minimum area required
ASTM 13'3" x 34'8" (4,04 m x 10,57 m);
EN 14'11" x 32'10" (4,55 m x 10,01 m)
- #243907

B. A-Frame Cargo Net**5 to 12 Years (shown)**

- Maximum fall height 118" (3,00 m)
- Minimum area required
22'9" x 23'7" (6,93 m x 7,19 m)
- #244191

13+ Years (shown)

- Maximum fall height 118" (3,00 m)
- Minimum area required
ASTM 20'9" x 24'3" (6,32 m x 7,39 m);
EN 27'4" x 28'1" (8,33 m x 8,56 m)
- #243016



A



B

Visit playsi.com for additional products, photos, videos and more • 888.438.6574

Ages 5-12 and 13+

**A****B****Age 13+****D****A. High Step****5 to 12 Years (shown)**

- Maximum fall height 11" (0,28 m)
- Minimum area required 18'7" x 26'7" (5,66 m x 8,10 m)
- #244201

13+ Years (shown)

- Maximum fall height 11" (0,28 m)
- Minimum area required ASTM 13'5" x 28'1" (4,09 m x 8,56 m); EN 7'5" x 22'1" (2,26 m x 6,73 m)
- #244064

B. Jump Hang**5 to 12 Years (shown)**

- Maximum fall height 111" (2,82 m)
- Minimum area required 17'1" x 24'3" (5,21 m x 7,39 m)
- No launch ramp for this age group
- #244193

13+ Years

- Maximum fall height 101" (2,57 m)
- Minimum area required ASTM 17'9" x 34'10" (5,41 m x 10,62 m); EN 19'9" x 34'6" (6,02 m x 10,52 m)
- #243190

C. Unstable Bridge**13+ Years**

- Maximum fall height ASTM 91" (2,31 m) / EN 52" (1,31 m)
- Minimum area required ASTM 13'7" x 24'5" (4,14 m x 7,44 m); EN 14'3" x 21'9" (4,34 m x 6,63 m)
- #244063

D. Quintuple Steps**13+ Years**

- Maximum fall height 37" (0,94 m)
- Minimum area required ASTM 20'4" x 35'4" (6,20 m x 10,77 m); EN 17'8" x 29'5" (5,38 m x 8,97 m)
- #244062



Ages 5-12 and 13+

A. Peg Bridge**5 to 12 Years (shown)**

- Maximum fall height 72" (1,83 m)
- Minimum area required 14' 6" x 24' 4" (4,42 m x 7,42 m)
- #244195

13+ Years

- Maximum fall height
ASTM 90" (2,29 m)/EN 51" (1,29 m)
- Minimum area required
ASTM 13' 5" x 25' 0" (4,09 m x 7,62 m);
EN 12' 6" x 22' 4" (3,81 m x 6,81 m)
- #243862

B. Globe Grasp**13+ Years**

- Maximum fall height
ASTM 107" (2,72 m)/EN 68" (1,72 m)
- Minimum area required
ASTM 13' 7" x 24' 5" (4,14 m x 7,44 m);
EN 15' 3" x 22' 9" (4,65 m x 6,93 m)
- #243870

C. Wheel Bridge**13+ Years**

- Maximum fall height
ASTM 120" (3,05 m)/EN 81" (2,05 m)
- Minimum area required
ASTM 14' 7" x 26' 6" (4,45 m x 8,08 m);
EN 15' 7" x 27' 6" (4,75 m x 8,38 m)
- #243899

D. Ledge Hanger**13+ Years**

- Maximum fall height
ASTM 137" (3,48 m)/EN 98" (2,48 m)
- Minimum area required
ASTM 16' 0" x 32' 2" (4,88 m x 9,80 m);
EN 14' 10" x 32' 5" (4,52 m x 9,88 m)
- #243778

Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Ages 13+



A



B

HealthBeat® Outdoor Fitness System

Health and wellness, family fun and a sense of community come together with this comprehensive system.

NOTE: Order HealthBeat post separately based on station configuration.

A. Welcome Sign

- #192464

B. Stretch

- Provides structured stretching of multiple muscles in one fitness station
- Promotes flexibility and range of motion
- EN version without foot pedestal
- Maximum fall height 96" (2.44 m)
- Minimum area required
US 12' 8" x 17' 11" (3.86 m x 5.46 m);
EN 13' 8" x 20' 5" (4.17 m x 6.22 m)
- #192462



A. Assisted Row/Push-Up

- Great upper-body workout
- Exercises multiple muscles
- Provides several activities in one station
- Maximum fall height 53" (1,35 m)
- Minimum area required
US 17'2" x 17'2" (5,23 m x 5,23 m);
EN 20'3" x 11'2" (6,17 m x 3,40 m)
- #192452

B. Pull-Up/Dip

- Highly effective upper-body workout
- Allows for multiple strength-building exercises
- Maximum fall height 81" (2,06 m)
- Minimum area required
US 11'6" x 12'3" (3,51 m x 3,73 m);
EN 15'9" x 14'9" (4,80 m x 4,50 m)
- #192460

C. Chest/Back Press

- Builds equal endurance for opposing muscle groups
- Adjustable resistance levels
- Minimum area required
US 6'8" (2,03 m) diameter;
EN 6'8" (2,03 m) diameter
- U.S. Patent numbers 9,802,074
and 9,907,992
- #192456

D. Ab Crunch/Leg Lift

- Works both upper and lower abdominals
- Provides two different activities in one fitness station
- Builds core strength
- Maximum fall height 21" (0,54 m)
- Minimum area required
US 13'3" x 12'8" (4,04 m x 3,86 m);
EN 7'8" x 6'8" (2,34 m x 2,03 m)
- #192451



Ages 13+

**A. Plyometrics**

- Increases muscle power
- Develops strength for explosive motions such as running and jumping
- Maximum fall height 16" (0,41 m)
- Minimum area required
US 16' x 18' (4,88 m x 5,49 m);
EN 10' x 12' (3,05 m x 3,66 m)
- #192459

B. Elliptical

- Engages the lower body, upper body and core muscles
- Encourages muscle coordination
- Doesn't impact joints
- Adjustable resistance levels
- Maximum fall height 20" (0,51 m)
- Minimum area required
US 13' x 14'1" (3,96 m x 4,29 m);
EN 16'1" x 10'1" (4,90 m x 3,07 m)
- U.S. Patent numbers 9,802,074 and 9,907,992
- #192457

C. Parallel Bars

- Two bar levels accommodate beginner, advanced and rehabilitation users
- Maximum fall height 46" (1,17 m)
- Minimum area required
US 19'8" x 14'3" (5,99 m x 4,34 m);
EN 15'4" x 13'3" (4,67 m x 4,04 m)
- #192453

D. Hand Cycler

- Builds cardiovascular health and muscle strength
- Adjustable resistance levels
- Wheelchair accessible
- Minimum area required
US 6'9" x 6'8" (2,06 m x 2,03 m);
EN 6'9" x 6'8" (2,06 m x 2,03 m)
- U.S. Patent numbers 9,802,074 and 9,907,992
- #205938

A. Tai Chi Wheels

- Promotes flexibility
- Enhances relaxation and meditation
- Evenly tones muscles without strain
- Wheelchair accessible
- Minimum area required
US 6'8" (2,03 m) diameter;
EN 6'8" (2,03 m) diameter
- #192463

B. Mobility

- Exercises both the balancing area of the brain and the nervous system
- Great exercise for joint replacement rehabilitation
- TenderTuff™-coated platform in gray only
- Maximum fall height 22" (0,56 m)
- Minimum area required
US 14'10" x 22'11" (4,52 m x 6,99 m);
EN 8'6" x 16'11" (2,59 m x 5,17 m)
- #192458

C. Cardio Stepper

- Provides a cardiovascular / step aerobic workout
- Adjustable resistance levels
- Maximum fall height 22" (0,56 m)
- Minimum area required
US 12'8" (3,86 m) diameter;
EN 6'8" (2,03 m) diameter
- U.S. Patent numbers 9,802,074 and 9,907,992
- #192455

D. Squat Press


- Builds leg and hip muscle endurance
- Adjustable resistance levels
- Minimum area required
US 8'3" x 6'8" (2,51 m x 2,03 m);
EN 8'3" x 6'8" (2,51 m x 2,03 m)
- U.S. Patent numbers 9,802,074 and 9,907,992
- #192461

E. Balance Steps

- Use as a balance beam or for step aerobics
- Builds coordination and balance
- Maximum fall height 16" (0,41 m)
- Minimum area required
US 18'8" x 12'8" (5,69 m x 3,86 m);
EN 12'8" x 6'8" (3,86 m x 2,03 m)
- #192454



Ages 5-12



E
Ages 2-12

A. Power Lifter™ Chinning Bar

- Maximum fall height 73" (1,85 m)

Single Bay

- Minimum area required 18'9" x 12'10" (5,70 m x 3,91 m)
- #160212 (shown)

Double Bay

- Minimum area required 25' x 12'10" (7,62 m x 3,91 m)
- #160213

Triple Bay

- Minimum area required 29'4" x 12'10" (8,93 m x 3,91 m)
- #160216

Quadruple Bay

- Minimum area required 35'8" x 12'10" (10,84 m x 3,91 m)
- #160219

B. Drop Shot

- 3' (0,91 m) diameter funnel
- 9'6" (2,90 m) tall
- Maximum ball size 10" (0,25 m) diameter
- Direct bury only
- Balls not included
- Minimum area required 25' (7,62 m) diameter
- #100042

C. Jump Touch

- #100057

D. Step-Up

- Maximum fall height 25" (0,64 m)
- Minimum area required 16'2" x 15'8" (4,93 m x 4,78 m)
- #137965

E. Curved Balance Beam

- Maximum fall height 12" (0,30 m)
- Minimum area required 14'6" x 21'4" (4,42 m x 6,50 m)
- #100041



A. Handhold/Leg Lift

- Maximum fall height 66" (1,68 m)
- Minimum area required 13' x 12'10" (3,96 m x 3,91 m)
- #137961

B. Horizontal Ladder Station

- Maximum fall height 67" to 79" (1,70 m to 2,01 m)
- Minimum area required 22'8" x 15'11" (6,91 m x 4,85 m)
- #137962

C. Chin-Up

- Maximum fall height 77" (1,95 m)
- Minimum area required 19'5" x 12' 6" (5,92 m x 3,81 m)
- #137958

D. Parallel Bar


- Maximum fall height 43" (1,09 m)
- Minimum area required 19'5" x 14'11" (5,92 m x 4,55 m)
- #137960

E. Sit-Up/Push-Up Bench

- Maximum fall height 16" (0,41 m)
- Minimum area required 18' x 13'4" (5,49 m x 4,06 m)
- #100058

F. Spring-Up

- Maximum fall height 51" (1,30 m)
- Minimum area required 16'2" x 16'2" (4,93 m x 4,93 m)
- #137959



PLAY COMPONENTS

Site Furnishings

Play Healthy™ Collection

A. NEW Play Healthy™ Hand Sanitizer Station

- Provides access to hand sanitizer at the park or playground
- Holds one-gallon containers
- Customizable DigiFuse® graphics
- Sanitizer container, liquid and pump dispenser not included
- #276577
Choice of ProShield® color (shown)
- #277223
Metallic Silver ProShield



Designer Collection

B. Arches Bike Rack

- #185654
Single
- #185653
Triple (shown)



Facet® Forms

C. Facet Bench

- Available as Single, C-shaped double or S-shaped double
- Single is 18" H x 92" L
(0,46 m x 2,34 m)
- C-shaped double is 18" H x 160" L
(0,46 m x 4,06 m)
- S-shaped double is 18" H x 165" L
(0,46 m x 4,19 m)
- Antique Mahogany Recycled Plastic Lumber
- #235526

C-shaped double

C



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



Nature-Inspired Collection

A. Poly Picnic Table

- A variety of configurations for wheelchair access
- #113139

B. Toddler Picnic Table

- Seats 13" high; 30" long
- #175949

C. Arm Rest

- Steel arm optional on Wood-Grain, Recycled Contour Series or TenderTuff™-coated benches with backs
- #114767

D. Wood-Grain Bench

- 70" or 94" lengths, with or without back
- Available with or without arm rests
- Cedar only or cedar/mink blend
- #186583

E. Recycled Contour Series Bench

- 60" (1.52 m) or 96" (2.44 m) lengths
- Available with or without back
- Available with or without arm rests
- #111640

A. Log Bench

- Precast Concrete
- 16" H x 72" L (0,41 m x 1,83 m)
- #173595



B. Acorn Seat

- Precast Concrete
- 16-1/2" (0,42 m) high
- #186579

C. Leaf Bike Rack

- TenderTuff-coated steel
- #185671
(two shown)

D. Wood-Grain Recycling Receptacle and Wood-Grain Litter Receptacle

- 32-gallon liner
- Lids in acorn only
- #186585
Recycling
- #186584
Litter

E. Litter Receptacle

- 24-gallon liner
- Optional dome available in brown only (shown)
- Direct bury only
- #100094
Receptacle
- #100095
Optional Dome





A



B



Vivid Collection

A. Kaleidoscope Bench

- 73% post-consumer recycled Permalene® material
- 60" (1.52 m) length, with or without back
- Available with or without handles
- Select any recycled Permalene color for end panels; random multi-color pieces of Brick, Tangerine, Leaf, Acorn, Limon and Denim for seat and back
- #186588

B. Kaleidoscope Recycling Receptacle and Kaleidoscope Litter Receptacle

- 32-gallon liner
- Select two recycled Permalene colors; alternating pattern as shown
- #186590
Recycling
- #186589
Litter

A. TenderTuff™ Bench

- 72" (1.83 m) or 92" (2.34 m) lengths, with or without back
- Available with or without arm rests (shown on page 272)
- #141683



A

B. TenderTuff Picnic Table

- 72" (1.83 m) or 92" (2.34 m) tables with 72" or 92" seats
- 92" tables with 72" seats provide easy wheelchair access
- #141684



B



A

C. Square Picnic Table

- 42" (1.07 m) - square tabletop;
- 32" (0.81 m) - long seats
- A variety of configurations for wheelchair access
- #154345



C

D. Loop Rack

- Holds seven bikes
- #100102



D



E





SkyWays® and CoolToppers® Shade Products

Landscape Structures shade products provide cool and reliable shade for any play, rest or activity area. Available as independent structures or integrated into play equipment in both standard and custom solutions. Visit playlsi.com or view the SkyWays Shade catalog for more information.

- Durable, breathable, weather-resistant polyethylene material
- Designed to block up to 90% of UV rays and keep playground temperatures 30 degrees cooler
- Remove fabric when wind speed is expected to exceed 90 mph and, in heavy snowbelt areas, during snow season
- Direct bury only
- Not IPEMA™ certified



Visit playlsi.com for additional products, photos, videos and more • 888.438.6574

Site Furnishings | SkyWays® and CoolToppers® Shade Products



Visit playsi.com for additional products, photos, videos and more • 888.438.6574



A



B



C

Signs

A. DigiFuse® Warning Plates

- These durable plates are provided at no charge with playystems and select freestanding equipment, ensuring important safety information is legible year after year.

B. Playground Welcome / Safety Sign

- FREE with purchase of any qualifying Landscape Structures playystem
- #182504

C. Personalized Signs

- Add personality and valuable information to any site
- Can accommodate a wide range of text, logos and graphics
- Variety of materials available



C

Surfacing

A. PebbleFlex® Safety Surfacing

- Allows easy access for wheelchairs and walkers
- Ensures adequate protection for fall heights up to 12' and meets all federal regulatory standards
- Comprised of tiny spherical aliphatic polyurethane pebbles that are highly abrasion resistant and UV stable
- Proprietary bond process is significantly stronger than typical non-bonded rubber granule surfacing
- Withstands detergent cleaning solutions and sustains power-washing of up to 2800 psi
- Cushion layers are made from 100% post-consumer recycled material; pebbles are made of 20% post-industrial recycled material, and are all recyclable
- U.S. Patent number 8,962,750
- Installation in partnership with Surface America



SURFACEAMERICA

B. TuffTimbers™ Access Wedge

- Attaches to standard TuffTimbers edging for wheelchair access
- Available in black only
- #130799

C. TuffTimbers Edging

- 4' x 12" x 4" sections
- Available in black only
- #119214
TuffTimbers Edging
- #100626
30" Stake



TuffTimbers edging cross section



Visit playsi.com for additional products, photos, videos and more • 888.438.6574

2021 Featured Palettes

Tour through carefully curated palettes and discover how color can tie your whole playground together. All of our colors take a cue from nature—from green trees and blue sky to minerals, birds, spices, fruits and more—to create vibrant hues that stimulate the senses and perfectly coordinate with the outdoors. See more palette options on playlsi.com.



NEW Palette BX

Copper • Lagoon • Sky • Gray • Metallic Silver



NEW Palette BY

Honey • Limon • Grass • Acorn • Brown • Rivergum



NEW Palette BZ

Pebble • Slate • Sky • Denim • Gray • Metallic Silver



NEW Palette CA

Seafoam • Lagoon • Peacock • Tangerine • Gray



NEW Palette CB

Sprout • Leaf • Limon • Buttercup • Brown • Tan



NEW Palette CC

Slate • Pebble • Lagoon • Sky • Gray • Gun Metal



Palette AA
Metallic Silver • Limon • Denim • Gray



Palette AF
Brown • Dune • Acorn • Tan



Palette AH
Brown • Limon • Leaf



Palette AM
Tangerine • Metallic Silver • Limon • Gray



Palette AQ
Buttercup • Limon • Grass • Leaf • Gray • Metallic Silver



Palette AU
Buttercup • Grass • Acorn • Leaf • Brown



Palette AV

Lagoon • Sky • Tangerine • Gray • Denim



Palette AW

Carbon • Lagoon • Sky • Limon • Gray • Metallic Silver



Palette AY

Limon • Metallic Silver • Lagoon • Gray



Palette BF

Dune • Paprika • Acorn • Tangerine • Brown



Palette BG

Metallic Silver • Lagoon • Sky • Buttercup • Gray



Palette BH

Paprika • Limon • Peacock • Gray • Metallic Silver



Palette BN

Sky • Lagoon • Metallic Silver • Limon • Grass • Gray



Palette BP

Tangerine • Sky • Lagoon • Gray



Palette BQ

Vanilla • Tangerine • Peacock • Lagoon • Acorn • Brown




Palette BU

Metallic Silver • Lagoon • Sky • Gray







Palette BV

Metallic Silver • Dune • Limon • Acorn • Leaf • Brown • Tan



Palette BW

Metallic Silver • Tangerine • Limon • Gray • Orange



A. Polycarbonate Panels

- Hedra® product line option
- Translucent panel provides visibility into structure as well as light and color play

B. Bamboo Panels

- Hedra product line option
- Laminated Bamboo adds texture and a natural aesthetic
- Rapidly renewable resource

C. Steel-Reinforced Cables

- Made of tightly woven, polyester-wrapped, six-stranded galvanized-steel
- Abrasion-resistant, color-stable cables are extremely durable and vandal resistant
- Some product available in black only – see specific product for details

D. Steel Decks

- The heaviest, thickest decks for long-lasting safety
- Flange-formed from 12-gauge steel with safe, rounded corners
- Reinforced with .105" x 2" ribs welded on cross for superior strength and a consistently flat surface

E. PebbleFlex® Safety Surfacing

- Allows easy access for wheelchairs and walkers
- Ensures adequate protection for fall heights up to 12' and meets all federal regulatory standards
- Comprised of tiny spherical aliphatic polyurethane pebbles that are highly abrasion resistant and UV stable


F. Recycled Plastic Lumber

- Looks like wood, but lasts longer and is easier to clean
- 100% recycled high-density UV-stabilized polyethylene material to prevent warping in direct sun


ProShield® Colors

- Specifically designed to withstand the demands of extreme heat, harsh climates, moisture and UV exposure
- ProShield finish combines a specially formulated primer with a high-quality, architectural-grade, Super-Durable, TGIC polyester powdercoat
- No lead-based paints





A



A. Recycled Permalene® Color Panels

- Distinctive black core results from combining and recycling colored plastic – waste that would otherwise end up in landfills

B. Polyethylene

- For slides, tunnels, roofs, etc.
- Architectural-grade pigments contain no heavy metals and provide longest-lasting, UV-stable, vibrant color
- 100% recyclable

C. TenderTuff™ Coating

- For swing chains, handholds, pipe barriers, wheels, rings, etc.
- Insulates against temperature extremes and provides a safer grip surface compared to painted metal
- Meets all safety standards and complies with Public Law No. 110-314, Consumer Product Safety Improvement Act of 2008

SkyWays® and CoolToppers® Shade Products Fabrics

- Designed to block up to 97% of UV rays and keep playground temperatures 30 degrees cooler



Natural FR



Tan FR



Cedar FR



Brown FR



Rivergum FR




Cherry Red FR




Cayenne FR



Deep Ochre FR



Grass FR



Pine Green FR




Orange FR



Sky Blue FR



Blue FR



Lagoon FR



Denim FR




Yellow FR




Metallic Silver FR



Gun Metal FR



Purple FR



Black FR

The team to serve you

Our playground consultants are an essential part of our team. They are among the most knowledgeable in the industry and know exactly what it takes to help you create a play experience that children will love and communities will appreciate for years to come. Get in touch with your Landscape Structures playground consultant to make your playground vision a reality.

Play Shapes Us





The contracts to assist you

Landscape Structures is proud to have been awarded several national purchasing contracts. These contracts are nationally available, competitively bid, government-to-government procurement services. Through these contracts, Landscape Structures offers the best pricing on all of our quality products while satisfying your bid law requirements.



No one sets the bar higher

We're proud to lead the way and promote healthy lifestyles for children and families, a cleaner environment and strong communities. We're a founding member of the International Play Equipment Manufacturers Association (IPEMA™), an organization that helps ensure quality and safety for all playground equipment. In addition, we are certified to both ISO 9001:2015 and ISO 14001:2015 standards, which help ensure that all of our products are safe for children and the environment, and that our equipment is consistently manufactured to the highest-quality standards. In fact, we were the first North American playground equipment manufacturer to be ISO 14001 certified.



Landscape Structures is a member in good standing of **IPEMA**, the **International Play Equipment Manufacturers Association**. IPEMA is a member-driven, international trade organization that represents and promotes an open market for manufacturers of play equipment.

In the interest of playground safety, IPEMA provides a Third Party Certification Service whereby a designated independent laboratory validates a participant's certification of conformance to ASTM F1487, Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except sections 7.1, 10 and 12.6.1; CAN/CSA Z614, Children's Playspaces and Equipment Standards, except clauses 9.8, 10 and 11; or both. The use of the corresponding logo in the Landscape Structures Inc. catalog signifies that Landscape Structures Inc. has received written validation from the independent laboratory that the product(s) associated with the use of the logo conforms with the requirements of the indicated standards. Check the

IPEMA website (www.ipema.org) to confirm product certification. The use zone and fall height requirements in this publication are shown to ASTM standards. The requirements for other standards may be different. According to the CSA, playground maintenance and inspection is a continuous and integral part of budgetary costs. The cost of inspection and maintenance shall be considered and incorporated into the budget at the time of design, purchase of equipment and installation (11.1 Budgeting).

International Play Equipment Manufacturers Association

2207 Forest Hills Drive
Harrisburg, PA 17112
www.ipema.org

The Consumer Product Safety Commission (CPSC) is a governmental organization that provides technical safety guidelines for designing, constructing, operating and maintaining public playgrounds.

U.S. Consumer Product Safety Commission
4330 East West Hwy.
Bethesda, MD 20814
www.cpsc.gov



ASTM International, formerly known as American Society for Testing and Materials, is an international standard organization that develops and publishes voluntary consensus technical standards for a wide range

of materials, products, systems and services. In 1993, the ASTM published "Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use," designation F1487-93. ASTM is more technical than the CPSC. ASTM revised its old standard and published a new standard in 1995, 1998, 2001, 2005, 2007, 2011 and again in 2017.

American Society for Testing and Materials

100 Barr Harbor Dr.
P.O. Box C700
West Conshohocken, PA 19428
www.astm.org

The Canadian Standards Association
Nearly all equipment developed by Landscape Structures is certified to meet CAN/CSA Z614-20, the Children's Playspaces and Equipment Standard, through IPEMA.



The European Standard was developed by the European Committee for Standardization. The majority of Landscape Structures products have been designed to be TÜV certified by a third-party validator to EN 1176: 2017, the European Standard for Playground Equipment.

Products covered under the scope of the Standard are certified to ASTM F1487, Standard Consumer Safety Performance Specification for Playground Equipment for Public Use,

and Canadian Standards Association (CSA) Standard CAN/CSA Z614, Children's Playspaces and Equipment; or both, except as noted.

Virtually all of the products displayed in this catalog have been certified to be in conformance with the European Standard EN 1176, Parts 1-6 and 11. TÜV Product Service, Danvers, Mass., is the certifying engineering agency for Landscape Structures' products.

The ISO 9001:2015 standard and the ISO 14001:2015 standard provide guidelines for establishing our quality and environmental programs (www.iso.org).



AISC
CERTIFIED
FABRICATOR

AISC Certification demonstrates our commitment to building in quality from the beginning. By complying with the rigorous standards established by the most recognized national quality certification program for the structural steel industry, you can feel confident about the superior quality of our SkyWays® shade products.

SkyWays—our Dallas, Texas-based commercial shade and playground equipment manufacturing facility—has successfully completed its Approved Fabricator Certificate by the IAS-accredited building department of Clark County, Nevada. This certification demonstrates a commitment to top-quality manufacturing processes.



ISO 9001:2015 has a process-oriented structure, is customer focused and emphasizes continuous improvement in quality.



ISO 14001:2015 drives us toward operating in a manner that is environmentally conscious.



Landscape Structures has been approved as an Authorized Provider of continuing education and training by the International Association for Continuing Education and Training (IACET) and the Landscape Architecture Continuing Education System™ (LA CES).



For additional information or copies of our certifications, please contact your Landscape Structures playground consultant.

IPEMA® is a trademark of the International Play Equipment Manufacturers Association.

Warranty



You Have Our Word More than just a contract, our warranty is our personal commitment that you'll be satisfied with your purchase now and well into the future. As an employee-owned company, we take great pride in the quality of everything we make. And we're so confident that you'll be delighted with your purchase that we back our products with the most comprehensive long-term warranties in the industry. It's just one more way that we show how much we care about our customers and communities.

100-Year Limited Warranty On all PlayBooster® and PlayShaper® aluminum posts, stainless steel fasteners, clamps, beams and caps against structural failure due to corrosion/natural deterioration or manufacturing defects, and on PlayBooster steel posts against structural failure due to material or manufacturing defects.

15-Year Limited Warranty On all Evos® and Weevos® steel arches, all plastic components (including TuffTimbers™ edging), all aluminum and steel components not covered above, Mobius® climbers, Rhapsody® Outdoor Musical Instruments, decks and TenderTuff™ coatings (except Wiggle Ladders, Chain Ladders and Swing Chair) against structural failure due to material or manufacturing defects.

10-Year Limited Warranty On concrete products against structural failure due to natural deterioration or manufacturing defects. Does not cover minor chips, hairline cracks or efflorescence.

8-Year Limited Warranty On Aeronet® climbers and climbing cables against defects in materials or manufacturing defects.

5-Year Limited Warranty On Rhapsody cables and mallets against defects in materials or manufacturing defects, on polycarbonate panels against defects in materials or manufacturing defects, and on bamboo panels against delamination due to defects in materials or manufacturing defects. Does not cover damage that may be associated with the natural characteristics of bamboo aging, including but not limited to discoloration, splitting, cracking, warping or twisting, nor the formation of algae, mold and other forms of fungal-type bodies on bamboo.

3-Year Limited Warranty On all other parts, i.e.: Pulse® products, all swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and ProGuard™ Swing Chain, Track Ride trolleys and bumpers, all rocking equipment, including Sway Fun® gliders, belting material, HealthBeat® resistance mechanisms, Seesaws, etc., against failure due to corrosion/natural deterioration or manufacturing defects.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards (457 meters) of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

This warranty does not include any cosmetic issues or wear and tear from normal use of the product, or misuse or abuse of the product. It is valid only if the playstructures and/or equipment are erected to conform with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc.

For a full text of the warranty, contact your playground consultant or visit playlsi.com.

AGES 5-12 YEARS

PLAYBOOSTER®

Bridges & Ramps

Arch Bridge - 42" Module	145	Sling Shot Climber™	132	Hourglass Panel	154
Arch Bridge - 123" Module	145	Snake Climber	135	House Panel	156
Belt Bridge	146	SpaceLink Climber™	132	Image Panel	154
Bridge	146	SpaceWalk Climber™	129	Image Reach Panel	157
Clatterbridge	145	Spider Web Climber	139	Kaleidospin Panel*	153
Disc Challenge	147	Spiral Climber	133	Marble Panel®	151
Double-Wide Ramp	148	Square Loop Incline	136	Match 4 Panel	154
Grid Walk	146	Climber *	136	Mirror Panel	152
Ramp	148	Starburst™ Climber	133	Navigator Reach Panel	157
S-Disc Challenge	147	Star Seeker Climber	131	Optigear Panel®	153
SwiggleKnots™ Bridge	147	Step Deck	140	Periscope Panel	152
Swiggle Stix® Bridge	147	Step Ladder	140	Periscope Reach Panel	157
TightRope™ Bridge	147	Summit Climber	138	Pilot Panel	156

Climbers

ABC Climber	137	Sunbeam Climber	134	Pipe Guardrail/ Barrier	156
Arcade Climber	127	Thunderhead Climber™	138	Rain Sound Wheel Panel™	151
Block Climber	138	Traveler Climber	129	Ring-a-Bell™ Panel	151
Canyon Climber	134	Vertical Ascent® Climber	137	Ring-a-Bell Reach Panel	157
Cascade Climbers	137	Vertical Ladder	136	Rock-n-Ring® Panel	151
Catwalk Climber	140	Wiggle Ladder	139	Sand and Water Panel	158
Chain Ladder	139	Wood Plank Ladder *	140	Sign Language Panel	152
Chimney Climb Across™	128	Zenith® Climber *	130	Slant Entrance Panel	158
24" Deck Difference	128	Curved Transfer Module	164	Slant Window Panel	150
Chimney Climb Across	128	Hexagon Deck	164	Space Travel Panel	156
Straight	128	with Extension	164	Storefront Panel	158

Decks

3-Sided Extension Deck	164	Hexagon Deck	164	Table Panel	152
90° Triangular Deck	164	with Extension	164	Tic-Tac-Toe Panel	154
(Tri-Deck)	164	PlayOdyssey®	164	Tracing Panel	153
Curved Transfer Module	164	Octagonal Deck	164	Trail Tracker® Reach Panel	157
Hexagon Deck	164	Square Corner	164	Window Vibe Panel™	150
with Extension	164	Square Deck	164	Wire Barrier	156
Hexagon Deck	164	Square Extension	164	Xylofun Panel®	151
with Extension	164	Transfer Station	164	Zoo Panel	156
PlayOdyssey®	164	Triangular Deck (Tri-Deck)	164	GeoPlex®	
Octagonal Deck	164	Triangular Extension	164	3-Spoke Tower	102
Square Corner	164	Alphamaze /Labyrinth	153	3-Spoke Tower	
Square Deck	164	Vibe Panel™	153	with Cables	102
Square Extension	164	Balcony Deck	156	5-Post Tower	101
Transfer Station	164	Ball Maze Panel	154	with Cables	101
Triangular Deck (Tri-Deck)	164	Bongo Panel*	151	5-Post Tower	
Triangular Extension	164	Bongo Reach Panel	157	GeoPlex 84" Deck-	

Enclosures

to-Deck Climber	103	Balcony Deck	156	to-Deck Climber	104
with Cables	101	Braille and Clock Panel	152	GeoPlex 123" Deck-	
5-Post Tower	101	Bubble Panel	150	to-Deck Climber	103
with Cables	101	Chimes Panel	151	GeoPlex Double Panel	
5-Post Tower	101	Chimes Reach Panel	157	or Triple Panel	104
with Cables	101	Color Splash Panel™	153	GeoPlex Ground-to-Deck	
GeoPlex 84" Deck-		Curbs	157	Double Climber	103
to-Deck Climber	104	DigiFuse® Barrier Panel	155	GeoPlex Ground-to-Deck	
GeoPlex 123" Deck-		DigiFuse Barrier Panel	155	Triple Climber	103
to-Deck Climber	103	with Medallions	155	GeoPlex Labyrinth	
GeoPlex Climber	104	DigiFuse Bubble Panel	155	Climber	105
GeoPlex Double Panel		DigiFuse Hole Panel	155	GeoPlex Navigator	
or Triple Panel	104	DigiFuse Periscope Panel	155	Climber	105
GeoPlex Ground-to-Deck		Driver Panel	158	GeoPlex Trailblazer	
Double Climber	103	Finger Maze Panel	153	Climber	105
GeoPlex Ground-to-Deck		Fun Mirror Panel®	152		
Triple Climber	103	Gear Panel	154		
GeoPlex Labyrinth		Hole Panel	158		

* NEW PRODUCT

Motion & More Fun

Accessible Stationary

Cycler

Blender™ Spinner

Boogie Board™

Chinning Bar

E-Pod™ Step

Grab Bar

Gyro Twister® Spinner

Handhold/Leg Lift

Log Roll

Loop Seat

Parallel Bars

Playstructure Seat

Sol Spinner™

Stationary Cycler

Sway Fun® Glider

Talk Tubes

Turning Bar

Nature-Inspired Play

AdventureScapes®

Climbers

Canyon Corkscrew Net

with Rock

Canyon High Wire Net

with Rock

Corkscrew Climber with

Recycled Wood-Grain

Handholds

Discovery Tree Climb™

Facet® Stepper

Firepole with Recycled

Wood-Grain Handholds

Flower Accent Topper

Log Balance Beam

Log Stack Climber

Log Steppers

Loop Pole with Recycled

Wood-Grain Handholds

Mushroom Steppers

Pine Tree Accent Topper

Recycled Tree House Roof

Recycled

Wood-Grain Panel

SlideWinder® with

Tree Branch Support

The Ascent® Rock Climber

The Bend® Rock Climber

The Canyon Collection®

Formations I-4

The Chimney/The Den

Rock Climber

The Chimney®

Rock Climber

The Den® Rock Climber

The Peak™ Rock Climber

The Pinnacle™

Rock Climber

The Pointe™ Rock Climber

The Stepper™

Rock Climber

Tree Stump

Transfer Module

119

Netplex®

Wood Plank Ladder with

Recycled Wood-Grain

Handholds *

118

Wood Plank

Wiggle Ladder

118

E-Pod™ Step

Grab Bar

161

Gyro Twister® Spinner

160

Handhold/Leg Lift

161

Log Roll

159

Loop Seat

161

Parallel Bars

160

Playstructure Seat

161

Sol Spinner™

160

Stationary Cycler

159

Sway Fun® Glider

159

Talk Tubes

160

Turning Bar

161

Roofs

Arch Roof

CoolToppers® Full Sail

162

CoolToppers Single Post

162

Pyramid Roof

162

CoolToppers Wave

162

Hex Shingle Roof

163

PlayOdyssey Roof

163

Recycled Peak Roof

163

Square Peak Tile Roof

163

Square Poly Roof

163

SteelX® Hex Roof

163

SteelX Square Roof

163

Super-Square Shingle Roof

163

Vibe® Roof

162

Slides

Alpine™ Slide *

120

Cloudburst® Slide

121

Double Slide

121

Double Swirl Slide

121

Double Swoosh Slide*

108

El Slide

123

Firepole

123

Gemini SlideWinder2

122

Ribbon Slide

121

Rollerslide

124

Rush™ Slide

122

Rushwinder

122

Single Slide

123

Single Wave Slide

124

SlideWinder2

122

SpyroSlide™

124

Stainless Steel

125

Double Slide

125

Stainless Steel Slide

125

Stainless Steel Spiral Slide

125

Stainless Steel Surf Slide

125

Stainless Steel Wave Slide

125

Surf Slide

124

Tunnel Slide

123

TurboTwister Tunnel Slide

123

WhooshWinder Slide

122

Tunnels

90° Crawl Tunnel

149

C-Crawl Tunnel

149

Offset Crawl Tunnel

149

S-Crawl Tunnel

149

PlayOdyssey® Towers

10' PlayOdyssey Tower

111

12' PlayOdyssey Tower

111

12' Tower Bubble Panel

111

12' Tower Pipe Barrier

111

Tower El Slide

112

Tower Gemini

112

SlideWinder2

112

Tower SlideWinder2

112

Tower TurboTwister™

112

Tunnel Slide

112

Tower WhooshWinder®

112

Slide

112

Eclipse® Net Plus

165

Motion & More Fun

Accessible Power Lifter™

171

Chinning Bar

171

Accessible Reach Panels

170

Blender Spinner

170

Chatter Noodle®

171

Talk Tubes

170

Cycler

171

E-Pod Step

171

Gyro Twister Spinner

170

Noodle Pod Steps

171

Power Lifter Chinning Bar

171

Sol Spinner

170

TwirlIWind™ Turning Bar

171

Wobble Pod® Bouncer

171

Enclosures

183

Balcony Deck

183

Ball Maze Panel

184

Bongo Panel®

183

Braille and Clock Panel

185

Bubble Panel

185

Chimes Panel

183

Color Splash Panel™

184

DigiFuse Panels®

182

Driver Panel

187

Finger Maze Panel

185

Fun Mirror Panel®

184

Globe Panel

184

Gear Panel

184

Hole Panel

185

Hourglass Panel

184

House Panel

186

Image Panel

186

Kaleidospin Panel®

184

Marble Panel*

183

Optigear Panel

187

Rain Sound Wheel Panel

193

Sliding Panel

187

Twirly Bar

193

Xylofun and

193

Alphamaze Panel™

193

Xylofun Panel

193

Roofs

Arch Roof

188

Square Peak Tile Roof

188

Square Poly Roof

188

Super-Square

Shingle Roof

188

Slides

175

Curved Slide

176

Double Slide

176

Double Swirl Slide

176

Double Wave Slide

176

El Slide

175

Gemini SlideWinder2

176

Lava Run Slide

176

Single Slide

175

SlideWinder2

175

SpyroSlide

175

Stainless Steel

176

Double Slide

176

Stainless Steel Slide

175

Tunnel Slide with

Optional View Tubes

175

Tunnels

181

90° Crawl Tunnel

181

C-Crawl Tunnel

181

Offset Crawl Tunnel

181

S-Crawl Tunnel

181

Straight Crawl Tunnel with

Optional View Tubes

187

Trail Tracker® Reach Panel

187

Wire Barrier

186

Zoo Panel

186

Motion & More Fun

190

Giggle Jiggler® Climber

190

Wee Planet™ Climber

190

Wee Pod® Climber

190

Nature-Inspired Play

190

Facet Stepper

173

Log Stack Climber

174

Log Steppers

173

Mushroom Steppers

173

Recycled Tree House Roof

* NEW PRODUCT



50

Landscape Structures Inc.
601 7th St. South
Delano, MN 55328-8605
763.972.5200
888.438.6574
playlsi.com

For 50 years,
play has
shaped us.



Because of our commitment
to safety, innovation and value,
we reserve the right to change
product specifications at any time.
© 2021 Landscape Structures Inc.
Printed in the U.S.A. 750-2145

