



All Play Aqua Play

Exploratory water events are the coolest way for the whole family to cool off. But Aquatix® water-based activities are also designed to help you create a dynamic destination that welcomes people of *all abilities*.

Accessibility, inclusivity and interactivity all come together on an Aquatix splash pad. That's because visionary aqua play knows no boundaries when it comes to imaginative games, interactive water-based encounters and thrilling surprises.

With the right mix of components from Aquatix, everyone will be able to find the perfect way to enjoy the tactile joy of water on a hot day.

We can artfully coordinate your splash pad with our SkyWays® shade products or a nearby playstructure from Landscape Structures. Apply a united color scheme or inventive theme to create a cohesive community-friendly destination that elevates all types of play. See examples on pages 12 and 39.





Contents

6 Experience Matters
8 Designing Aqua Play
10 Featured Designs
46 AquaSmart™
56 Aqua Play Products

57 Signature
92 Ground Sprays
106 Classic
118 Custom Themes

128 Mechanical Systems
130 HydroLogix™ System
132 Domestic Single-Pass Systems
134 Recirculation Systems

136 Design Services
137 Support Services
138 Color Finishes
140 Product Index

Experience Matters

With more than 30 years of experience, Aquatix is a leader in water feature and spray park design, fabrication and construction.

Quality matters, too. That's why we design and manufacture our products and systems for easy maintenance and long-lasting value.

But it's innovative concepts, groundbreaking design and a commitment to inclusive play opportunities that truly set Aquatix apart. Our dynamic aqua play products engage kids' imaginations, encourage exploration and deliver surprising new experiences with water for people of all abilities.



Designing Aqua Play



These novel and beautifully designed structures provide kids with exciting and imaginative play opportunities to interact with water. Our graceful designs look inspirational standing still. But hidden water surprises emerge from curving lines, moving the experience well beyond a fun way to cool off. Kids are encouraged to play games, form friendships and experience water in a whole new way through the inclusive, sensory-rich nature of aqua play.



Gentle Activity Zone

Infant/Toddler

Learning to enjoy texture and water

- Lower, delicate ground sprays
- Lower structures with gentle water formations
- Placement of features close to perimeter and dry zones ensures easy adult supervision and interaction

Universal Zone

All Ages

Variety of structures for the whole family

- Unique water formations pour, dump, spray, wiggle, launch and spin
- Combines ground sprays and structures for all ages
- Centrally placed in splash pad and often a transition zone from Gentle Activity to Dynamic

Dynamic Zone

7+ Years

Continual excitement and interaction

- High-volume, highly interactive spray features and Climb N Play structures
- Combination of sprays and structures
- Centrally placed yet separate from the Gentle Activity Zone

Union Park at Norterra
Chandler, Arizona





Burnus Old Mill Park
Blue Springs, Missouri





City of Parkersburg Splash Pad

Parkersburg, West Virginia





Chief Gene Shepherd
Splash Pad

Shelby Charter Township, Michigan





Peter Pan Park
Emporia, Kansas





Garrison Park

Crossville, Tennessee





Heritage Park
Mapleton, Minnesota





Freedom Park
Ridgecrest, California





Kokomo Beach
Kokomo, Indiana



Bowling Green Hot Rods

Bowling Green, Kentucky



Carrollwood Village Park

Tampa, Florida





Spruce Haven Spray Park

Melfort, Saskatchewan, Canada





Clintonwood Park -
Renee Przybylski Spraypark
Clarkston, Michigan





Hessville Park


Hammond, Indiana





Tilles Park
Fort Smith, Arkansas





Woodlawn Park
Fort Smith, Arkansas

Discovery Park
Meridian, Idaho





Winnemucca
Recreation Complex
Winnemucca, Nevada





Thompson Park
Watertown, New York









Discover AquaSmart™ Packages

These thrilling new splash pad opportunities are powered by HydroLogix™. The proprietary technology behind HydroLogix is also what makes these innovative packages intriguingly affordable. HydroLogix eliminates the need for costly electrical installation and operates with just a push of the button. Now you can place one of these self-contained splash pads just about anywhere, especially when electrical service is prohibitive or unwanted. No power bills, no potential power failures. This low-flow, low-water option greatly reduces water consumption while still providing plenty of opportunities for splashtastic play. Because there's no need for a mechanical room or large vault, you can devote all the available space to having fun.

AquaSmart Packages are sized right for smaller pocket parks, daycare facilities and compact urban areas. Add one adjacent to a playground or even alongside a larger splash pad for a low-volume option. Installing one of these AquaSmart Packages is not only easier and faster, it requires less permitting too. It could even be a perfect project for a community build.

Splash pads powered by HydroLogix put kids in control of the action. One push and the entire splash pad comes to life. When the water shuts off, kids turn it into part of the game as they race back to start the splashing all over again. More details on pages 130-131.

To see our complete product offering, visit aquatix.playlsi.com.



Package A

Play is the name of the game in this design that features multiple ways to cool off while staying active.



Package A NEW Package flow rate 55 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)

Package consists of: 1 HydroLogix™ System, 1 RippleRun with Acrylic Medium Rung, 2 RocketStreams, 1 SprayShroud, 2 Arch Jets, 1 Curvy Jet Manifold, 2 Sea Crawlers
Choose from applicable Aquatix® colors



Package B

An oversized garden invites kids to splash their way through the colorful flora and fauna.

Package B NEW Package flow rate 59 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)

Package consists of: 1 HydroLogix™ System, 1 BloomBurst Set, 1 DragonFlier, 1 Tot Size WellSpring with Acrylic, 1 FloraSwirl, 2 Crown Jets, 1 Mini Outward Spray Ring, 2 Jr Water Jewels
Choose from applicable Aquatix colors

Package C

Pair imaginative hands-on water play activities with a range of splashy sprays to create fun for all ages.



Package C NEW Package flow rate 60 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)

Package consists of: 1 HydroLogix™ System, 1 LeafCrown, 1 AquaGather Station, 1 TotPack Ladybug, 1 TotPack Turtle, 1 Center Pillar Ring, 2 Stream Jets, 2 Triple Arch Jets
Choose from applicable Aquatix® colors



Package D

Natural surroundings provide delightful water play and beauty to be enjoyed by all ages.

Package D NEW Package flow rate 50 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)

Package consists of: 1 HydroLogix™ System, 4 Arch Jets, 2 Mini Pillars, 2 Stone Boulders

Choose from applicable Aquatix colors

Package E

Water splashes and sprays from above and below for a thrilling water escapade.



Package E NEW Package flow rate 58 GPM Total area 1,570 sq. ft. (145,86 sq. m.) Wet area 942 sq. ft. (87,85 sq. m.)

Package consists of: 1 HydroLogix™ System, 1 CanopyBucket with Acrylic, 2 GeoMisters Medium, 1 WaterWay, 2 Arch Jets, 2 Stream Jets, 1 Stream Jet Triangle
Choose from applicable Aquatix® colors



Package F

A subtle setting packs the fun with water spray action for water enthusiasts of all ages.

Package F NEW Package flow rate 57 GPM Total area 1,520 sq. ft. (141,21 sq. m.) Wet area 908 sq. ft. (84,35 sq. m.)

Package consists of: 1 HydroLogix™ System, 2 Triple Mist Nozzles, 1 Center Pillar Ring, 1 Curvy Jet Manifold, 2 Jr Water Jewels, 2 Sea Crawlers, 2 Stream Jet Triangles

Choose from applicable Aquatix colors

Package G

This sculptural design presents plenty of watery surprises as adventurers navigate their way through the cooling sprays.



Package G NEW Package flow rate 49 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)
Package consists of: 1 HydroLogix™ System, 1 AquaHedra™, 1 Arch Jet Manifold, 2 Crown Jets, 1 Curvy Jet Manifold, 2 Sea Crawlers
Choose from applicable Aquatix® colors



Package H

Kids can explore a geometric water maze that lets them decide how wet they want to get.

Package H NEW Package flow rate 55 GPM Total area 1,963 sq. ft. (182,37 sq. m.) Wet area 1,256 sq. ft. (116,68 sq. m.)
Package consists of: 1 HydroLogix™ System, 1 AquaHedra, 2 GeoMisters Small, 1 SprayShroud, 1 Arch Jet Manifold, 2 Triple Arch Jets
Choose from applicable Aquatix colors

Shaping the Future of Aqua Play

Aquatix leads the way with imaginative designs that pack plenty of interactive surprises. Experience water in a whole new way.

We create everything from splash pad equipment to custom water spray park designs. When designing spray park elements, we focus on the interactive, age-appropriate, inclusive and safe play value of water and structures. Aquatix is one of the only splash pad companies that fabricates with stainless steel, fiberglass and Glass Fiber Reinforced Concrete (GFRC) materials.

To see our complete product offering, visit aquatix.playlsi.com.



AquaHedra™ NEW Flow rate 15 GPM (56,78 LPM) PSI 40 Dimensions 6' 7" x 8' 0" x 8' 0" (2,01 m x 2,44 m x 2,44 m) Splash zone 15' 0" Dia. (4,57 m Dia.)

NOTE: PSI value is for product only, and represents product specific hydraulic head and desired water effect. It does not include requirements for underground piping.



A.



B.



C.

- A. SeaDome NEW** Flow rate 7 GPM (26,50 LPM) PSI 4 Dimensions 0' 8" x 2' 0" x 2' 0" (0,20 m x 0,61 m x 0,61 m) Splash zone 12' 0" Dia. (3,66 m Dia.)
- B. StarDome NEW** Flow rate 5 GPM (18,93 LPM) PSI 3 Dimensions 0' 8" x 2' 0" x 2' 0" (0,20 m x 0,61 m x 0,61 m) Splash zone 4' 6" Dia. (1,37 m Dia.)
- C. SandDollarDome NEW** Flow rates 1 to 10 GPM (3,78 to 37,85 LPM) PSI 3 Dimensions 0' 8" x 2' 0" x 2' 0" (0,20 m x 0,61 m x 0,61 m) Splash zone 8' 0" x 5' 0" (2,44 m x 1,52 m)



A.



B.



C.

A. AquaBarrel Half NEW
B. AquaRock Small NEW
C. AquaRock Large NEW

Flow rate 10 GPM (37,85 LPM)
Flow rate 10 GPM (37,85 LPM)
Flow rate 10 GPM (37,85 LPM)

PSI 4
PSI 5
PSI 5

Dimensions 0' 8" x 1' 8" x 2' 4" (0,20 m x 0,51 m x 0,71 m)
Dimensions 1' 6" x 2' 0" x 2' 0" (0,46 m x 0,61 m x 0,61 m)
Dimensions 2' 0" x 2' 0" x 2' 0" (0,61 m x 0,61 m x 0,61 m)

Splash zone 10' 0" Dia. (3,05 m Dia.)
Splash zone 13' 0" Dia. (3,96 m Dia.)
Splash zone 14' 0" Dia. (4,27 m Dia.)

A.



C.




B.




*These products require
longer lead times.*

- A. SeaCannon NEW** Flow rate 7 GPM (26,50 LPM) PSI 4 Dimensions 2' 6" x 1' 10" x 4' 0" (0,76 m x 0,56 m x 1,22 m) Splash zone 10' 0" x 10' 0" (3,05 m x 3,05 m)
B. BeachedWreck NEW Flow rates 21 to 65 GPM (79,49 to 246,05 LPM) PSI 5 Dimensions 4' 0" x 7' 6" x 8' 0" (1,22 m x 2,28 m x 2,44 m) Splash zone 16' 0" x 26' 6" (4,87 m x 8,08 m)
C. SeaTreasure NEW Flow rates 3 to 15 GPM (11,35 to 56,78 LPM) PSI 4 Dimensions 2' 0" x 2' 0" x 2' 6" (0,61 m x 0,61 m x 0,76 m) Splash zone 8' 0" x 8' 0" (2,44 m x 2,44 m)



A.



B.

These products require longer lead times.

- A. SeaPier NEW** Flow rates 7.5 to 15 GPM (28,39 to 56,78 LPM) PSI 5 Dimensions 3' 0" x 2' 0" x 2' 0" (0,91 m x 0,61 m x 0,61 m) Splash zone 20' 0" Dia. (6,09 m)
B. SeaPier with Pelican NEW Flow rates 7.5 to 15 GPM (28,39 to 56,78 LPM) PSI 5 Dimensions 5' 0" x 2' 0" x 2' 0" (1,52 m x 0,61 m x 0,61 m) Splash zone 20' 0" Dia. (6,09 m)



A.



B.

*These products require
longer lead times.*

A. SeaTrunk NEW Flow rate 28 GPM (105,99 LPM) PSI 6 Dimensions 4' 6" x 3' 0" x 3' 0" (1,37 m x 0,91 m x 0,91 m) Splash zone 20' Dia. (6,09 m)
B. AquaLogs NEW Flow rate 10 GPM (37,85 LPM) PSI 4 Dimensions 3' 0" x 12' 8" x 1' 2" (0,91 m x 3,86 m x 0,35 m) Splash zone 14' 8" x 3' 0" (4,47 m x 0,91 m)



Arrows show directions of movement.



*These products require
longer lead times.*

AquaFall NEW Flow rate 50 GPM (189,27 LPM) PSI 4 Dimensions 9' 0" x 1' 6" x 7' 0" (2,74 m x 0,46 m x 2,13 m) Splash zone 9' 0" x 18' 0" (2,74 m x 5,48 m)



Nautilus1 Flow rate 10 GPM (37,85 LPM) PSI 4 Dimensions 6' 6" x 7' 8" x 12' 3" (1,98 m x 2,34 m x 3,73 m) Splash zone 4' 6" x 3' 0" (1,40 m x 0,91 m)



Opposite View



Nautilus2

Flow rates 75 to 100 GPM (283,90 to 378,54 LPM)

PSI 6

Dimensions 8' 4" x 13' 8" x 20' 3" (2,54 m x 4,16 m x 6,17 m)

Splash zone 13' 6" x 20' 3" (4,14 m x 6,18 m)

A. Landing Pads Multiple sizes available.



A. Mini FlashFlood Flow rate 10 GPM (37,85 LPM) PSI 8 Dimensions 14' 5" x 3' 9" x 3' 9" (4,40 m x 1,14 m x 1,14 m) Splash zone 18' 0" Dia. (5,48 m Dia.)
B. FlashFlood Flow rates 20 to 40 GPM (75,71 to 151,42 LPM) PSI 10 Dimensions 17' 0" x 7' 2" x 6' 7" (5,18 m x 2,19 m x 2,04 m) Splash zone 30' 0" Dia. (9,14 m Dia.)



A.



B.



C.

- A. VersoSplash®** Flow rate 20 GPM (75,71 LPM) PSI 7 Dimensions 15' 7" x 7' 6" (4,78 m x 2,65 m) Splash zone 25' 0" x 22' 0" (4,57 m x 4,42 m)
- B. Nautical Ship Hull** Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) PSI 6 Dimensions 3' 7" x 4' 8" x 4' 2" (1,13 m x 1,46 m x 1,28 m) Splash zone 15' 0" x 15' 0" (4,57 m x 4,57 m)
- C. Nautical Ship Mast** Flow rates 15 to 20 GPM (56,78 to 75,71 LPM) PSI 7 Dimensions 13' 0" x 4' 8" x 4' 11" (3,96 m x 1,46 m x 1,25 m) Splash zone 15' 0" x 20' 0" (4,57 m x 6,09 m)
- Nautical Ship Hull and Mast (combined)**
Flow rates 25 to 35 GPM (94,63 to 132,49 LPM) PSI 15 Dimensions 12' 11" x 4' 8" x 12' 0" (3,94 m x 1,46 m x 3,66 m) Splash zone 15' 0" x 35' 0" (4,57 m x 10,67 m)

←.....→ Arrows show directions of movement.



A. BucketDuo Flow rates 15 to 25 GPM (56,78 to 94,63 LPM) PSI 7 Dimensions 14' 0" x 6' 6" x 5' 6" (4,27 m x 2,01 m x 1,70 m) Splash zone 35' 0" Dia. (10,67 m Dia.)
B. BucketTrio Flow rate 15 GPM (56,78 LPM) PSI 8 Dimensions 14' 0" x 6' 7" x 5' 11" (4,27 m x 2,04 m x 1,56 m) Splash zone 35' 0" Dia. (10,67 m Dia.)



A. Available without acrylic



B. Available without acrylic



C. Acrylic enhancement

- A. CanopyCluster** Flow rates 45 to 60 GPM (170,34 to 227,12 LPM) PSI 8 Dimensions 14' 2" x 7' 4" x 7' 4" (4,32 m x 2,25 m x 2,25 m) Splash zone 35' 0" Dia. (10,67 m Dia.)
- B. CanopyDuo** Flow rates 15 to 25 GPM (56,78 to 94,63 LPM) PSI 8 Dimensions 14' 0" x 5' 7" (4,27 m x 1,74 m) Splash zone 35' 0" Dia. (10,67 m Dia.)
- C. CanopyTrio** Flow rates 30 to 50 GPM (113,56 to 189,27 LPM) PSI 8 Dimensions 14' 0" x 6' 7" x 5' 11" (4,27 m x 2,04 m x 1,56 m) Splash zone 35' 0" Dia. (10,67 m Dia.)



A. Available without acrylic



B.

A. HydroHelix Flow rates 30 to 50 GPM (113,56 to 189,27 LPM) **PSI 5** Dimensions 9' 0" x 5' 3" (2,74 m x 1,61 m) **Splash zone** 22' 0" Dia. (6,70 m Dia.)
B. SprayStacker Flow rates 20 to 30 GPM (75,71 to 113,56 LPM) **PSI 5** Dimensions 8' 0" x 0' 10" (2,44 m x 0,30 m) **Splash zone** 15' 0" Dia. (4,57 m Dia.)



Arrows show directions of movement.




A.



B.

A. JetStream Flow rate 5 GPM (18,93 LPM) PSI 4 Dimensions 3' 8" x 3' 5" (1,16 m x 1,06 m) Splash zone 15' 0" Radius (4,57 m Radius)
B. RocketStream Flow rate 5 GPM (18,93 LPM) PSI 6 Dimensions 3' 4" x 2' 6" (1,04 m x 0,79 m) Splash zone 15' 0" Radius (4,57 m Radius)



A. WhirlPad B. WhirlPad Mushroom Flow rate 6 GPM (22,71 LPM) PSI 2 Dimensions 2' 3" x 2' 0" (0,70 m x 0,48 m) Splash zone 14' 0" Dia. (4,27 m Dia.)
C. HydroSphere Flow rate 5 GPM (18,93 LPM) PSI 4 Dimensions 3' 8" x 1' 0" (1,16 m x 0,30 m) Splash zone 15' 0" Radius (4,57 m Radius)

Arrows show directions of movement.



SplashFlash



TopoFlow



PuzzlePath

AquaGather Station

- **SplashFlash** This inverted dome creates a pressurized flash-flood system. Whoosh!
- **TopoFlow** Kids use diverters to block and unblock channels, charting the topographic water flow.
- **PuzzlePath** Splash-pad-goers redirect the water to move it through a maze of their own making.

Flow rate 10 GPM (18,93 LPM) **PSI** 10 **Dimensions** 3' 9" x 7' 0" (1,18 m x 2,13 m) **Splash zone** 12' 0" Dia. (3,22 m Dia.)



A.



B.

A. UniFlow Flow rates 5 to 20 GPM (18,93 to 75,71 LPM) PSI 15 Dimensions 9' 0" x 7' 0" (2,74 m x 2,13 m) Splash zone 13' 0" x 16' 0" (3,96 m x 4,87 m)
B. WhirlFlex Flow rate 30 GPM (113,56 LPM) PSI 15 Dimensions 6' 0" x 7' 0" x 3' 8" (1,83 m x 2,13 m x 1,12 m) Splash zone 14' 0" x 10' 8" (4,27 m x 3,30 m)



A.



B.

A. WaterLimbo Flow rate 20 GPM (75,71 LPM) PSI 10 Dimensions 6' 11" x 4' 8" (1,86 m x 1,22 m) Splash zone 15' 0" x 10' 0" (4,57 m x 3,05 m)
B. WaterWay Flow rates 10 to 20 GPM (37,85 to 75,71 LPM) PSI 5 Dimensions 9' 0" x 5' 6" (2,74 m x 1,22 m) Splash zone 10' 0" x 10' 0" (3,05 m x 3,05 m)



- A. AquaArc** Flow rates 5 to 20 GPM (18,93 to 75,71 LPM) PSI 6 Dimensions 8' 0" x 0' 6" (2,44 m x 0,15 m) Splash zone 15' 0" Dia. (4,57 m Dia.)
B. SplashArc Flow rates 5 to 40 GPM (18,93 to 151,41 LPM) PSI 6 Dimensions 8' 0" x 0' 6" (2,44 m x 0,15 m) Splash zone 15' 0" Dia. (4,57 m Dia.)
C. VaporArc Flow rates 10 to 20 GPM (37,85 to 75,71 LPM) PSI 15 Dimensions 5' 0" x 0' 6" (1,52 m x 0,15 m) Splash zone 10' 0" Dia. (3,05 m Dia.)



A. Available without acrylic



B.

A. WellSpring Flow rates 15 to 30 GPM (56,78 to 113,56 LPM) PSI 4 Dimensions 4' 0" x 0' 6" (1,22 m x 0,15 m) Splash zone 16' 0" Dia. (4,87 m Dia.)
B. SprayShroud Flow rates 20 to 30 GPM (75,71 to 113,56 LPM) PSI 4 Dimensions 4' 0" x 0' 6" (1,22 m x 0,15 m) Splash zone 10' 0" Dia. (3,05 m Dia.)



Available with acrylic

RippleRun Flow rate 30 GPM (113,56 LPM) PSI 15 Dimensions 7' 0" x 11' 9" x 5' 0" (2,13 m x 3,58 m x 1,52 m) Splash zone 15' 0" x 14' 0" (4,57 m x 3,05 m)



RippleRun Single Rungs

Large	Flow rate 10 GPM (37,85 LPM)	PSI 15	Dimensions 7' 0" x 10' 8" (2,13 m x 3,29 m)	Splash zone 15' 0" x 10' 0" (4,57 m x 3,05 m)
Medium	Flow rate 10 GPM (37,85 LPM)	PSI 15	Dimensions 6' 6" x 9' 8" (2,01 m x 2,99 m)	Splash zone 14' 0" x 10' 0" (4,27 m x 3,05 m)
Small	Flow rate 10 GPM (37,85 LPM)	PSI 15	Dimensions 6' 0" x 8' 7" (1,83 m x 2,65 m)	Splash zone 13' 0" x 10' 0" (3,96 m x 3,05 m)



A.



B.



C.



D.

A. BloomBurst (rise) **B. BloomBurst (set)** **Flow rate** 10 GPM (37,85 LPM) **PSI** 8 **Dimensions** 10' 0" x 5' 4" (3,05 m x 1,62 m) **Splash zone** 15' 0" Dia. (4,57 m Dia.)
C. LeafCrown **Flow rates** 10 to 15 GPM (37,85 to 56,78 LPM) **PSI** 5 **Dimensions** 10' 0" x 6' 6" x 6' 6" (3,05 m x 2,01 m x 2,01 m) **Splash zone** 20' 0" Dia. (6,09 m Dia.)
D. PalmSpring **Flow rate** 10 GPM (37,85 LPM) **PSI** 8 **Dimensions** 10' 0" x 7' 0" (3,05 m x 2,13 m) **Splash zone** 15' 0" Dia. (4,57 m Dia.)



A. Available without acrylic



B.



Available
C. without acrylic



D.

- | | | | | |
|-----------------------|--|--------------|---|--|
| A. AquaBud | Flow rate 10 GPM (37,85 LPM) | PSI 5 | Dimensions 9' 0" x 1' 7" x 1' 9" (2,44 m x 0,48 m x 0,55 m) | Splash zone 12' 0" x 15' 0" (3,66 m x 4,57 m) |
| B. DragonFlier | Flow rate 5 GPM (18,93 LPM) | PSI 5 | Dimensions 10' 5" x 5' 5" x 4' 4" (3,17 m x 1,65 m x 1,34 m) | Splash zone 15' Dia. (4,57 m Dia.) |
| C. SprayVine | Flow rates 5 to 10 GPM (18,93 to 37,85 LPM) | PSI 5 | Dimensions 10' 0" x 0' 2" (3,05 m x 0,61 m) | Splash zone 10' 0" Dia. (3,05 m Dia.) |
| D. AquaFlier | Flow rate 5 GPM (18,93 LPM) | PSI 5 | Dimensions 10' 6" x 4' 5" x 2' 1" (3,23 m x 1,35 m x 0,63 m) | Splash zone 15' 0" Dia. (4,57 m Dia.) |



A.



B.

A. SplashPack Octopus Flow rate 12 GPM (45,42 LPM) PSI 5 Dimensions 2' 2" x 5' 0" x 5' 0" (0,66 m x 1,52 m x 1,52 m) Splash zone 9' 0" x 15' 0" (2,74 m x 4,57 m)
B. SplashPack Whale Flow rates 20 to 25 GPM (75,71 x 94,63 LPM) PSI 5 Dimensions 2' 8" x 4' 10" x 7' 4" (0,18 m x 1,47 m x 2,23 m) Splash zone 10' 0" x 15' 0" (3,05 m x 4,57 m)



A.



B.



C.

A. SplashPack Elephant Flow rates 15 to 20 GPM (56,78 to 75,71 LPM) PSI 5 Dimensions 6' 6" x 4' 0" x 3' 9" (2,01 m x 1,22 m x 1,14 m) Splash zone 10' 0" x 20' 0" (3,05 m x 6,09 m)
B. SplashPack Fish Flow rates 7 to 35 GPM (26,50 to 132,49 LPM) PSI 5 Dimensions 3' 3" x 1' 6" x 4' 8" (1,00 m x 0,48 m x 1,46 m) Splash zone 12' 0" x 15' 0" (3,66 m x 4,57 m)
C. SplashPack Dolphin Flow rate 10 GPM (37,85 LPM) PSI 5 Dimensions 3' 2" x 3' 4" x 4' 0" (0,97 m x 1,04 m x 1,22 m) Splash zone 8' 0" x 15' 0" (2,44 m x 4,57 m)


A.



B.



C.

**A. SplashPack Swimming Hippo**

Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) **PSI** 5 **Dimensions** 2' 2" x 2' 11" x 7' 11" (0,67 m x 0,64 m x 2,17 m) **Splash zone** 6' 0" x 10' 0" (1,83 m x 3,05 m)

B. SplashPack Lion

Flow rates 15 to 20 GPM (56,78 to 75,71 LPM) **PSI** 5 **Dimensions** 3' 8" x 2' 10" x 6' 3" (1,15 m x 0,64 m x 1,92 m) **Splash zone** 10' 0" x 8' 0" (3,05 m x 2,44 m)

C. SplashPack Bear

Flow rate 5 GPM (18,93 LPM) **PSI** 5 **Dimensions** 4' 0" x 2' 11" x 2' 11" (1,22 m x 0,64 m x 0,64 m) **Splash zone** 6' 0" x 10' 0" (1,83 m x 3,05 m)



A.



B.



C.



D.

- A. SplashPack Frog** Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) PSI 5 Dimensions 2' 6" x 3' 0" x 3' 0" (0,79 m x 0,91 m x 0,91 m) Splash zone 7' 0" x 7' 0" (2,13 m x 2,13 m)
- B. SplashPack Lizard** Flow rate 10 GPM (37,85 LPM) PSI 5 Dimensions 1' 4" x 4' 2" x 6' 5" (0,41 m x 1,27 m x 1,981 m) Splash zone 8' 0" x 23' 0" (2,44 m x 7,01 m)
- C. SplashPack Turtle** Flow rate 15 GPM (56,78 LPM) PSI 5 Dimensions 2' 1" x 3' 8" x 4' 8" (0,60 m x 1,16 m x 1,46 m) Splash zone 10' 0" x 10' 0" (3,05 m x 3,05 m)
- D. SplashPack Seal** Flow rate 15 GPM (56,78 LPM) PSI 5 Dimensions 4' 0" x 4' 0" x 5' 5" (1,22 m x 1,22 m x 1,67 m) Splash zone 8' 0" x 20' 0" (2,44 m x 6,09 m)



HydraHub1 Flow rates 100 to 150 GPM (378,54 to 567,81 LPM) Dimensions 16' 5" x 18' 9" x 26' 1" (5,00 m x 5,71 m x 7,95 m) Splash zone 30' 0" x 40' 0" (9,14 m x 12,19 m)



HydraHub2 Flow rates 200 to 300 GPM (757,08 to 1135,62 LPM) Dimensions 19' 5" x 42' 1" x 55' 1" (5,92 m x 12,82 m x 16,79 m) Splash zone 72' 0" Dia. (21,94 m Dia.)



A.



B.

A. FloraSwirl Flow rates 2 to 3 GPM (7,57 to 11,35 LPM) PSI 3 Dimensions 3' 0" x 1' 6" (0,91 m x 0,48 m) Splash zone 4' 0" x 6' 0" (1,22 m x 1,83 m)
B. FloraSpout Flow rates 2 to 3 GPM (7,57 to 11,35 LPM) PSI 3 Dimensions 2' 3" x 1' 6" (0,68 m x 0,48 m) Splash zone 4' 0" x 6' 0" (1,22 m x 1,83 m)

Arrows show directions of movement.




A. Acrylic enhancement



B.

A. Tot WellSpring Flow rates 5 to 10 GPM (18,93 to 37,85 LPM) PSI 3 Dimensions 3' 0" x 0' 4" (0,91 m x 0,12 m) Splash zone 8' 0" Dia. (2,44 m Dia.)

B. Acrylic Tot Shower Dome Flow rates 5 to 10 GPM (18,93 to 37,85 LPM) PSI 3 Dimensions 4' 0" x 2' 0" (1,22 m x 0,61 m) Splash zone 8' 0" Dia. (2,44 m Dia.)



A. StarMister Solid B. StarMister Spotted

Flow rates 6 to 12 GPM (22,71 to 45,42 LPM)

PSI 15

Dimensions 0' 4" x 1' 8" (0,10 m x 0,51 m)

Splash zone 5' 0" Dia. (1,52 m Dia.)

C. TotPack Bunny D. TotPack Ladybug

Flow rates 5 to 10 GPM (18,93 to 37,85 LPM)


PSI 4

Dimensions 0' 10" x 1' 3" x 1' 11" (0,03 m x 0,39 m x 0,34 m)

Splash zone 4' 0" Dia. (1,22 m Dia.)



A.



B.

C.

D.

- A. TotPack Turtle** Flow rates 5 to 10 GPM (18,93 to 37,85 LPM) PSI 4 Dimensions 0' 10" x 1' 3" x 1' 11" (0,03 m x 0,39 m x 0,34 m) Splash zone 4' 0" Dia. (1,22 m Dia.)
- B. GeoMister Small** Flow rate 2 GPM (15,14 LPM) PSI 15 Dimensions 0' 4" x 1' 3" x 1' 0" (0,12 m x 0,39 m x 0,30 m) Splash zone 5' 0" Dia. (1,52 m Dia.)
- C. GeoMister Medium** Flow rate 4 GPM (15,14 LPM) PSI 15 Dimensions 0' 10" x 1' 4" x 1' 7" (0,03 m x 0,43 m x 0,52 m) Splash zone 5' 0" Dia. (1,52 m Dia.)
- D. GeoMister Large** Flow rate 4 GPM (15,14 LPM) PSI 15 Dimensions 1' 5" x 1' 4" x 1' 7" (0,43 m x 0,41 m x 0,52 m) Splash zone 5' 0" Dia. (1,52 m Dia.)



A.



B.



C.

A. Mini Pillar Flow rate 10 GPM (38,0 LPM) PSI 4 Dimensions 5' 0" x 0' 3" (1,52 m x 0,09 m) Splash zone 10' 0" Dia. (3,05 m Dia.)

B. Geyser Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) PSI 5 Dimensions 3' 0" x 0' 9" (0,91 m x 0,27 m) Splash zone 8' 0" Dia. (2,44 m Dia.)

C. Stream Jet Flow rates 1 to 10 GPM (3,78 to 37,85 LPM) PSI 6 Dimensions 5' 0" x 0' 3" (1,52 m x 0,09 m) Splash zone 8' 0" Dia. (2,44 m Dia.)



A.




B.



C.

- A. Arch Jet** Flow rates 1 to 10 GPM (3,78 to 37,85 LPM) PSI 3 Dimensions 5' 0" x 3' 6" (1,52 m x 1,10 m) Splash zone 5' 0" x 8' 0" (1,52 m x 2,44 m)
B. Triple Arch Jet Flow rates 2.5 to 5 GPM (9,46 to 18,93 LPM) PSI 4 Dimensions Will vary with flow rate Splash zone 10' 0" x 10' 0" (3,05 m x 3,05 m)
C. Crown Jet Flow rate 5 GPM (18,93 LPM) PSI 3 Dimensions 2' 0" x 4' 0" x 3' 0" (0,61 m x 1,22 m x 0,91 m) Splash zone 8' 0" x 8' 0" (2,44 m x 2,44 m)



A.



B.

A. Water Jewel Flow rate 25 GPM (94,63 LPM) PSI 4 Dimensions 5' 0" x 0' 9" (1,52 m x 0,27 m) Splash zone 12' 0" Dia. (3,66 m Dia.)
B. Junior Water Jewel Flow rate 7 GPM (2,13 LPM) PSI 4 Dimensions 5' 6" x 0' 3" (1,71 m x 0,09 m) Splash zone 12' 0" Dia. (3,66 m Dia.)



A.



B.

A. Sea Crawler Flow rate 5 GPM (18,93 LPM) PSI 3 Dimensions 2' 6" x 2' 0" (0,79 m x 0,61 m) Splash zone 4' 6" Dia. (1,40 m Dia.)

B. Fan Spray Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) PSI 3 Dimensions 1' 0" x 0' 9" (0,30 m x 0,27 m) Splash zone 5' 0" x 5' 0" (1,52 m x 1,52 m)



A.



B.



C.

- A. Crackle Corn** Flow rate 5 GPM (18,93 LPM) PSI 7 Dimensions Will vary with flow rate Splash zone 8' 0" Dia. (2,44 m Dia.)
B. Ground Funnel Flow rate 5 GPM (18,93 LPM) PSI 3 Dimensions 1' 0" x 0' 8" (0,30 m x 0,24 m) Splash zone 8' 0" Dia. (2,44 m Dia.)
C. Triple Mist Nozzle NEW Flow rate 3 GPM (11,35 LPM) PSI 15 Dimensions 0' 2" x 3' 0" (0,5 m x 0,91 m) Splash zone 8' 0" Dia. (2,44 m Dia.)




A.



B.



C.



D.

- A. Under Water Bubbler** Flow rates 5 to 10 GPM (18,92 to 37,85 LPM) PSI 8 Dimensions Will vary with flow rate Splash zone Will vary with flow rate
- B. Side Wall Fan Spray** Flow rate 10 GPM (37,85 LPM) PSI 3 Dimensions 0' 8" x 7' 0" (0,24 m x 2,13 m) Splash zone 8' 0" x 8' 0" (2,44 m x 2,44 m)
- C. Bubbler** Flow rates 10 to 20 GPM (37,85 to 75,71 LPM) PSI 5 Dimensions Will vary with flow rate Splash zone 3' 0" Dia. (0,91 m Dia.)
- D. Side Wall Stream** Flow rates 1 to 10 GPM (3,78 to 37,85 LPM) PSI 3 Dimensions 1' 6" x 2' 0" (0,49 m x 0,61 m) Splash zone 6' 0" x 8' 0" (1,83 m x 2,44 m)



A.



B.



C.


- | | | | | |
|------------------------------|---|--------------|---|--|
| A. Upward Spray Ring | Flow rates 25 to 220 GPM (94,63 to 832,79 LPM) | PSI 6 | Dimensions 5' 0" x 6' 0" (1,52 m x 1,83 m) | Splash zone 20' 0" Dia. (6,09 m Dia.) |
| B. Outward Spray Ring | Flow rates 25 to 220 GPM (94,63 to 832,79 LPM) | PSI 6 | Dimensions 5' 0" x 6' 0" (1,52 m x 1,83 m) | Splash zone 30' 0" Dia. (9,14 m Dia.) |
| C. Inward Spray Ring | Flow rates 25 to 220 GPM (94,63 to 832,79 LPM) | PSI 6 | Dimensions 5' 0" x 6' 0" (1,52 m x 1,83 m) | Splash zone 10' 0" Dia. (3,05 m Dia.) |



A.



B.



C.

A. Center Pillar Ring Flow rates 13 to 130 GPM (49,21 to 492,10 LPM) PSI 6 Dimensions 5' 0" x 3' 0" (1,52 m x 0,91 m) Splash zone 15' 0" Dia. (4,57 m Dia.)
B. Mini Upward Spray Ring Flow rates 12 to 120 GPM (45,42 to 454,25 LPM) PSI 6 Dimensions 5' 0" x 3' 0" (1,52 m x 0,91 m) Splash zone 15' 0" Dia. (4,57 m Dia.)
C. Mini Outward Spray Ring Flow rates 12 to 120 GPM (45,42 to 454,25 LPM) PSI 6 Dimensions 5' 0" x 3' 0" (1,52 m x 0,91 m) Splash zone 20' 0" Dia. (6,09 m Dia.)



A.



B.



C.

- A. Stream Jet Manifold** Flow rates 7 to 70 GPM (26,50 to 264,98 LPM) **PSI 4** Dimensions 5' 0" x 15' 0" (1,52 m x 4,57 m) **Splash zone** 8' 0" x 23' 0" (2,44 m x 7,07 m)
B. Arch Jet Manifold Flow rates 6 to 60 GPM (22,71 to 227,12 LPM) **PSI 3** Dimensions 5' 0" x 12' 6" (1,52 m x 3,84 m) **Splash zone** 9' 0" x 17' 8" (2,74 m x 5,42 m)
C. Arch Jet Tunnel Flow rates 12 to 120 GPM (45,42 to 454,25 LPM) **PSI 3** Dimensions 5' 0" x 4' 6" x 11' 0" (1,52 m x 1,40 m x 3,35 m) **Splash zone** 9' 0" x 15' 0" (2,74 m x 4,57 m)



A.

B.



C.

- | | | | | |
|--------------------------------|--|--------------|--|--|
| A. Curvy Jet Manifold | Flow rates 8 to 80 GPM (30,28 to 302,83 LPM) | PSI 4 | Dimensions 5' 0" x 4' 8" x 8' 2" (1,52 m x 1,42 m x 2,49 m) | Splash zone 12' 0" x 16' 0" (3,66 m x 4,87 m) |
| B. Stream Jet Triangle | Flow rates 3 to 30 GPM (11,36 to 113,56 LPM) | PSI 4 | Dimensions 5' 0" x 3' 0" (1,52 m x 0,91 m) | Splash zone 12' 0" Dia. (3,66 m Dia.) |
| C. Curvy Jewel Manifold | Flow rates 14 to 42 GPM (53,00 to 158,99 LPM) | PSI 4 | Dimensions 5' 0" x 4' 6" x 8' 0" (1,52 m x 1,40 m x 2,44 m) | Splash zone 12' 0" x 16' 0" (3,66 m x 4,87 m) |



Aquatix can help you create special effects with our design flexibility and extensive know-how. Add lights and water-feature sequencing to create an environment that's not only fun to play in, but is also a pleasure to view.

Special Effects Lighting

Expand the value of your splash pad. Design an LED light show for evening entertainment and for off-season festivities. Combine on-and-off sequencing, colors and controls for a complete choreographed light show.



LED Lights

Aquatix lights are available in many different colors and can be used with many ground spray products. Lights are energy-efficient, water proof and safe.

Special Effects Sequencing

Add play value, suspense and excitement to the splash pad by randomly sequencing jets on and off. The sounds of water splashing and jets spraying create a soothing

atmosphere. Combine with the LED light show for a complete water display.

Sequencing and Light Controls

Control system is easy-to-use and allows you to control all special effects, including sequencing and color changes.

Features include:

- Easy front panel access
- NEMA 4 water-tight enclosure
- U.L.-listed
- Intuitive menu-driven splash pad touch pad (SPTP)
- Convenient adjustability



A.



B.

C.



D.




E.



Available with LED and Sequencing nozzle effects A. Bubbler B. Mini Pillar C. Junior Water Jewel D. Stream Jet E. Triple Mist Nozzle **NEW**

Product data information available upon request.



Available with LED and Sequencing nozzle effects **F.** Arch Jet **G.** Crown Jet **H.** LED-Lit Laminar **I.** Sea Crawler **J.** Triple Arch Jet



A.



B.



C.

A. Water Bucket Brigade Flow rates 40 to 80 GPM (151,42 to 302,83 LPM) PSI 6 Dimensions 14' 0" x 8' 0" (4,27 m x 2,44 m) Splash zone 30' 0" Dia. (9,14 m Dia.)

B. Water Bucket Flow rates 10 to 20 GPM (37,85 to 75,71 LPM) PSI 6 Dimensions 13' 0" x 4' 0" (3,96 m x 1,22 m) Splash zone 10' 0" x 15' 0" (3,05 m x 4,57 m)

C. Water Bucket Cluster Flow rates 45 to 60 GPM (170,34 to 227,12 LPM) PSI 6 Dimensions 14' 0" x 8' 0" (4,27 m x 2,44 m) Splash zone 25' 0" Dia. (7,62 m Dia.)



A.



B.



C.

- A. Shower Water Dome** Flow rates 5 to 20 GPM (18,93 to 75,71 LPM) PSI 5 Dimensions 9' 6" x 5' 6" (2,92 m x 1,71 m) Splash zone 15' 0" Dia. (6,09 m Dia.)
B. Mini-Water Dome Flow rates 150 to 300 GPM (567,80 to 1135,60 LPM) PSI 4 Dimensions 9' 6" x 5' 6" (2,93 m x 1,71 m) Splash zone 20' 0" Dia. (6,10 m Dia.)
C. Water Dome Flow rates 200 to 400 GPM (757,08 to 1514,16 LPM) PSI 4 Dimensions 9' 6" x 7' 0" (2,93 m x 2,13 m) Splash zone 25' 0" Dia. (7,62 m Dia.)



- A. Water Funnel Tree** Flow rates 15 to 120 GPM (56,78 to 454,25 LPM) PSI 6 Dimensions 10' 0" x 7' 0" (3,05 m x 2,13 m) Splash zone 25' 0" Dia. (7,62 m Dia.)
B. Triple Fun Tree Flow rates 15 to 70 GPM (56,78 to 264,98 LPM) PSI 5 Dimensions 10' 0" x 7' 0" (3,05 m x 2,13 m) Splash zone 25' 0" Dia. (7,62 m Dia.)
C. Water Cup Flow rates 200 to 400 GPM (757,08 to 1514,16 LPM) PSI 5 Dimensions 10' 6" x 7' 0" (3,23 m x 2,13 m) Splash zone 25' 0" Dia. (7,62 m Dia.)



A.



B.



C.



D.

- A. Water Bars** Flow rates 25 to 220 GPM (94,36 to 832,79 LPM) PSI 5 Dimensions 9' 0" x 6' 0" (2,74 m x 1,83 m) Splash zone 15' 0" x 10' 0" (4,57 m x 3,05 m)
- B. Water Spout** Flow rates 5 to 20 GPM (18,92 to 75,71 LPM) PSI 6 Dimensions 9' 0" x 0' 6" (2,74 m x 0,15 m) Splash zone 8' 0" x 10' 0" (2,44 m x 3,05 m)
- C. Pipe Water Bars** Flow rates 25 to 220 GPM (94,36 to 832,79 LPM) PSI 5 Dimensions 9' 0" x 6' 0" (2,74 m x 1,83 m) Splash zone 15' 0" x 10' 0" (4,57 m x 3,05 m)
- D. Water Arch Bar** Flow rates 25 to 220 GPM (94,63 to 832,79 LPM) PSI 5 Dimensions 4' 0" x 6' 0" (1,22 m x 1,83 m) Splash zone 10' 0" x 10' 0" (3,05 m x 3,05 m)



- A. Water Shower** Flow rates 5 to 20 GPM (18,92 to 75,71 LPM) **PSI 6** Dimensions 9' 0" x 0' 6" (2,74 m x 0,15 m) **Splash zone** 15' 0" Dia. (4,57 m Dia.)
B. Water Tent Flow rates 15 to 30 GPM (56,78 to 113,56 LPM) **PSI 3** Dimensions 4' 0" x 0' 6" (1,22 m x 0,15 m) **Splash zone** 10' 0" Dia. (3,05 m Dia.)
C. Water Post Flow rates 10 to 60 GPM (37,85 to 227,12 LPM) **PSI 4** Dimensions 4' 0" x 0' 6" (1,22 m x 0,15 m) **Splash zone** 10' 0" Dia. (3,05 m Dia.)
D. Water Fire Nozzle Flow rates 10 to 15 GPM (37,85 to 56,78 LPM) **PSI 10** Dimensions 3' 9" x 0' 6" (1,19 m x 0,15 m) **Splash zone** 15' 0" Dia. (4,57 m Dia.)

Arrows show directions of movement.



A.



B.



C.




D.

- A. Water Table** Flow rates 40 to 60 GPM (151,42 to 227,12 LPM) PSI 4 Size 2' 0" x 7' 6" x 7' 6" (0,61 m x 2,29 m x 2,29 m) Splash zone 15' 0" Dia. (4,57 m Dia.)
- B. Water Globe** Flow rate 15 GPM (56,78 LPM) PSI 2 Dimensions 2' 6" Dia. (0,91 m Dia.) Splash zone 6' 0" Dia. (1,83 m Dia.)
- C. Twist N Spray** Flow rate 5 GPM (18,93 LPM) PSI 6 Dimensions 2' 0" x 0' 11" (0,91 m x 0,33 m) Splash zone 15' 0" Radius (4,57 m Radius)
- D. Water Wheel** Flow rates 10 to 20 GPM (37,85 to 75,71 LPM) PSI 7 Dimensions 14' 0" x 2' 0" (4,27 m x 0,61 m) Splash zone 15' 0" x 10' 0" (4,57 m x 3,05 m)



A.



B.



C.

- A. Multi-Play Canopy** Flow rates 200 to 600 GPM (757,08 to 2271,25 LPM) Dimensions 17' 0" x 14' 0" x 15' 0" (5,18 m x 4,27 m x 4,57 m) Splash zone 25' 0" x 25' 0" (7,62 m x 7,62 m)
B. Multi-Play III: Water Bars Flow rates 50 to 350 GPM (189,27 to 1324,89 LPM) Dimensions 14' 0" x 5' 0" x 11' 0" (4,27 m x 1,52 m x 3,35 m) Splash zone 30' 0" x 15' 0" (9,14 m x 4,57 m)
C. Multi-Play Tubular Flow rates 200 to 600 GPM (757,08 to 2271,25 LPM) Dimensions 14' 0" x 5' 0" x 26' 0" (4,27 m x 1,52 m x 7,92 m) Splash zone 40' 0" x 15' 0" (12,19 m x 4,57 m)

All dimensions are height x width x length. All Multi-Play data is approximate and subject to change.



Junior Climb N Slide

Flow rates 150 to 600 GPM (567,81 to 2271,24 LPM) **Dimensions** 14' 0" x 12' 0" x 14' 10" (4,27 m x 3,66 m x 4,29 m) **Splash zone** 30' 0" x 25' 0" (9,14 m x 7,62 m)




A. Junior Canopy Climb N Slide

Flow rates 150 to 600 GPM (567,81 to 2271,24 LPM) **Dimensions** 17' 0" x 12' 0" x 15' 0" (5,18 m x 3,66 m x 4,57 m) **Splash zone** 30' 0" x 25' 0" (9,14 m x 7,62 m)

B. Multi-Level Climb N Slide

Flow rates 400 to 800 GPM (1514,16 to 3028,33 LPM) **Dimensions** 17' 5" x 20' 6" x 35' 0" (5,33 m x 6,78 m x 10,66 m) **Splash zone** 30' 0" x 45' 0" (9,14 m x 13,71 m)




- A. Rotating Water Ball** Flow rate 5 GPM (18,93 LPM) PSI 5 Dimensions 2' 1" x 1' 0" (0,64 m x 0,30 m) Splash zone 10' 0" Dia. (3,05 m Dia.)
- B. Tot Arch Bar** Flow rate 10 GPM (37,85 LPM) PSI 3 Dimensions 2' 6" x 0' 6" x 3' 9" (0,79 m x 0,15 m x 1,19 m) Splash zone 6' 0" x 6' 0" (1,83 m x 1,83 m)
- C. Tot Shower Dome** Flow rates 5 to 10 GPM (18,93 to 37,85 LPM) PSI 3 Dimensions 4' 0" x 2' 0" (1,22 m x 0,61 m) Splash zone 8' 0" Dia. (2,44 m Dia.)
- D. Tot Arch** Flow rate 10 GPM (37,85 LPM) PSI 3 Dimensions 2' 6" x 5' 0" (0,79 m x 1,52 m) Splash zone 6' 0" x 6' 0" (1,83 m x 1,83 m)



Tot Ground Spray Covers Available cover shapes

Flow rate 5 GPM (18,92 LPM) **PSI** 4 **Dimensions** 2' 0" x 1' 6" (0,61 m x 0,48 m) **Splash zone** 4' 0" Dia. (1,22 m Dia.)



Tot Ground Spray Covers A. Available cover designs B. Available cover numbers C. Available cover colors
 Flow rate 5 GPM (18,92 LPM) PSI 4 Dimensions 1' 6" Dia. (0,48 m Dia.) Splash zone 4' 0" Dia. (1,22 m Dia.)



Custom Themes

Want to transform your splash pad into a colorful jungle? An outer space adventure? Or any other number of inspired creations?

Discover the many ways Aquatix can turn everyday aqua play into an imaginative thematic adventure. Bring us your ideas or we can bring them to you. Set your splash pad apart with an innovative custom theme.



















Our mechanical systems are available in two formats—Recirculation Systems and Domestic Single-Pass Systems. We can help you choose the right option to match your project requirements and budget.



A.



B.




C.

Activation Devices Children activate water flow by touching the top of the touch-sensor post

A. Aquavator B. Flower Aquavator **Dimensions** 3' 0" x 1' 0" (3,05 m x 0,30 m)

C. Flush-mount step activator Children activate water flow by touching the sensor with their feet

The patent pending HydroLogix™ system is a non-electrical water delivery system. It combines the activator, distribution manifold and drain into a single, easy-to-install component. This entire system is fabricated from durable stainless steel materials that are vandal and corrosion resistant. Ideal water pressure is 30 to 40 psi which will deliver 60 gallons per minute to aqua playstructures and ground sprays.



1. Activation bollard
Touch-post activator

2. Ground spray Flush spray-feature with nozzle effects

3. HydroLogix Hub
Provides drainage for splash pad and distribution manifold with manual valves for supply lines

4. Aqua playstructures
Above-grade spray feature with various water activities

5. Drain-line to waste
Carries 4" waste water to sanitary or sewer system

6. Main water supply
Municipal 2" water supply with pressure regulator (30 to 40 psi) and back-flow preventer

On/Off Timer
Battery operated 2" solenoid valve with programmable time clock to set hours of operation. Can be located above ground at backflow preventer or below ground in irrigation valve box.

A.



B.



C.



D.



A. Activation bollard

Push button activates water flow when button is pressed. Turns on entire splash pad.

B. Drain-to-waste outlet

Directs water from the sloped splash pad to storm sewer or retention pond or tank.


C. Water distribution manifold

Pre-plumbed water delivery system transfers water from main water supply to aqua play features. Manual control valves regulate water flow to each water element.

D. Installation example of HydroLogix system and supply piping

Design a cost-effective splash pad when water consumption is unregulated using a domestic single-pass system. Ideal for limited use and/or minimum water consumption, you can also reclaim water by routing to a retention pond and reuse for irrigation. Choose from above-ground enclosures or below-grade vaults.

- Electrical/control wiring
- Fresh water supply
- Feature water system
- Waste lines



- 1. Activation bollard**
Touch-post activator
- 2. Ground spray** Flush spray-feature with nozzle effects
- 3. Embedded pod drain**
Drain-to-waste eliminates standing water in ground spray pod

- 4. Drain-to-waste valve box** Carries splash pad water to waste water
- 5. Aqua play structures**
Above-grade spray feature with various water activities
- 6. Drain-line to waste**
Carries waste water to sanitary or sewer system or retention pond

- 7. Distribution manifold**
Pre-plumbed and pre-fabricated with winterization blow-out port
- 8. Solenoid valves**
Optional on each feature for sequencing of events
- 9. Manual valves**
Manually control each spray feature's height and distance

- 10. Main solenoid valve**
On/off control for splash pad main water supply
- 11. System control panel**
UL-listed controls for total system and feature operation, including hours of operation, duration, events sequencing and on/off controls

- 12. Main power supply**
Typically 120V, Single Phase, 60 Hz power feed
- 13. Main water supply**
Municipal water supply with pressure regulator (20 to 30 psi) and back-flow preventer

Optional equipment:
Above- or below-grade equipment enclosures and water re-purpose reservoir



Environmentally Friendly



A.

A. Activation bollard

Low-voltage sensor located within the bollard cap activates water flow when cap is pressed. Turn on/off entire splash pad feature or designated zoned areas.



B.

B. Control panels

Control simple on/off aqua play activities or add Programmable Logic Controller (PLC) to create splash pad zoning or sequenced activities.



C.

C. Water distribution manifold

Pre-plumbed water delivery system transfers water from main water supply to aqua play features. Manual control valves regulate water flow to each water element. Upgrade with solenoid valves for creating aqua play zones or when sequencing aqua play activities.



E.



D.

D. City water system equipment vault

Safe, lockable fiberglass enclosure is pre-fabricated with all mechanical components for easy installation and service.



F.

E. Equipment enclosure


Safe, lockable enclosure is mounted directly to a concrete support pad next to aqua play area.

F. Drain-to-waste outlet

Directs water from the sloped splash pad to storm, sewer or retention pond. Drain contains removable strainer basket.

Use a recirculation system to create a safe and fun splash pad without water consumption limits. Our industry-leading water quality treatment systems save millions of gallons of water annually, are easy to operate, and meet or exceed local health department regulations. Using our skid-mounted system, you can provide your own mechanical room or we can offer prefabricated enclosures for you.

- Electrical/control wiring
- Fresh water supply
- Feature water system
- Waste lines
- Filter water supply



1. Activation bollard

Touch-post activator

2. Ground spray

Flush spray-feature with nozzle effects

3. Embedded pod drain

Drain-to-waste eliminates standing water in ground spray pod

4. Collector box

Dual port main drain with removable strainer basket collects splash pad water to return to tank

5. Drain-to-waste valve box

Solenoid valve diverts rain water to waste

6. Drain-line to waste

Carries waste water to sanitary or sewer system

7. Aqua play structures

Above-grade spray feature with various water activities

8. Underground water-reservoir tank

Pre-fabricated and pre-plumbed with water level control, inlet loop, floating skimmer and submersible pump-out system

9. Lockable man-way with ladder access

Easy access for servicing water reservoir tank

10. Distribution manifold

Pre-plumbed and pre-fabricated with winterization blow-out port

11. Manual valves

Manually control each spray feature's height and distance

12. Feature-pump skid

UL-listed, pre-fabricated and pre-plumbed with adjustable legs

13. Filtration skid and automated chemical controller

UL-listed, pre-fabricated and pre-plumbed

14. Sand- or cartridge-style filter

Available with sand media or cartridges

15. System control panel

UL-listed controls for total system and feature operation, including hours of operation, duration, events sequencing and on/off controls

16. Main power supply

Typically 230v, 1 phase 60hz and 112/120v, 1 phase 60hz

17. Chemical treatment

pH-adjustment reservoir and pump

18. Water-fill supply

Municipal water supply with pressure regulator (20 to 30 psi) and back-flow preventer (typically 1")

Optional equipment:
UV treatment, Above-ground enclosure



Environmentally Friendly



A.



B.



C.



D.



E.



G.



F.



H.

A. Activation bollard

Low-voltage proximity sensor located within the bollard cap activates water flow when cap is pressed. Turn on/off entire splash pad feature or designated zoned areas.

B. Control panels

Control simple on/off aqua play activities or add Programmable Logic Controller (PLC) to create splash pad zoning or sequenced activities, or LED light shows.

C. Water distribution manifold

Pre-plumbed water delivery system transfers water from feature pumping-system to aqua play features. Manual control valves regulate water flow to each water element. Upgrade with electric valves or solenoid valves for creating aqua play zones or when sequencing aqua play activities.

D. Filtration system

30-minute (minimum) flow turnover rate. UL-listed system is pre-plumbed with all-schedule 80 PVC pipe and fittings, pre-wired and mounted on an epoxy-painted steel skid with adjustable leveling legs. Main motor control panel can be mounted to filtration skid.

E. Chemical treatment vault

Safe, lockable enclosure can be installed underground or mounted directly to concrete support pads next to an equipment skid system. Separate, self-contained enclosures house chlorine and acid.

F. Water reservoir tank

Pre-cast concrete tank (5,000 psi meets ASTM C-913 and C-1227) with lockable access hatch, service ladder and required plumbing connection. Tank is sized to meet project requirements (e.g., splash pad feature flow-rate, size of pad and environmental surroundings).

G. Ultra-violet disinfection


Secondary sanitization for recirculation system. UV system can be installed in filtration or feature pumping-system.

H. Above-ground enclosure


Safe, lockable enclosure that will be directly mounted to a concrete support pad next to water play area.

You can count on the experienced Aquatix design and engineering professionals to help you meet your project requirements—from initial creative concepts to complete engineered drawings, including insightful opportunities for inclusive play.


If you would like to learn firsthand about best practices in Inclusive Spray Park Design, sign up for one of our IACET and LACES accredited continuing education programs at aquatix.playlsi.com.



A.



B.



C.

A. CONCEPT AND BUDGET ANALYSIS

We can help you evaluate value, costs and available funding. Our cost analysis package includes 3D rendered concepts, age-appropriate products, mechanical systems and pricing.

B. COMPLIMENTARY SCHEMATIC BID DOCUMENT

Schematic drawings and specifications provide fundamental concepts for design/build projects, allowing owners to gather competitive design/build bids with the use of Aquatix products.

C. DESIGN/BUILD DOCUMENT

After the concept and budget are approved, you'll need technical drawings for permits, bids and construction. Our design document package includes complete writing specifications, splash pad construction details, mechanical and

electrical system design, and all product and material installation detailing. Professional engineering stamp is provided as required.

The team at Aquatix has helped communities across the world design and construct interactive aqua play environments. In addition to our global network of aqua play experts to guide you from concepting through completion, our experienced field supervisors can assist you with pre-construction consultation, technical support, maintenance and start-up, and training. Even more, we provide an installer endorsement program to assist your installer in becoming a proficient and reliable partner in splash pad installation. Please contact us at aquatixsupport@playlsi.com to learn more.



Choose from a variety of brilliant color options for each individual part of an Aquatix structure to create your own bright and colorful aqua play environment.

PAINT COLOR OPTIONS

Our multi-step polyurethane finishing system is specifically designed to help prevent wear and fading caused by chemically treated water and UV rays. Aquatix can provide complimentary touch-up paint to be used onsite for continued perfection.




PALETTES




CUSTOM PAINTING

Custom color matching is available for any color code provided. Establish a unique color scheme or reinforce a unified look with other Aquatix equipment and surrounding site amenities.



SOLID PANEL COLOR OPTIONS

At .50", our versatile, environmentally stabilized solid panels are made with high-impact-resistant polymer.



TWO-TONE PANEL COLOR OPTIONS


Two-tone panels offer contrasting colors and are ideal for engraving. At .50" and .75", our versatile, environmentally stabilized solid panels are made with high-impact-resistant polymer.



ACRYLIC PANEL COLOR OPTIONS

High-quality, lightweight, chemical-resistant acrylic panels have excellent outdoor stability. Ideally suited for a wide range of applications: panel attachments, theming, flowers, wings and much more.

*May have longer lead times.



Acrylic Tot Shower Dome	89	Geyser	92	SeaDome*	58	Tot WellSpring	89
AquaArc	76	Ground Funnel	96	SeaPier*	61	Triple Arch Jet	93
AquaBarrel Half*	59	HydraHub1	86	SeaPier with Pelican*	61	Triple Arch Jet—Special Effects	105
AquaBud	81	HydraHub2	87	SeaTreasure*	60	Triple Fun Tree	108
AquaFall*	63	HydroHelix	70	SeaTrunk*	62	Triple Mist Nozzle*	96
AquaFlier	81	HydroSphere	72	Shower Water Dome	107	Triple Mist Nozzle—Special Effects*	104
AquaGather Station	73	Inward Spray Ring	98	Side Wall Fan Spray	97	Twist N Spray	111
AquaHedra™*	57	JetStream	71	Side Wall Stream	97	Under Water Bubbler	97
AquaLogs*	62	Junior Canopy Climb N Slide	114	SplashArc	76	UniFlow	74
AquaRock Large*	59	Junior Climb N Slide	113	SplashPack Bear	84	Upward Spray Ring	98
AquaRock Small*	59	Junior Water Jewel	94	SplashPack Dolphin	83	VaporArc	76
Arch Jet	93	Junior Water Jewel—Special Effects	104	SplashPack Elephant	83	VersoSplash®	67
Arch Jet—Special Effects	105	LeafCrown	80	SplashPack Fish	83	Water Arch Bar	109
Arch Jet Manifold	100	LED-Lit Laminar—Special Effects	105	SplashPack Frog	85	Water Bars	109
Arch Jet Tunnel	100	Mini FlashFlood	66	SplashPack Lion	84	Water Bucket	106
BeachedWreck*	60	Mini Outward Spray Ring	99	SplashPack Lizard	85	Water Bucket Brigade	106
BloomBurst	80	Mini Pillar	92	SplashPack Octopus	82	Water Bucket Cluster	106
Bubbler	97	Mini Pillar—Special Effects	104	SplashPack Seal	85	Water Cup	108
Bubbler—Special Effects	104	Mini Upward Spray Ring	99	SplashPack Swimming Hippo	84	Water Dome	107
BucketDuo	68	Mini Water Dome	107	SplashPack Turtle	85	Water Fire Nozzle	110
BucketTrio	68	Multi-Level Climb N Slide	114	SplashPack Whale	82	Water Funnel Tree	108
CanopyCluster	69	Multi-Play III: Water Bars	112	SprayShroud	77	Water Globe	111
CanopyDuo	69	Multi-Play Canopy	112	SprayStacker	70	Water Jewel	94
CanopyTrio	69	Multi-Play Tubular	112	SprayVine	81	WaterLimbo®	75
Center Pillar Ring	99	Nautical Ship Hull and Mast	67	StarDome*	58	Water Post	110
Crackle Corn	96	Nautilus1	64	StarMister Solid	90	Water Shower	110
Crown Jet	93	Nautilus2	65	StarMister Spotted	90	Water Table	111
Crown Jet—Special Effects	105	Outward Spray Ring	98	Stream Jet	92	Water Spout	109
Curvy Jet Manifold	101	PalmSpring	80	Stream Jet—Special Effects	104	Water Tent	110
Curvy Jewel Manifold	101	Pipe Water Bars	109	Stream Jet Manifold	100	WaterWay	75
DragonFlier	81	RippleRun	78	Stream Jet Triangle	101	Water Wheel	111
Fan Spray	95	RippleRun Single Rungs	79	Tot Arch	115	WellSpring	77
FlashFlood	66	RocketStream	71	Tot Arch Bar	115	WhirlFlex	74
FloraSpout	88	Rotating Water Ball	115	Tot Ground Spray Covers	116-117	WhirlPad	72
FloraSwirl	88	SandDollarDome*	58	TotPack Bunny	90	WhirlPad Mushroom	72
GeoMister Large	91	SeaCannon*	60	TotPack Ladybug	90		
GeoMister Medium	91	Sea Crawler	95	TotPack Turtle	91		
GeoMister Small	91	Sea Crawler—Special Effects	105	Tot Shower Dome	115		

* New Product





Aquatix, Inc.
1101 McKinley Parkway
Delano, MN 55328-8605
877.632.0503
952.445.5135
aquatix.playlsi.com

With more than 30 years of experience, Aquatix is a leader in water feature and spray park design, fabrication and construction. Pioneering integrated recirculation systems, the company provides a sustainable solution that empowers hours of innovative activity without water consumption limits. Aquatix applies Landscape Structures' groundbreaking design to the creation of imaginative new water experiences.



©2021 Landscape Structures Inc. 810-0028

